PART #	Description	MSRP COST
1005N-10PKG	Mini-Magnapull Pull-Apart Magnetic Contact, Surface Mount. 10-Pack	75.19
1015-N	Recessed Contact w/Wire Leads, 1/4" Diameter, White, 3/8" Gap Size	3.73
1015N-10PKG	Recessed Contact, 1/4" Diameter, White. 10-Pack	37.26
1032-G	Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, Grey, 5/8" Gap Size	2.91
1032-N	Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, White, 5/8" Gap Size	2.91
1032N-10PKG	Mini Flange Surface Mount, Contact, Brown. 10-Pack	29.11
1032W-N	Surface Miniature Flange Mount Contact w/Wire Leads, Closed Loop, Wide Gap, White, 1" Gap Size	3.30
1032WN-3.3K	Surface Miniature Flange Mount Contact w/Wire Leads, 3.3k Ohm Resistor, Closed Loop, White, 5/8" Gap Size	6.07
1035611A	Raw Camera/Power Cable, per Foot	1.00
1035-N	Surface Mount Miniature Self- Adhesive Contact w/Wire Leads, Closed Loop, White, Closed Loop. 5/8" Gap Size	2.64
1035N-10PKG	Mini Adhesive Surface Mount, Contact, White, w/ Wire Leads. 10-Pack	26.36
1035W-N	Surface Mount Miniature Self- Adhesive Contact w/Wire Leads, Closed Loop, Wide Gap, White, Closed Loop. 1" Gap Size	3.16
1035WN-10PKG	Mini Adhesive Surface Mount, Contact, White, w/Wire Leads Wide Gap. 10-Pack	31.65
1038353A	Timer, Multi-Purpose, 12- 24VDC, 8Amp SPDT	40.00
1038-M	Surface Mount Magnetic Contact w/Wire Leads, Closed Loop, Brown, Closed Loop. 1" Gap Size	1.19
1038M-10PKG	Surface Mount. Contact, Brown. 10-Pack	11.91

4000 N	10 (14 (14 (1	
1038-N	Surface Mount Magnetic Contact w/Wire Leads, Closed Loop, White, Closed Loop. 1" Gap Size	1.19
1038T-N	Surface Screw Mount Terminal Contact, Closed Loop, White, 1" Gap Size. Tape or Screw Mounting	2.85
1038TN-10PKG	Surface Mount, Contact w/Terminals, White. 10-Pack	28.44
1042TWG-5PKG	Surface Mount, Industrial Steel Door Contact w/Terminals, Grey. 5-Pack	42.67
1042TW-M	Industrial Surface Mount Terminal Contact, Closed Loop, Extra Wide Gap, Brown, 3" Gap Size	8.54
1042TWM-5PKG	Surface Mount, Industrial Steel Door w/Terminals, Brown. 5- Pack	42.67
1042TW-N	Industrial Surface Mount Terminal Contact, Closed Loop, Extra Wide Gap, White, 3" Gap Size	8.54
1042TWN-5PKG	Surface Mount, Industrial Steel Door w/Terminals, White. 5- Pack	42.67
1044887A	Label, Model 940 proximity reader, 1-LED, gray	2.86
1044TW-N	Industrial Surface Mount Terminal Contact, SPDT, Extra Wide Gap, White, 3" Gap Size. Single Pole-Double Throw	10.94
1045T-G	Industrial Surface Mount Terminal Contact, Closed Loop, Grey, 1 1/4" Gap Size	5.91
1045TG-5PKG	Surface Mount, Industrial Steel Door w/Terminals, Grey. 5- Pack	29.55
1045T-M	Industrial Surface Mount Terminal Contact, Closed Loop, Brown, 1 1/4" Gap Size	5.91
1045TM-5PKG	Surface Mount, Industrial Steel Door w/Terminals, Brown. 5- Pack	29.55
1045T-N	Industrial Surface Mount Terminal Contact, Closed Loop, White, 1 1/4" Gap Size	5.91
1045W-G	Industrial Surface Mount Contact w/Wire Leads, Closed Loop, Wide Gap, Grey, 3" Gap Size	7.52

1045WG-5PKG	Surface Mount, Industrial Steel Door Wide Gap, Grey. 5-Pack	37.60
1045WM-5PKG	Surface Mount, Industrial Steel Door Wide Gap, Brown. 5- Pack	37.60
1045W-N	Industrial Surface Mount Contact w/Wire Leads, Closed Loop, Wide Gap, White, 3" Gap Size	7.52
1045WN-5PKG	Surface Mount, Industrial Steel Door Wide Gap, White. 5-Pack	37.60
1047H-N	Industrial Surface Mount Contact w/Wire Leads, Higher Security, SPDT, White, Biased for Higher Security Applications. 3/8" to 1 1/4" Gap Size. Single Pole-Double Throw	21.50
1047T-N	Industrial Surface Mount Terminal Contact, SPDT, White, 1 1/4" Gap Size. Single Pole-Double Throw	8.79
1051798	WaveReader Software, MobileView III Version	NC
1055-N	Recessed Contact w/Wire Leads, 1/4" Diameter, White, 1/2" Gap Size	2.21
1055N-10PKG	Recessed Mount, 1/4" Diameter, White. 10-Pack	22.05
1055W-N	Recessed Contact w/Wire Leads, 1/4" Diameter, Wide Gap, White, 1 1/4" Gap Size	2.66
1055WN-10PKG	Recessed Mount Wide Gap, 1/4" Diameter, White. 10-Pack	26.58
1056	Magnet, 1/4" Diameter x 1 3/16" Long	1.55
1057	Magnet, 3/8" Diameter x 1 1/2" Long	2.96
1057060	CD, AL-ENTR-SINGLE Software Printed	NC
1058-M	Recessed Stubby Contact w/Wire Leads, 1/4" Diameter, Brown, 1/2" Gap Size	4.43
1058-N	Recessed Stubby Contact w/Wire Leads, 1/4" Diameter, White, 1/2" Gap Size	4.43
1059209A	Door Strike, Von Duprin 5100- 689, 12 or 24 VDC, Aluminum Finish	189.00

4005W/ NI	ID ID E:(0 :	0.00
1065W-N	Recessed Press Fit Contact Large Magnet w/Wire Leads, 3/8" Diameter, White, 2" Gap Size	2.66
1069660A	Forward Facing Camera, Color, WDR	499.00
1070-N	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-Double Throw	6.96
1070N-10PKG	Recessed Mount Press Fit, 3/8" Diameter, SPDT, White. 10-Pack	69.57
1072-N	Recessed Flanged Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	4.12
1072W-N	Recessed Flanged Contact w/Wire Leads, 3/8" Diameter, Wide Gap, White, 1 1/4" Gap Size	5.38
1075-M	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Brown, 1/2" Gap Size	1.19
1075M-10PKG	Recessed Mount Press Fit, 3/8" Diameter, Brown. 10-Pack	11.91
1075-N	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, White, 1/2" Gap Size	1.19
1075N-10PKG	Recessed Mount Press Fit, 3/8" Diameter, White. 10-Pack	11.91
1075T-N	Recessed Press Fit Contact w/Wire w/Terminals, 3/8" Diameter, White, 1/2" Gap Size	3.30
1075TN-10PKG	Recessed Press Fit w/Terminal, 3/8" Diameter, White. 10-Pack	32.97
1075TW-N	Recessed Press Fit Wide Gap Contact w/Wire w/Terminals, 3/8" Diameter, White, 1-1/8" Gap Size	3.65
1075W-M	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, Brown, 1 1/4" Gap Size	2.26

1075W-N	Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, White, 1 1/4" Gap Size	2.26
1076CDN-10PKG	Recessed Steel Door Mount, 3/4" Diameter, DPDT, White. 10-Pack	175.74
1076CH-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Higher Security, White, Biased for Higher Security Applications. Single Pole- Double Throw	14.61
1076C-M	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, SPDT, Brown, 3/8" Gap Size. Single Pole-Double Throw	8.75
1076C-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, SPDT, White, 3/8" Gap Size. Single Pole-Double Throw	8.75
1076CW-M	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Wide Gap, SPDT, Brown, 3/4" Gap Size. Single Pole-Double Throw	9.91
1076CW-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Wide Gap, SPDT, White, 3/4" Gap Size. Single Pole-Double Throw	9.91
1076D-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, Grey, 1/2" Gap Size. Double Pole-Double Throw	14.78
1076D-M	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, Brown, 1/2" Gap Size. Double Pole-Double Throw	14.78
1076DM-10PKG	Recessed Steel Door Mount, 1" Diameter, Brown, DPDT. 10- Pack	147.85
1076D-N	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, DPDT, White, 1/2" Gap Size. Double Pole-Double Throw	14.78
1076DN-10PKG	Recessed Steel Door Mount, 1" Diameter, DPDT. 10-Pack	147.85

_		
1076-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter,	8.75
	SPDT, Grey, 1/2" Gap Size.	
	Single Pole-Double Throw	
1076G-10PKG	Recessed Steel Door Mount, 1"	87.43
	Diameter, Grey. 10-Pack	
	·	
1076H-N	Recessed Steel Door Contact	14.61
	w/Leads, 1" Diameter, High	
	Security, SPDT, White, Biased	
	for Higher Security. 1/2" gap.	
	Single Pole-Double Throw	
1076-M	Recessed Steel Door Contact	8.75
1070 W	w/Wire Leads, 1" Diameter,	0.70
	SPDT, Brown, 1/2" Gap Size.	
	Single Pole-Double Throw	
	Single Fole-Double Tillow	
1076M-10PKG	Recessed Steel Door Mount, 1"	87.43
	Diameter, Brown. 10-Pack	
1076-N	Recessed Steel Door Contact	8.75
1070-14	w/Wire Leads, 1" Diameter,	0.73
	SPDT, White, 1/2" Gap Size.	
	Single Pole-Double Throw	
	emgie i die Beable i men	
1076N-10PKG	Recessed Steel Door Mount, 1"	87.43
	Diameter, White. 10-Pack	
1076W-M	Recessed Steel Door Contact	9.91
107000-101	w/Leads, 1" Diameter, SPDT,	3.31
	Wide Gap, Brown, 1" Gap Size.	
	Single Pole-Double Throw	
	Chilgie i die Beable i inew	
1076W-N	Recessed Steel Door Contact	9.91
	w/Leads, 1" Diameter, SPDT,	
	Wide Gap, White, 1" Gap Size.	
	Single Pole-Double Throw	
1078C1-M	1078C w/1929 Magnet Brown	3.74
1078C1M-10PKG	Recessed Steel Door Mount,	37.32
107001111101110	3/4" Diameter, w/1929 Magnet,	07.02
	Brown, 10-Pack	
1078C-G	Recessed Steel Door Contact	6.03
	w/Wire Leads, 3/4" Diameter,	
	Closed Loop, Grey, 3/8" Gap	
407000 40000	Size	00.04
1078CG-10PKG	Recessed Steel Door Mount,	60.31
	3/4" Diameter, Grey. 10-Pack	
1078C-M	Recessed Steel Door Contact	6.03
	w/Wire Leads, 3/4" Diameter,	
	Closed Loop, Brown, 3/8" Gap	

40700 N	ID 10: 1D 0 : 1	0.00
1078C-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, White, 3/8" Gap Size	6.03
1078CN-10PKG	Recessed Steel Door Mount, 3/4" Diameter, White. 10-Pack	60.31
1078CT-M	Recessed Steel Door Terminal Contact, 3/4" Diameter, Brown, 7/8" Gap Size (3/8" in Steel)	6.77
1078CTM-10PKG	Recessed Steel Door Mount, 3/4" Diameter w/Terminal, Brown. 10-Pack	67.69
1078CT-N	Recessed Steel Door Terminal Contact, 3/4" Diameter, White, 7/8" Gap Size (3/8" in Steel)	6.77
1078CTN-10PKG	Recessed Steel Door Mount, 3/4" Diameter w/Terminal, White. 10-Pack	67.69
1078CTW-N	Recessed Steel Door Terminal Contact, 3/4" Diameter, Wide Gap, White, 2" Gap Size (3/4" in Steel)	7.99
1078CTWN-10PKG	Recessed Steel Door Mount, 3/4" Diameter w/Terminal. 10- Pack	79.94
1078CW-G	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, Grey, 3/4" Gap Size	7.19
1078CWG-10PKG	Recessed Steel Door Mount, 3/4" Diameter, Wide Gap Grey. 10-Pack	71.88
1078CW-M	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, Brown, 3/4" Gap Size	7.19
1078CWM-10PKG	Recessed Steel Door Mount, 3/4" Diameter, Wide Gap Brown. 10-Pack	71.88
1078CW-N	Recessed Steel Door Contact w/Wire Leads, 3/4" Diameter, Closed Loop, Wide Gap, White, 3/4" Gap Size	7.19
1078CWN-10PKG	Recessed Steel Door Mount, 3/4" Diameter, White. 10-Pack	71.88
1078-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Grey, 1/2" Gap Size. Closed Loop	6.03

1078G-10PKG	Recessed Steel Door Mount, 1" Diameter, Grey. 10-Pack	60.31
1078-M	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Brown, 1/2" Gap Size. Closed Loop	6.03
1078M-10PKG	Recessed Steel Door Mount, 1" Diameter, Brown. 10-Pack	60.31
1078-N	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, White, 1/2" Gap Size. Closed Loop	6.03
1078N-10PKG	Recessed Steel Door Mount, 1" Diameter, White. 10-Pack	60.31
1078W-G	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, Grey, 1" Gap Size. Closed Loop	7.19
1078WG-10PKG	Recessed Steel Door Mount, 1" Diameter, Wide Gap Grey. 10- Pack	71.88
1078W-M	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, Brown, 1" Gap Size. Closed Loop	7.19
1078WM-10PKG	Recessed Steel Door Mount, 1" Diameter, Wide Gap Brown. 10- Pack	71.88
1078W-N	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, White, 1" Gap Size. Closed Loop	7.19
1078WN-10PKG	Recessed Steel Door Mount, 1" Diameter, Wide Gap White. 10- Pack	71.88
1078WN-3.3K	Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Wide Gap, 3.3K Ohm Resistor, White, 1" Gap Size. Closed Loop	7.44
1080T-N	Magnet, 1082T Series, White	3.30
1080TN-10PKG	Magnet for 1082 Series, White 10-Pack	32.97
1081-N	Magnet, 1085 Series, White	1.85
1081TM-10PKG	Magnet for 1085T Series. 10- Pack	18.52
1081T-N	Magnet, 1085T/1087T/1085TW/1087T W, White	1.85
1081TN-10PKG	Magnet for 1085T Series. 10- Pack	18.52

1082-G	Surface Screw Mount Contact w/Wire Leads, Long Gap Series, Closed Loop, Grey, 1"	5.38
	Gap Size	
1082-N	Surface Screw Mount Contact w/Wire Leads, Long Gap Series, Closed Loop, White, 1" Gap Size	5.38
1082TW-M	Surface Terminal Contact, Extra Wide Gap, Closed Loop, Brown, 2" Gap Size. Includes Cover, Spacer and Screws	6.45
1082TWM-10PKG	Surface Mount Terminal, Wide Gap, Brown. 10-Pack	64.50
1084DM-10PKG	Surface Screw Mount, DPDT, Brown. 10-Pack	159.64
1084D-N	Surface Screw Mount Contact w/Wire Leads, DPDT, White, 3/4" Gap Size. Double Pole- Double Throw	15.96
1084-M	Surface Screw Mount Contact w/Wire Leads, Long Gap Series, SPDT, Brown, 1" Gap Size	8.17
1084TW-G	Surface Terminal Contact, Extra Wide Gap, SPDT, Grey, 2" Gap Size. Single Pole Double Throw	9.38
1084TW-M	Surface Terminal Contact, Extra Wide Gap, SPDT, Brown, 2" Gap Size. Single Pole Double Throw	9.38
1084TW-N	Surface Terminal Contact, Extra Wide Gap, SPDT, White, 2" Gap Size. Single Pole Double Throw	9.38
1085-M	Surface Screw Mount Contact w/Leads, Brown, 5/8" Gap Size	3.40
1085-N	Surface Screw Mount Contact w/Leads, White, 5/8" Gap Size	3.40
1085N-10PKG	Surface Screw Mount White. 10-Pack	34.07
1085T-G	Surface Screw Mount Terminal Contact, Closed Loop, Grey, 3/4" Gap Size	1.29
1085TG-10PKG	Surface Screw Mount Terminal, Grey. 10-Pack	12.90
1085T-M	Surface Screw Mount Terminal Contact, Closed Loop, Brown, 3/4" Gap Size	1.29
1085TM-10PKG	Surface Screw Mount Terminal Brown. 10-Pack	12.90

1085T-N	Surface Screw Mount Terminal Contact, Closed Loop, White, 3/4" Gap Size	1.29
1085TN-10PKG	Surface Screw Mount Terminal, White. 10-Pack	12.90
1085TW-M	Surface Screw Mt Terminal Contact, Closed Loop, Wide Gap, Brown, 1 1/2" Gap Size	4.04
1085TWM-10PKG	Surface Screw Mount Wide Gap, w/Terminal, Brown. 10- Pack	40.47
1085TW-N	Surface Screw Mt Terminal Contact, Closed Loop, Wide Gap, White, 1 1/2" Gap Size	4.04
1085TWN-10PKG	Surface Screw Mount Wide Gap, w/Terminal, White. 10- Pack	40.47
1085W-M	Surface Screw Mount Contact w/Leads, Wide Gap, Brown, 1 1/2" Gap Size	4.66
1085WM-10PKG	Surface Screw Mount, Wide Gap, Brown. 10-Pack	46.64
1085W-N	Surface Screw Mount Contact w/Leads, Wide Gap, White, 1 1/2" Gap Size	4.66
1085WN-10PKG	Surface Screw Mount, Wide Gap. 10-Pack	46.64
1086-N	Surface Screw Mount, Open Loop, White	4.83
1086N-10PKG	Surface Screw Mount, Open Loop, White. 10-Pack	48.29
1086T-N	Surface Terminal Mount, White, Open Loop	5.38
1086W-M	Surface Screw Mount, Open Loop, Wide Gap, Brown	6.38
1087T-G	Surface Screw Mount Terminal Contact, SPDT, Grey, 3/4" Gap Size. Single Pole Double Throw	6.45
1087TG-10PKG	Surface Screw Mount Terminal, SPDT, Grey. 10-Pack	64.50
1087TH-N	Surface Terminal Contact, Higher Security, SPDT, White, Biased for Higher Security Applications. 3/8" to 1 1/4" Gap Size. Single Pole Double Throw	15.46
1087T-M	Surface Screw Mount Terminal Contact, SPDT, Brown, 3/4" Gap Size. Single Pole Double Throw	6.45
1087TM-10PKG	Surface Screw Mount Terminal, SPDT, Brown. 10-Pack	64.50

1087T-N	Surface Screw Mount Terminal Contact, SPDT, White, 3/4" Gap Size. Single Pole Double Throw	6.45
1087TN-10PKG	Surface Screw Mount Terminal, SPDT, White. 10-Pack	64.50
1087TW-N	Surface Screw Mount Terminal Contact, Wide Gap, SPDT, White, 1 1/2" Gap Size. Single Pole Double Throw	7.65
1090002	Sensorcard, .030 thick, 2601, A1, white gloss/gloss, no ext, specify site code & card number, no slot	3.48
1090-G	Recessed ANSI Switch, SPDT	21.59
1092A-L	Garage Door Track Mounting Kit for 2505A, Aluminum, Includes (1) 1940 Bracket Kit, (1) 1912 Bracket, (1) 2505A Contact	29.49
1094A-L	Chain Link Fence Mounting Kit for 2507A, Aluminum, Includes (1) 1941 Bracket, (1) 1942 Bracket, (1) 2507AH-L Contact, Mounting Screws and Instructions	52.03
110044002	Amp Card, Wiegand/Magnetic Stripe	111.56
110061001	Back Plane, Micro/5-All versions	99.75
110063001	2RP Reader Interface Unsupervised DI, 5V and 12V readers supported. M5 and M3000, not in combination with 8RP.	577.50
110064001	Power / Comm Card, Micro/5- All versions	199.50
110071001	16 Digital Output, 1604A @ 24VDC (max.), M5 and M3000	433.13
110072003	20 Digital Input, 20 supervised points, 1K supervision resistors supplied, M5 and M3000	433.13
110078001	16 Digital Output with Relays, 16 - 2A @ 40VDC or 30VAC (max.) , M5 and M3000	630.00

440400504	00000 1 1 1 1 1 10 100	4440.44
110100501	8RP Reader Interface, 12VDC F/2F and Supervised F/2F readers, No provision for REX or Door Status contacts. M5 and M3000, not in combination with 2RP or 2SRP	1148.44
440404504	2SRP Reader Interface	040.40
110101501	Supervised DI, 5V and 12V readers supported. M5 and M3000, not in combination with 8RP.	643.13
110220001	Upgrade for PXNplus to Type 3 SIMM	175.00
1125-M	Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, Brown, 1/4" Gap Size	2.47
1125M-10PKG	Recessed Mount, Stubby, 3/8" Diameter, Brown. 10-Pack	24.63
1125-N	Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/4" Gap Size	2.47
1125N-10PKG	Recessed Mount, Stubby, 3/8" Diameter. 10-Pack	24.63
1125T-N	Recessed Stubby Terminal Contact, White, 1/4" Gap Size	1.88
1125TN-10PKG	Recessed Mount, Stubby, 3/8" Diameter, Terminal. 10-Pack	18.74
1125TWM-10PKG	Recessed Mount, Stubby w/Terminals, 3/8" Diameter, Wide Gap, Brown. 10-Pack	39.95
1125TW-N	Recessed Stubby Terminal Wide Gap Contact, White, 3/4" Gap Size	3.99
1125WBN-10PKG	Recessed Mount, Stubby 3/8" Diameter, White. 10-Pack	9.21
1125W-N	Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, Wide Gap, White, 3/4" Gap Size	1.34
1125WN-10PKG	Recessed Mount, Stubby, 3/8" Diameter, Wide Gap, White. 10- Pack	13.39
1130N-10PKG	Recessed Mount, Stubby, 3/8" Diameter, White. 10-Pack	55.46
1138T-M	Surface Mount Terminal Contact, Closed Loop, Brown, 1" Gap Size	1.82

F		
1138TM-10PKG	Surface Mount w/Terminal, Brown. 10-Pack	18.21
1138T-N	Surface Mount Terminal Contact, Closed Loop, White, 1" Gap Size	1.82
1138TN-10PKG	Surface Mount w/Terminal, White. 10-Pack	18.21
1145-M	Surface Mount Ultra-Miniature Contact w/Wire Leads, Brown, 3/8" Gap Size	3.16
1145-N	Surface Mount Ultra-Miniature Contact w/Wire Leads, White, 3/8" Gap Size	3.16
1145N-10PKG	Surface Mount, Ultra Mini, White. 10-Pack	31.65
1145W-N	Surface Mount Ultra-Miniature Contact w/Wire Leads, Wide Gap, White, 3/4" Gap Size	4.12
1145WN-10PKG	Surface Mount, Ultra Mini, Wide Gap White. 10-Pack	41.13
1198-M	Magnet, 1135T Series, Brown	1.79
1198-N	Magnet, 1135T Series, White	1.79
1225-N	Recessed Stubby Wing Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	3.48
1225N-10PKG	Recessed Mount, Shorty, Wing Fit , White. 10-Pack	34.73
1225W-N	Recessed Stubby Wing Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 1" Gap Size	4.12
1275-N	Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, White, 1/2" Gap Size	2.85
1275N-10PKG	Recessed Mount, Wing Fit, White. 10-Pack	28.44
1275W-N	Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, Closed Loop, Wide Gap, White, 1 1/4" Gap Size	3.22
1275WN-10PKG	Recessed Mount, Wing Fit, Wide Gap , White. 10-Pack	32.19
1277-N	Recessed Wing Fit Contact w/Wire Leads, 3/8" Diameter, SPDT, White, 1/2" Gap Size. Single Pole-Double Throw	6.07
1285T-M	Designer Styled Terminal Contact, Brown, 3/4" Gap Size	3.20

1285T-N	Designer Styled Terminal	2 20
12001-N	Designer Styled Terminal	3.20
	Contact, White, 3/4" Gap Size	
1285TN-10PKG	Surface Mount, Designer Style,	31.97
1200114 101110	Terminals, White. 10-Pack	01.07
1285TW-M	Designer Styled Terminal	4.41
	Contact, Wide Gap, Brown, 1	
	1/2" Gap Size	
1285TW-N	Designer Styled Terminal	4.41
	Contact, Wide Gap, White, 1	
	1/2" Gap Size	
12H2887624VETL32DRHR	ASSA ABLOY, IWP iClass Rim	1716.25
	Exit Device L Lever Satin	
	Chrome UL Fire Rated 12VDC	
	Right Hand Reverse Fail	
	Secure	
1300B-M-R	MM - 2-CH Microphone Audio	547.50
······	Signal Preamplifier	3.7.00
13-079	X10 Appliance Module:	15.00
	Communicates Through	
	Existing AC Wiring, X10 Part	
	Number PAM-01	
1324A	Direct image, adhesive PVC	0.95
	label, use with ProxCard II, 28	0.00
	mils, no slot	
1326-A	ProxCard II, self-adhesive	3.05
	front/molded logo back, 26-bit	
	format, facility code & card	
	number assigned, matching	
	int/ext, vertical slot	
1326-HID	ProxCard II, standard artwork	2.35
	matte front/molded logo back,	
	26-bit format, facility code &	
	card number assigned,	
	matching int/ext, vertical slot	
1326LMSMV	ProxCard II, white matte	2.39
	front/molded logo back, 26-bit	
	format, specify facility code &	
	card number, matching int/ext,	
	vertical slot	
1326LMSMV-35	ProxCard II, white matte	2.72
	front/molded logo back, 35-bit	
	format, specify Corporate 1000	
	format code, matching int/ext,	
	vertical slot	
1326LMSSV	ProxCard II, white matte	2.39
	front/molded logo back, 26-bit	
	format, specify facility code &	
	card number, sequential int/ext,	
	vertical slot	
	•	

1326LSSMV	ProxCard II, standard artwork matte front/molded logo back, 26-bit format, specify facility code & card number, matching int/ext, vertical slot	2.39
1326LSSMV-35	ProxCard II, standard artwork matte front/molded logo back, 35-bit format, specify Corporate 1000 format code, matching int/ext, vertical slot	3.15
1326-W	ProxCard II, white matte front/molded logo back, 26-bit format, facility code & card number assigned, matching int/ext, vertical slot	2.51
13-286	Lens DS924I PIR, Long Range Barrier, 3-Pack	11.48
1336-HID	DuoProx II, white gloss front/standard artwork gloss back with magstripe, 26-bit format, facility code & card number assigned, matching int/ext, no slot	5.84
1336LGGMN	DuoProx II, white gloss front/white gloss back with magstripe, 26-bit format, specify facility code & card number, matching int/ext, no slot	5.23
1336LGGMN-35	DuoProx II, white gloss front/white gloss back with magstripe, 35-bit format, specify Corporate 1000 format code, matching int/ext, no slot	5.23
1336LGGMN-37	DuoProx II, white gloss front/white gloss back with magstripe, 37-bit format, no facility code, card number assigned, matching int/ext, no slot	5.23
1336LGGMV	DuoProx II Photo Quality ISO Proximity Card with Magstripe, White Gloss Front/White Gloss Back, Vertical Slot Punch, 26- BIT Format, Specify Facility Code & Card Number, Matching Internal/External, Minimum Order Quantity 100 - 2 Year Warranty	5.43

1336NGGNN	DuoProx II ISO prox card w/	4.99
100014001414	magstripe, white gloss	1.00
	front/white gloss back, no slot,	
	NON-PROGRAMMED, no ext	
	ID	
13-438	Overhead Garage Door Switch	13.02
13-453	Interior Speaker, Surface	5.59
	Mount: 8 Ohm, 15W RMS	
	w/20W Peak (Not Investigated	
	By UL)	
13-454	Interior Speaker, Recess	12.10
	Mount: 8 Ohm, 15W RMS	
	w/20W Peak. (Not Investigated	
10, 100	By UL)	7.04
13-469	Concord Express Dual Tone	7.91
	Siren: This small interior siren is Compatible w/Concord	
	Express Only. Includes siren	
	driver. Provides status and	
	alarms	
1346-HID	ProxKey II, HID logo	5.02
	front/standard back, 26-bit	
	format, facility code & card	
	number assigned, matching	
	int/ext, slot	
1346LNSAN	PROXKEY III PROXIMITY KEY	6.31
	FOB, HID LOGO	
	FRONT/STANDARD BACK	
	SPECIFY: FORMAT CODE,	
	FACILITY CODE & MATCHING INT\EXT ID#	
1346LNSMN	Proxkey II Proximity Key Fob,	5.29
1340LINSIVIIN	HID Logo Front/Standard Back,	5.29
	No Slot Punch, Specify:	
	Formate Code, Facility Code,	
	and Card Number, Matching	
	Internal/External	
1346LSSMN	ProxKey II, HID logo	5.29
	front/standard back, 26-bit	
	format, specify facility code &	
	card number, matching int/ext,	
	slot	
1351LBSMN	Proxpass Active Vehicle Id	31.45
	Tag, standard beige front/Hid	
	logo back, 26-Bit format,	
	specify facility code & card number, matching internal and	
	external, no slot	
	·	
13-551	Hardwire to 319.5 Wireless Translator	57.00
13-552	Honeywell to 319.5 Wireless	58.00
	Translator	30.00
13-553	12VDC Transformer	5.00

13-554	Honeywell to GE Wireless to	60.00
13-334	Wireless Translator and	00.00
	12VDC Transformer	
13-558	CDMA Modem, Universal,	700.00
13-330	Verizon Network Sim	700.00
135945	Connector plug, 24 position,	3.15
	green	55
1386-HID	ISOProx II, white gloss	4.61
	front/standard artwork gloss	
	back, 26-bit format, facility	
	code & card number assigned,	
	matching int/ext, no slot	
1386LGGMH	ISOProx II, white gloss	4.56
	front/white gloss back, 26-bit	
	format, specify facility code &	
	card number, matching int/ext,	
	norizontal slot	
1386LGGMN	ISOProx II, white gloss	4.56
	front/white gloss back, 26-bit	
	format, specify facility code &	
	card number, matching int/ext,	
	no slot	
1386LGGMN-35	ISOProx II, white gloss	4.88
	front/white gloss back, 35-bit	
	format, specify Corporate 1000	
	format code, matching int/ext,	
	no slot	
1386LGGMN-37	ISOProx II, white gloss	4.56
1300LGGIVIIN-37	front/white gloss back, 37-bit	7.50
	format, no facility code, card	
	number assigned, matching	
	int/ext, no slot	
1386LGGMV	ISOProx II, white gloss	4.56
	front/white gloss back, 26-bit	
	format, specify facility code &	
	card number, matching int/ext,	
	vertical slot	
1386LGGNN	ISOProx II, white gloss	4.56
	front/white gloss back, 26-bit	7.50
	format, specify facility code &	
	card number, no int/ext, no slot	
1386LGGRN	ISOProx II, white gloss	4.83
	front/white gloss back, 26-bit	
	format, specify facility code &	
	card number, random	
	int/sequential ext, no slot	
1386LGGSN	ISOProx II, white gloss	4.86
	front/white gloss back, 26-bit	
	format, specify facility code	
	and internal card number,	
	sequential non-matching ext	
	ID, no slot	

420CL CCCV	ICOD way II white slage	4.00
1386LGGSV	ISOProx II, white gloss front/white gloss back, 26-bit format, specify facility code & card number, sequential int/ext, vertical slot	4.83
1386-W	ISOProx II, white gloss front/white gloss back, 26-bit format, facility code & card number assigned, matching int/ext, no slot	4.71
1391LSSNN	MicroProx Tag, standard logo front/adhesive back, 26 bit format, specify facility code & card number, no ext ID	3.52
13-949	Interior Piezo Siren: High Volume, Low-Current Interior Siren. Built-In Tamper Switch, 109 DB, 5-14VDC. UL Listings Approved	11.08
13-950	Exterior Piezo Siren: New Low- Current Exterior Siren, 111 DB, 5-14VDC	13.32
1452SGGNNR28A1120509	Dual Tech Desfire/Wiegand Card w/Custom 13.56Mhz GM Programming. Both Sides White Gloss. No Marking for Desfire, No Slot Punch. Sequential Random Internal/Seq Non-Matching External ID for Wiegand	8.59
170028024	Resistor network, 16-pin, 8 resistor,1.0K ohm, M/5 2RP & m/5 S2RP	2.10
170028028	Resistor network,16-pin resistor, 2.0K ohm, M/5 2RP & M/5 S2RP	2.10
1802	Magnet, 1/2" x 1/4"	1.93
1830-10PKG	Rare Earth Standard Gap Magnet. 10-Pack	18.30
1835-10PKG	Rare Earth Wide Gap Magnet. 10-Pack	22.71
1838-N	Replacement Magnet	1.38
1838TM	Magnet, 1038T Series, Brown	0.88
1838TN	Magnet, 1038T Series, White	0.88
1840-N	Rare Earth Magnet for Steel Doors, 1 5/8" Diameter x 5/8" Long. White	3.48
1840N-10PKG	Rare Earth Squish Channel Door Magnet. 10-Pack	34.73
1901-N	Empty Shell, 1085 Series, White	0.35
1902N-10PKG	Empty Shell, 1075 Series, White, 10-Pack	3.50

1905	RTV Mounting Compound	6.70
1906-M	Spacer for 1082/1085 Series, Brown	0.57
1906-N	Spacer, 1085 Series, White	0.57
1906T-G	Spacer, 1085T Series, Grey	0.63
1906TM-10PKG	Spacer, Brown for 1085T. 10- Pack	6.29
1906T-N	Spacer, 1085T Series, White	0.63
1908C-N	Adaptor, 3/8" to 3/4", White Use to Adapt Over-Drilled Holes and to Facilitate Wiring, 10-Pack	0.32
1908CN-10PKG	Adapts 3/8" Switches to 3/4" White. 10-Pack	3.20
1909-N	Cover, 1085T Series, White	0.27
19102-L	Z Bracket, 1045/1045T Series, Aluminum, Refer to Interlogix Catalog for Dimensions	1.89
1910-L	Z Bracket for 1082/1085T/1285T Series, Aluminum	1.27
1911-L	L Bracket, 2200 Series	1.27
19122-L	L Bracket, 1045/1045T Series, Aluminum	2.44
1912-L	L Bracket for 2207- AH/2215/2505 Series, Aluminum	1.40
1913-L	Spacer, 2500 Series, Aluminum, Anodized Finish	4.03
1914-G	Spacer, 1045/1045T Series, Grey	0.27
1914-M	Spacer, 1045/1045T Series, Brown	0.27
1914M-05PKG	Spacer, Brown, 1045/1045T. 5- Pack	1.39
1914-N	Spacer, 1045/1045T Series, White	0.27
1914N-05PKG	Spacer, White, 1045/1045T. 5-Pack	1.39
1920D-L	Magnet, 2500 Series, Double Strength, Aluminum, Anodized Finish	14.35
1920-L	Magnet for 2505, Aluminum, Anodized Finish	9.51
1921CG-10PKG	Magnet 1078C Grey. 10-Pack	32.97
1921C-M	Extra Magnet, 1078C Series, Brown, 3/4" Diameter x 1 9/16" Depth	3.30
1921C-N	Extra Magnet, 1078C Series, White, 3/4" Diameter x 1 9/16" Depth	3.30
1921-G	Extra Magnet, 1078 Series, Grey, 1" Diameter for Steel Doors, 1/2" Depth	3.30

1921-M	Extra Magnet, 1078 Series,	3.30
	Brown, 1" Diameter for Steel	
	Doors, 1/2" Depth	
1921-N	Extra Magnet, 1078 Series,	3.30
	White, 1" Diameter for Steel	
	Doors, 1/2" Depth	
1921N-10PKG	Magnet 1078 Series. 10-Pack	32.97
1922-B	Thin Magnet, 1078 Series,	3.30
	White	
1923	Magnet, 3/8" Diameter x 2 1/2" Long	4.26
1924-M	Magnet, 1075 Series, Brown	1.85
1924-N	Magnet, 1075 Series, White	1.85
1924N-10PKG	Magnet 1075 Series, White. 10- Pack	18.52
1927-M	Magnet, 1035 Series, Brown	0.88
1927-N	Magnet, 1035 Series, White	0.88
1932CM-10PKG	Empty Shell, 1078C Series,	3.90
1932C-N	Brown, 10-Pack Empty Shell, 1078C Series,	0.39
19320-11	White	0.39
1932-N	Empty Shell, 1078 Series, White, 1" Diameter	0.43
1933-G	Magnet, 1045/1045T Series,	3.30
1000 0	Grey	0.00
1933-N	Magnet, 1045/1045T Series,	3.30
	White	
1934-G	Magnet for 1042TW, Grey	4.92
1934-M	Magnet for 1042TW, Brown	4.92
1934-N	Magnet for 1042TW, White	4.92
	,	
1937-G	Magnet, 1032 Series, Grey, Includes Magnet and Tape	1.85
1937-N	Magnet, 1032 Series, White,	1.85
	Includes Magnet and Tape	
1937N-10PKG	Magnet for 1032 Series, White.	18.52
	10-Pack	
19401-L	Garage Door Track Bracket for	6.00
	1082T-W/1285T-W/2215	
	Series, Aluminum	
1940-L	Garage Door Bracket for	6.00
	1082TW/1285T-W/2505	
	Series, Aluminum, Mounts on	
	Wheel Tracks	
1941-L	Chain Link Fence Bracket,	7.34
	2500 Series, Aluminum,	
	Anodized Finish, 1 3/8" to 2 1/2" Posts	
1942-L	Chain Link Fence Bracket,	7.34
1 34 ∠-L	2500 Series, Aluminum,	1.34
	Anodized Finish for 2 1/2" to 4"	
	Posts	
1943-L	Spacer, 2700 Series,	8.05
	Aluminum	0.00

19441-L	Z Bracket for 2800T, Aluminum	7.65
19442-L	L Bracket for 2707A, Aluminum	7.34
19443-M	L Bracket for 2800T, Brown	8.60
1944-L	Z Bracket, 2700 Series, Aluminum	8.05
1946-N	Magnet, 1125 Series, White	1.85
1958-L	Magnet, 2200 Series for 2202A, 2204A, 2205A, 2207A	9.12
1961-L	L Bracket for 2727A, Aluminum	5.75
1963-L	Chain Link Fence Bracket for 2747A, Aluminum. 1 3/8" to 2 1/2" posts	6.67
1965W-10PKG	Spacer, Thin, White for 3000 Series. 10-Pack	1.66
1968-B	Spacer for 2505A, Black	1.22
1969-B	Pry Tamper Plate for 2700, No Magnet	1.40
1979N-10PKG	Magnet, 1285T, White. 10- Pack	18.52
1980-100	Stainless Steel Flex Cable, 100' Roll, 3/16" ID, 9/32" OD	156.74
1980-25	Stainless Steel Flex Cable, 25' Roll, 3/16" ID, 9/32" OD	37.36
1980-50	Stainless Steel Flex Cable, 50' Roll, 3/16" ID, 9/32" OD	78.36
1982-L	Universal Magnet, 2200 Series, Aluminum for 2202AU, 2204AU, 2205AU, 2207AU	9.12
1989-N	Spare Cover, 1285T Series, White	0.43
2000	Solution 2000 Glassbreak Detector. Features a Round, Low-Profile Design. It Has 25' Range and Can Be Wall Or Ceiling Mounted. Status and Alarm LEDs Are Visible Through the Grille. 10-14Vs AC or DC	31.09
2000-BP	Solution 2000 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2000. Must Be Ordered as a 50-Pack	27.98
2002PGGNN	I-Class Smart Card, contactless,16K memory, 16 application areas, programmed I-Class, white gloss front, white gloss back, no ext ID, no slot, specify facility code, bit format, starting internal ID, min qty 100	7.38

2100	Solution 2100 Glassbreak Detector. Has 20' Range and Is Designed to Be Recess- Mounted In A Wall Of Ceiling, Making It Ideal for Flush-Mount Or Pre-Wire Applications. It	27.99
	Features Alarm/Status LEDs and Alarm Memory LED. 10- 14Vs AC or DC	
2100-BP	Solution 2100 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2100. Must Be Ordered as a 50-Pack	25.19
2102PGGMN	I-CLASS CONTACTLESS SMART CARD, 16K BITS OF MEMORY WIH 16 APPLICATION AREAS, PROGRAMMED ICLASS, WHITE COMPOSITE GLOSS FRONT & BACK, MATCHING INT/ EXT ID, NO SLOT, SPECIFY FAC.CODE, BIT/FORMAT NUMBER, AND STARTING NUMBERS, MIN QTY. 100	5.91
2105A-G	Magnapull Heavy Duty Magnetic Pull-Apart Cord, Closed Loop, Grey, Protect Boats, Trailers and Heavy Equipment. Durable, Heavy Gauge Construction. 3' Stainless Steel Armored Cable. Closed Loop	37.10
2106	Cover Plate for 2100, 6-Pack	7.26
2107A-G	Magnapull Heavy Duty Magnetic Pull-Apart Cord, SPDT, Grey, Protect Boats, Trailers and Heavy Equipment. Durable, Heavy Gauge Construction. 3' Stainless Steel Armored Cable. Single Pole- Double Throw	28.96
2120	Solution 2120 Glassbreak Detector. A double-gang version of the 2100, it provides a technology upgrade for the replacement of older double- gang sized detectors that have been flush-mounted. It has 20' range with alarm/status LEDs & alarm memory LED	36.55

2200	Solution 2200 Glassbreak Detector. Features A Patented, Microprocessor-Based 3X3 Technology That Will Detect All Glass Types. It Has 20' Range and Can Be Wall or Ceiling Mounted. It Features	22.05
	Alarm/Status LEDs and Alarm Memory LED. 10-14Vs AC or DC	
2200-BP	Solution 2200 Glassbreak Detector, Bulk Pack Bulk Pack of P/N 2200. Must Be Ordered as a 50-Pack	19.85
2202A-L	Overhead Door Floor Mount Contact w/Aluminum Housing, Closed Loop, 3" Gap Size. 18" Stainless Steel Armored Cable	14.36
2202AU-L	Overhead Door Floor Mount Contact w/Universal Magnet, Closed Loop, 3" Gap Size. 18" Stainless Steel Armored Cable	14.36
2204A-L	Overhead Door Floor Mount Contact w/Aluminum Housing, SPDT, 3" Gap Size. Single Pole-Double Throw. 18" Stainless Steel Armored Cable	21.31
2204AU-L	Overhead Door Floor Mount Contact w/Universal Magnet, SPDT, 3" Gap Size. Single Pole-Double Throw. 18" Stainless Steel Armored Cable	21.31
2205A-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, Closed Loop, Aluminum Bar Stock. 3" Gap Size. 3' Stainless Steel Armored Cable	28.19
2205AU-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Universal Magnet, Closed Loop, Aluminum Bar Stock. 3" Gap Size. 3' Stainless Steel Armored Cable	24.64

2207AD-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, DPDT, Aluminum Bar Stock. 3" Gap Size. Double Pole-Double Throw. 3' Stainless Steel Armored Cable. UL Listed	49.13
2207AH-L	Overhead Door Higher Security Floor Mount Contact, SPDT, Biased for Higher Security. 3/4" to 2 1/2" Gap Size. Single Pole- Double Throw. 3' Stainless Steel Armored Cable	42.39
2207A-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Aluminum Housing, SPDT, Aluminum Bar Stock. 3" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	30.56
2207AU-L	Overhead Door Extra Heavy Duty Floor Mount Contact w/Universal Magnet, SPDT, Aluminum Bar Stock. 3" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	32.33
2250D-R/1X3	SM - 16-CH Contact/TTL Data, Rx, Can	741.88
2251D-T/13X	SM - Contact/TTL Data, Tx, Can	479.38
2302A-L	Curtain Door Track Mount Contact w/Armored Cable, Up to 3" Gap Size. Closed Loop; Normally Open. Form A	34.07
2304A-L	Curtain Door Track Mount Contact w/Armored Cable, SPDT, Up to 3" Gap Size. Open or Closed Loop; Single Pole-Double Throw. Form C	41.79
2315A-L	Overhead/Panel Door Track Mount Contact w/Armored Cable, Closed Loop, Up to 3" Gap Size. Closed Loop; Normally Open. 2' Stainless Steel Armored Cable. Form A	28.07

F	1	
2317A-L	Overhead/Panel Door Track Mount Contact w/Armored Cable, SPDT, Up to 3" Gap Size. Open or Closed Loop; Single Pole-Double Throw. 2' Stainless Steel Armored Cable. Form C	26.54
2325A-L	Overhead/Panel Door Track Mount Contact w/Armored Cable, Up to 3" Gap Size. Closed Loop; Normally Open. 2' Stainless Steel Armored Cable. Form A	34.95
24Z704USB-N-KIT	Videology Image Captue Camera Kit - NTSC Includes Camera With Mounting Block (Enables Mounting To A Standard Tripod); Power Supply And 6 Foot USB Cable; Twain Data Source and Camera Control with Set-Up Software	900.00
24Z704USB-N-SYS	Videology Image Captue Camera System - NTSC Includes Camera With Stand; Power Supply and 6 Foot USB Cable; Twain Data Source and Camera Control with Set-Up Software.	1362.00
24Z704USB-P-KIT	Videology Image Captue Camera Kit - PAL Includes Camera With Mounting Block (Enables Mounting To A Standard Tripod); Power Supply And 6 Foot USB Cable; Twain Data Source; European Wall Plug and Camera Control with Set-Up Software.	900.00
24Z704USB-P-SYS	Videology Image Captue Camera System - PAL Includes Camera With Stand; Power Supply and 6 Foot USB Cable; Twain Data Source; European Wall Plug and Camera Control with Set-Up Software.	1362.00
2502901	Sensorkey, 2801, hot stamp matching ext ID, specify site code & card number, slot	7.55
2505A-L	Aluminum Housing Armored Cable Contact, Closed Loop, Wide Gap, 3" Gap Size	23.49

-		
2507A*-LCFB30	Aluminum Housing 2507 Magnetic Contact, SPDT, 30FT Jacketed Lead	77.26
2507AD-L	Aluminum Housing Armored Cable Contact, DPDT, Wide Gap, 1 1/2" Gap Size. Double Pole-Double Throw	40.48
2507AH-L	Aluminum Housing Armored Cable Contact, SPDT, Higher Security, Wide Gap, Biased for Higher Security Applications. 3/4" to 2 1/2" Gap Size. Single Pole-Double Throw	48.77
2507A-L	Aluminum Housing Armored Cable Contact, SPDT, Wide Gap, 3" Gap Size. Single Pole- Double Throw	30.42
2507-L20	Aluminum Housing 2507 Magnetic Contact, SPDT, 20FT Jacketed Lead	37.59
2515A-L	Maxi-Gap Extra Wide Gap Overhead Door Contact, Up to 6" Gap Size. Closed Loop; Normally Open. 1.5' Stainless Steel Armored Cable	37.11
251D-R/1BX3	MM - Contact/TTL Data, Rx,	196.88
251D-R-R/1BX3	MM - Contact/TTL Data, Rx, Rack	196.88
251D-T/1B3X	MM - Contact/TTL Data, Tx, Can	196.88
251D-T-R/1B3X	MM - Contact/TTL Data, Tx, Rack	196.88
2706AP-L	High Security Contacts w/Armored Cable, Triple Biased, SPDT, Remote Test- Protective Loop, 3/16" to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	112.57
2706AS-L	High Security Contacts w/Armored Cable, Triple Biased, SPDT, Remote Test- Supervised Loop, 3/16" to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	132.68

070740 1	11:	474.50
2707AD-L	High Security Contacts w/Armored Cable, Triple Biased, DPDT, 3/16" to 5/8" Gap Size. Double Pole-Double Throw. 3' Stainless Steel Armored Cable	171.58
2707AD-L5	2707Ad L5 W/5' Armored Cable	358.19
2707A-L	High Security Contacts w/Armored Cable, Triple Biased, SPDT, 3/16" to 5/8" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	87.77
2727A-L	High Security Contacts, Triple Biased, SPDT, Overhead Door Contact, 11/16" to 2" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	123.48
2727AL-CL	High Security O/H Door Triple Bias/SPDT	0.00
2747A-L	High Security Contacts, Triple Biased, SPDT, Gate Contact, 11/16" to 2" Gap Size. Single Pole-Double Throw. 3' Stainless Steel Armored Cable	118.72
2757D-L	High Security Contacts, Triple Biased, DPDT, ANSI Recessed, 0" to 3/8" Gap Size. Double Pole-Double Throw. 3' Vinyl-Jacketed Cable	213.76
2757-L	High Security Contacts, Triple Biased, SPDT, ANSI Recessed, 0" to 3/8" Gap Size. Single Pole-Double Throw. 3' Vinyl-Jacketed Cable	129.11
2767-L	High Security Contacts, Triple Biased, SPDT, ANSI Adjustable Recessed, Both Switch and Magnet are Adjustable for Versatile Alignment. 0" to 3/8" Gap Size. Single Pole-Double Throw. 3' Vinyl-Jacketed Cable	142.36

2804T-M	Explosion-Proof Terminal Contacts, Safe & Vault, Triple Biased, SPDT. UL listed for safe and vault; listed for hazardous location classes Explosion-proof; UL listed for hazardous location classes Class I Groups C, D and Class II Groups E, F & G	169.24
2807T-M	Explosion-Proof Terminal Contacts, Triple Biased High Security, SPDT, Single Pole- Double Throw. Explosion-proof; UL Listed for Hazardous Location Classes Class I Groups C, D and Class II Groups E, F and G	154.60
2814T-M	Maximum Security Terminal Contact w/Guarded Housing, SPDT, 3/16" to 5/8" Gap Size. Single Pole-Double Throw	398.15
2845T-M	Explosion-Proof Conduit Fitting Terminal Contacts, Closed Loop, Wide Gap, Up to 1" Gap Size	63.15
2847T-M	Explosion-Proof Conduit Fitting Terminal Contacts, SPDT, Up to 1" Gap Size. Single Pole- Double Throw	68.20
2H2887624VETL32DLHR	ASSA ABLOY, IWP iClass Rim Exit Device L Lever Satin Chrome UL Fire Rated 24VDC Left Hand Reverse Fail Secure	1716.25
300307001	Power Supply 3 amp, 110VAC to 12VDC, (UL listed), can be used with M5 Controllers.	137.81
300308001	Power Supply 3 amp, 230VAC to 12VDC, (UL listed), can be used with M5 Controllers.	150.94
300340001	Spare Part - Power Supply, for M2000, 230VAC / 16VAC - wire leads	68.25
300341002	Power Transformer, M2000, 230VAC Input/16VAC Output - 75VA, UL/CEC	93.75

300377001	Power Supply and Battery Back-Up, 6-amp, 110/220VAC, FCC, CE listed, 7-Ah battery. Enclosure: 10 x 12 x 6 inches. Recommended for M5 Controllers, not required for M2000 or M3000.	200.00
300379501	Ethernet Switch POE, Single Port, 15.4W	63.00
300380501	Ethernet Switch POE, Midspan, 16 Port, 15.4W per port	600.00
300381501	24VDC Power Supply, 110VAC Input, 1.75 Amp, BBU, 2 Batteries, Enclosure, UL Listed, recommended for DirecDoor Controller.	252.00
300382001	Spare Part - Power Supply, 12Vdc @ 6 Amps, No Battery, No Enclosure	204.16
300383001	Transformer, 18 VAC, Class 2, CEC	30.00
300384001	Power Supply, 12Vdc @ 6 Amps, 12Ah Battery Backup, 110/220Vac Input with Enclosure. Can be used with M5.	313.20
3005-M	Recessed Roller Plunger Contact with Wire Leads, Brown. Works as a plunger or ball switch; flanges for positive retention. Includes spacer and mounting screws. Three different mounting configurations. 1', #22 wire leads. Closed Loop. UL listed	2.18
3005M-10PKG	Recessed Roller Plunger, Brown. 10-Pack	21.83
3005-N	Recessed Roller Plunger/Closed Loop, White	2.18
3005N-10PKG	Recessed Roller Plunger, White. 10-Pack	21.83
3007M-10PKG	Recessed Roller Plunger Contact with Wire Leads, Brown. Works as a plunger or ball switch; flanges for positive retention. Includes spacer and mounting screws. Three different mounting configurations. 1', #22 wire leads. SPDT. UL listed	60.00

3008M-10PKG	Recessed Roller Plunger, Shorty, Brown. 10-Pack	39.47
3008W-10PKG	Recessed Roller Plunger, Shorty, Wide Gap, White. 10- Pack	39.47
30121-N	Recessed Plunger Clip Mount, White	5.19
3012N-10PKG	Recessed Plunger Clip Mount White. 10-Pack	48.51
3014-N	Recessed Plunger Clip Mount/SPDT, White	5.61
3015N-10PKG	Recessed Pin Plunger White. 10-Pack	43.66
3025TM-10PKG	Self-Adjusting Tamper Terminal Contact, Closed Loop, Brown, Plunger Self- Adjusts to Proper Reach. Screw-On Wire Terminals. Closed Loop. UL Listed, 10- Pack	49.98
3040CT-W	Panic Switch, Cold Temperature, Surface Mount, SPDT, LED, Red LED; Latching LED Circuit. 12' Jacketed Leads. Single Pole- Double Throw. UL Listed	27.66
3040-W	Panic Switch w/Terminals, Surface Mount, SPDT, LED, Red LED; Latching LED Circuit. Screw Terminals. Single Pole-Double Throw. UL Listed	22.11
3045CT-W	Panic Switch, Cold Temperature, SPST, Surface Mount, 12' Jacketed Leads. Single Pole-Single Throw	18.33
3045-W	Panic Switch w/Terminals, SPST, Surface Mount, Screw Terminals. Single Pole-Single Throw	10.76
3100290	Classic Swipe Wiegand reader, 5-12VDC, bi-color LED, black w/ logo, terminal strip	292.50
3100330	Extended Wear Classic Swipe Wiegand reader, 5-12VDC, bicolor LED, black w/ logo, 6 ft cable	487.50
3140190	Turnstile Wiegand reader, 5- 12VDC, bi-color LED, black, 6 ft cable	495.63
3152540	Epic™ Wiegand reader, 5- 12VDC, tri-color LED's, black, 6 ft cable	308.75

320025001	Cable, 20 feet, DB25M Modem-	45.94
	Dial or LH / SH to DB9F M/2 or	
	M/5	
320035001	Cable, 20 feet, DB9F PC to	45.94
	DB25M data broadcast unit, LH	
	/ SH modem	
320038001	Cable, 20 feet, DB9F PC to	48.75
320038001	DB9F M/2 or M/5	40.73
220027004		FF 40
320097001	Model 43x reader cable, DB9	55.13
	to unterminated (required for	
	new installations)	
		22.25
320098004	Proximity Perfect reader cable,	26.25
	15ft.	
320098005	Proximity Perfect reader cable,	144.38
	15ft., 4 pack	
320112001	Cable, 20 ft., DB9F PC to M/PX-	45.94
	2000	
320114001	Cable, 20ft., DB9F PC to	45.94
	DB25F, RS232 / RS422	
	converter	
320115001	Cable, 20ft., DB25F serial port	45.94
	expander to DB25F,	
	RS232/RS422 converter	
320546001	Cable, 20 feet, DB9F system	59.06
	server to DB25M dialup	
	modem	
320547001	Cable, 20 feet, DB25F PC or	45.94
020017001	serial port expander to DB25M	10.01
	dialup modem	
346A1-R/1BXX	MM - 2-Way Audio, 2-Wire, Rx,	656.25
340AT-1(/TBAX	Can	030.23
346A1-R-R/1BXX	MM - 2-Way Audio, 2-Wire, Rx,	656.25
340A1-R-R/1BAA	Rack	030.23
346A1-T/1BXX	MM - 2-Way Audio, 2-Wire, Tx,	CEC OF
346A1-1/16AA	Can	656.25
04044 T D/4DVV		050.05
346A1-T-R/1BXX	MM - 2-Way Audio, 2-Wire, Tx,	656.25
0.404.0/4.00/	Rack	450.00
346A2/1BXX	MM - 2-Way Audio, 2-Wire,	459.38
	Tcvr, Can, 2-Fiber	
346A2-R/1BXX	MM - 2-Way Audio, 2-Wire,	459.38
	Tcvr, Rack, 2-Fiber	
350055002	Connector plug, 2 position, 45-	3.15
	degree, green (M/5 16-DO &	
	M/5 CK8RP)	
350055008	Connector plug, 8 position, 45-	3.15
	degree, green (M/5 power	
	comm.,16-DO & M/5 8RP, old	
	J-box 520038XXX)	
350055009	Connector plug, 9 position, 45-	3.41
	degree, green (M/5 2RP & M/5-	
	2SRP, old J-box 520038XXX)	
350055010	Connector plug, 10 position, 45-	3.41
00000010		J. 4 1
00000010	TUBULEE ULEED HAVE DOWNER	
330030010	degree, green (M/5 power	
33333010	comm, M/5-2RP & M/5-2SRP,	
00000010		

350A1-R/1BAP	MM - 2-Way Audio, Intercom	558.13
SSUATEN/TDAF	Interface, Rx, Can	556.15
350A1-T/1BAP	MM - 2-Way Audio, Intercom	558.13
	Interface, Tx, Can	
350A2-R/1BAP	MM - 2-Way Audio, Intercom	361.25
	Interface, Rx, Can, 2-Fiber	
350A2-R-R/1BAP	MM - 2-Way Audio, Intercom	361.25
	Interface, Rx, Rack, 2-Fiber	
350A2-T/1BAP	MM - 2-Way Audio, Intercom	361.25
	Interface, Tx, Can, 2-Fiber	
353A-R/XXAP	MM - 2-Way Audio, Intercom	311.88
OFOA D D/V/AD	Interface, 4-Wire, Rx, Can	044.00
353A-R-R/XXAP	MM - 2-Way Audio, Intercom	311.88
353A-T/XXAP	Interface, 4-Wire, Rx, Rack MM - 2-Way Audio, Intercom	311.88
333A-1/AAAF	Interface, 4-Wire, Tx, Can	311.00
3555-B	Bill Trap, Black, SPDT	23.99
380492001	Screw terminal screwdriver,	10.50
380691001	spare Visitor Central Credential Strap	45.94
300091001	Clips, Avery 2923, 100 per box	45.94
	Olips, Avery 2020, 100 per box	
385001001	Installation wrench, 1/8", Model	13.13
	T-5xx, T-7xx,1xxx, 97x, 94x,	
	84x, 82x and 43x readers	
385005402	Installation wrench, 1/8", Model	13.13
	950 and 960 readers.	
385006001	Break-away lanyard - black flat	91.88
	woven nylon, 35" long with a	
	nickel-plated steel swivel hook.	
00500000	100/lot.	04.00
385006002	Break-away lanyard - royal blue flat woven nylon, 35" long	91.88
	with a nickel-plated steel swivel	
	hook. 100/lot	
385006006	Break-away lanyard - red flat	91.88
	woven nylon, 35" long with a	000
	nickel-plated steel swivel hook.	
	100/lot	
385006008	Break-away lanyard - white flat	91.88
	woven nylon, 35" long with a	
	nickel-plated steel swivel hook.	
	100/lot	
385006101	Neck chain - nickel-plated steel	52.50
	w/connector. 30" (763mm)	
	long. Should be ordered with	
	385006201. 100/lot	
205006204	Nook shain stran adantar 2	20.00
385006201	Neck chain strap adapter - 3 3/8" (86mm) clear vinyl strap.	39.38
	Should be ordered with	
	385006101. 100/lot	
385006301	2-hole clip - nickel-plated steel	13.13
	w/ 2 3/4" (70mm) clear vinyl	10.10
	strap. 100/lot	

385006401	Retractable black plastic badge	196.88
	reel; belt clip with reinforced vinyl strap. Reel diameter 1.25" (32mm); cord length 23" (584mm). 100/lot	
385006408	Retractable white plastic badge reel; belt clip with reinforced vinyl strap. Reel diameter 1.25" (32mm); cord length 23" (584mm). 100/lot	196.88
390016001	Visitor Central Camera Stand: Digi camera stand for Watchport/V2 camera; universal 6 inch compact plastic camera bracket in color black; can also be wall mounted	77.44
390017001	Visitor Central Camera Clamp Mount for Watchport/V2 camera	90.56
405010701	Thin white PVC card with adhesive back, .024" thick, 100/lot	63.00
405054001	Print test card for .030" thick style badge, white gloss both sides, 500/lot.	65.00
420102001	RS-232 Communication Line Splitter, for Redundant systems.	164.06
420169001	Table top slot punch manual operation	767.81
420173001	Modem, external, dial-up and direct, (short 1-mile or long haul over leased line), 120VAC/60Hz to 9VAC, 1A PS included. Operates on either AC or DC power. For Micro/5 to host system communication	403.20
420173002	Modem, external, dial-up and direct, (short 1-mile or long haul over leased line), 230VAC/50Hz to 9VAC, 1A PS included. Operates on either AC or DC power. For Micro/5 to host system communication	429.45
420190001	16-port expander box, DB25M, daisy chain to 16-port adapter DB25M: for p/n 420245001	990.94
420232001	8-port serial adapter, half length board, PCI bus, RS232/DB25M expansion box	1089.38

400045004	AO mantandal adantan balt	4 400 40
420245001	16-port serial adapter, half	1483.13
	length board, PCI bus,	
	RS232/DM25M expansion box	
420248001	RS232/DB25M to RS422/4	183.75
	screw terminals interface	
	converter, 110VAC, 12VDC @	
	125mA. Note: the converter is	
	only required at the host end.	
	Extends host to 1st micro	
	comm distance to 1,000 feet	
420299001	Dell 15FP 1U Rack Console	1666.68
	w/Versarail, 15" TFT LCD, 83	
	Key mini-kybd US (Two Week	
100010001	Lead Time)	500.00
420310001	USB to 8 Port RS232 DB25	590.63
	serial converter (For Secure	
400440004	Perfect Professional ONLY)	040 ==
420416001	Visitor Central Flat Panel	918.75
	Touch Screen 15" Monitor: 3	
40040004	year warranty	400.00
420490001	Fargo DTC500 series YMCKO	196.88
	ribbon, 400 images, for single-	
	sided printing	
420491001	Fargo DTC500 series	196.88
	YMCKOK ribbon, 350 images,	
	for dual-sided printing	
420404004	Forms DTCF00 series elegains	45.04
420494001	Fargo DTC500 series cleaning	45.94
	kit (2 pens, 10 cards, 10 pads, 10 tapes)	
420495001	Rio 2e Single Side Base Model	3583.13
0.0000.	Printer	00000
420497001	Rio/Tango YMCKO Ribbon -	144.38
	350 images, for single side	
	printing	
420498001	Tango YMCKOK Ribbon - 300	177.19
	images, for dual side printing	
420501001	Rio/Tango Cleaning Kit -	55.13
120001001	includes 10 cleaning cards, 2	00.10
	cleaning pens, and 3 cleaning	
	rollers	
420521001	Visitor Central C88 Ink Jet	196.88
	Printer: Epson Stylus C88	
	Color Ink Jet Printer with 6'	
	printer cable; prints up to	
	5760X1440 optimized dpi	
420605001	PolyGuard 1.0 mil	196.88
	overlaminate, standard	
	hologram, 250 images for	
	DCT515 and DTC525	
i	Lamination Module	

420613001	Signature capture pad, USB,	551.25
	LCD, 1" x 5" active anti-glare tempered glass signing area, tethered electronic pen	
420624002	Watchport/V2 high- performance USB camera with low light sensitivity; 5 year warranty	315.00
420628001	Logitech Quickcam Orbit Camera: robotic camera head; 1.3 megapixal sensor; adjustable 9 inch extension height; 2 year warranty	261.19
420629001	Logitech Quickcam Fusion Camera 1.3 megapixal sensor; balances on monitor; 2year warranty	207.38
430062001	Model 610 BaFe Touch Card reader *, Wiegand output, beige	387.19
430083001	Model 430 Magnetic Stripe reader*, gray, aluminum housing, ABA track 2, 12/48VDC, S-F/2F & IBM 5029 comm, door strike relay, includes REX & door contact connect points	301.88
430083501	Model 435 Magnetic Stripe reader* w/12-key keypad, gray, aluminum housing, ABA track 2, 12/48VDC, S-F/2F & IBM 5029 comm, door strike relay includes REX & door contact connect points	387.19
430084001-CR	Traditional Model 940 Proximity Perfect reader*, gray, single- width electrical box mount, conventional walls, 15' cable	315.00
430084002-CR	Traditional Model 940 Proximity Perfect reader*, black, single- width electrical box mount, conventional walls, 15' cable	315.00
430084501-CR	Traditional Model 941 Proximity Perfect reader*, gray, single- width electrical box mount, metal walls, 15' cable	341.25
430084502-CR	Traditional Model 941 Proximity Perfect reader*, black, single- width electrical box mount, metal walls, 15' cable	341.25

430085001	Model 970 Proximity Perfect	452.81
	reader*, gray, dual-width	
	electrical box mount,	
	conventional walls, 15' cable	
430085501	Model 971 Proximity Perfect	465.94
	reader*, gray, dual-width	
	electrical box mount, metal	
	walls, 15' cable	
430085502	Model 971 Proximity Perfect	465.94
	reader*, black, dual-width	
	electrical box mount, metal	
	walls, 15' cable	
430088001	Model 972 Proximity Perfect	544.69
	reader*, with keypad, gray,	
	dual-width electrical box	
	mount, conventional walls, 15'	
	cable	
430088002	Model 972 Proximity Perfect	544.69
	reader*, with keypad, black,	
	dual-width electrical box	
	mount, conventional walls, 15'	
	cable	
430088501	Model 973 Proximity Perfect	557.81
	reader*, with keypad, gray,	
	dual-width electrical box	
	mount, metal walls, 15' cable	
430088502	Model 973 Proximity Perfect	557.81
	reader*, with keypad, black,	
	dual-width electrical box	
	mount, metal walls, 15' cable	
430091502	Second read head for Model	118.13
	960 reader, black, 20' cable	
430096001	Model 660 Touchpad reader,	354.38
	Wiegand output, (NOT a	
	reader keypad)	
430123001	Model 825 Contact Smart Card	662.81
	reader *, with keypad, gray	
430138001	Model 1000 Dual Tech	590.63
	proximity-magstripe reader*,	
	gray. Reads ProxLite, ISO	
	ProxLite and Entrée.	
430139001	Model 1010 Dual Tech	682.50
400100001	proximity-magstripe reader*,	
	with 12-key keypad, gray.	
	Reads ProxLite, ISO ProxLite	
	and Entrée.	
<u> </u>	<u> </u>	

430160001	WIU-4 Wiegand Interface Unit converts multiple Wiegand data formats up to 40-bits to supervised F/2F protocol, and includes door strike relay; one per non-GE proximity reader. Default Wiegand formats include 26, 32, 35, and 40-bit.	85.31 321.56
430177001	contactless (ISO 15693 / 14443A Mifare compatible) smart card reader, SF/2F, gray, single-width USA elect box mount	321.30
430182001	Model 245 Standard w/Keypad, Contactless (ISO 15693 / 14443A Mifare Compatible) Smart Card Reader, SF/2F, Gray, Single-Width USA Elect Box Mount	465.94
430183001	Model 260, Contactless (ISO 15693 / 14443A Mifare Compatible) Medium Read- Range Reader, SF/2F, Gray	925.00
430187001	WIU-2 Wiegand Interface Unit, converts multiple Wiegand data formats up to 40 bits to supervised F/2F protocol, and includes door strike relay; one per non-GE proximity reader. Default Wiegand formats: 26, 32, 35, and 40-bit formats	65.63
430188001	BIF-VFlex to GE Proximity Perfect reader interface, Proximity Perfect reader must be configured for Wiegand 40- bit (bit format 4001) output.	52.50
430200001	Model 250 Mullion-Width, Contactless (ISO 15693/ 14443A Mifare Compatible) Smart Card Reader, SF/2F, Gray	288.75
430201001	M940 Reader Configuration card kit: Model 940 Only: F2F Supervised to Undersupervise, and F2F Supervised to Wiegand 40-bit operation.	NC

430209002	Model T-500SW reader, gray, mullion mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000 Model T-500SW reader,	190.31
430209002	charcoal, mullion mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	190.31
430209003	Model T-500SW reader, black, mullion mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	190.31
430209004	Model T-500W reader, gray, mullion mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	190.31
430209005	Model T-500W reader, charcoal, mullion mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	190.31
430209006	Model T-500W reader, black, mullion mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	190.31
430210001	Model T-520SW reader, gray, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	216.56

430210002	Model T-520SW reader, charcoal, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693),HID proximity & Corp 1000	216.56
430210003	Model T-520SW reader, black, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	216.56
430210004	Model T-520W reader, gray, single width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	216.56
430210005	Model T-520W reader, charcoal, single width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	216.56
430210006	Model T-520W reader, black, single width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	216.56
430211001	Model T-525SW reader, gray, 12-key keypad, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	387.19

430211002	Model T-525SW reader, charcoal, 12-key keypad, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	387.19
430211003	Model T-525SW reader, black, 12-key keypad, single-width USA electrical box mount, S-F/2F and Wiegand communications, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	387.19
430211004	Model T-525W reader, gray, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	387.19
430211005	Model T-525W reader, charcoal, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	387.19
430211006	Model T-525W reader, black, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads GE proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID proximity & Corp 1000	387.19
430212006	Model T-500-PIV reader, black, mullion mount, Wiegand communication, with pigtail. Reads US Government PIV, GE proximity, HID proximity & Corp 1000	262.50

430213006	Model T-520-PIV reader, black, single width USA electrical box mount, Wiegand	309.75
	communication, with pigtail. Reads US Government PIV, GE proximity, HID proximity & Corp 1000	
430214006	Model T-525-PIV reader, black, 12-key keypad, single-width USA electrical box mount, Wiegand communication, with pigtail. Reads US Government PIV, GE proximity, HID proximity & Corp 1000	551.25
430215001	Visitor Central Driver's License Scanner	787.50
430216001	Scanner, Symbol LS2208 Handel Barcode Reader	459.38
430220001	Keyboard Wedge Reader, Smartcard, Card Serial Number (CSN), Vicinity (ISO 15693) and Mifare (ISO 14443A), USB	315.00
430221001	Keyboard Wedge Reader, GE Proximity Desktop Credential Reader (USB Connection)	262.50
430222001	Model T-100 reader, Light Gray, mini-mullion, GE Proximity (ProxLite, Entree Prox), Wiegand only, HID Proximity	89.25
430222002	Model T-100 reader, Charcoal, mini-mullion, GE Proximity (ProxLite, Entree Prox), Wiegand only, HID Proximity	89.25
430222003	Model T-100 reader, Black, mini-mullion, GE Proximity (ProxLite, Entree Prox), Wiegand only, HID Proximity	89.25
430222004	Model T-100 Reader, Light Gray, Mini-Mullion, Proximity Reader, Wiegand Only, 84" / 214 Cm Pigtail Wire	99.25
430222005	Model T-100 Reader, Light Gray, Mini-Mullion, Proximity Reader, Wiegand Only, 84" / 214 Cm Pigtail Wire	99.25
430222006	Model T-100 Reader, Light Gray, Mini-Mullion, Proximity Reader, Wiegand Only, 84" / 214 Cm Pigtail Wire	99.25

430223001	Model T-200 reader, Light	105.00
	Gray, mini-mullion, Wiegand only, Mifare (ISO14443A) and Vicinity (ISO15693)	133.30
430223002	Model T-200 reader, Charcoal, mini-mullion, Wiegand only, Mifare (ISO14443A) and Vicinity (ISO15693)	105.00
430223003	Model T-200 reader, Black, mini-mullion, Wiegand only, Mifare (ISO14443A) and Vicinity (ISO15693)	105.00
430223004	Model T-200 Reader, Light Gray, Mini-Mullion, Wiegand Only, Mifare (Iso14443A) And Vicinity (Iso15693) (84" / 214 Cm Pigtail Wire).	111.85
430223005	Model T-200 Reader, Charcoal, Mini-Mullion, Wiegand Only, Mifare (Iso14443A) And Vicinity (Iso15693) (84" / 214 Cm Pigtail Wire).	111.85
430223006	Model T-200 Reader, Black Mini-Mullion, Wiegand Only, Mifare (Iso14443A) And Vicinity (Iso15693) (84" / 214 Cm Pigtail Wire).	111.85
430228001	Mifare Smart Card Reader, Integrated Engineering, GM	350.00
430228501	Mifare Reader (ISO14443) Desfire w/Pinpad Custom GM Configuration	448.71
430237001	Contact/Contactless with keypad, Smart Card Reader for CAC & PIV Credentials,75-bit Wiegand Output, Indoor installations only	378.00
430240006	Model T-700 Smart Card Reader, Complete, Mullion, Secure Sector, Black cover	192.31
430240501	Model T-700 Smart Card Reader, Electronics Kit only, Mullion, Secure Sector, no cover	185.90
430241006	Model T-720 Smart Card Reader, Complete, Midrange, Secure Sector, Black cover	217.95
430241501	Model T-720 Smart Card Reader, Electronics Kit only, Midrange, Secure Sector, no cover	211.54

430242006	Model T-725 Smart Card	384.62
430242000	Reader, Complete, Midrange	304.02
	with Keypad, Secure Sector,	
	Black cover	
430242501	Model T-725 Smart Card	378.21
	Reader, Electronics Kit only,	
	Midrange with Keypad, Secure	
	Sector, no cover	
441475002	SQL Server 2005 Standard	2370.54
	Edition D.B., 5 CAL License	
450222001	Micro/Reader Junction Box,	65.63
	cabinet, door strike relay	
470336502	Model 43x surface mount back	72.19
	box, gray	
470382001	Model 43x door mount plate	45.94
470417001	Reader housing, M94X, 1-LED	14.44
	new and 3-LED CR-series,	
	gray	
470418001	Backplate, M94X proximity	6.30
	reader, for use with magnet	
	reed switch & the gold-finger	
	tamper mechanisms	
470420001	Backplate, M97X proximity	11.81
	reader, for use with magnet	
	reed switch - the original off-the	
	wall tamper mechanism	
470420503	Backplate, M97X reader, two-	10.50
	pad gold finger switch	
	mechanism	
470431001	Mounting plate, gray, M941	9.37
470431501	proximity reader Mounting plate, gray, M971,	11.38
470431301	M973 proximity reader	11.30
470433001	Model 94x back-to-back	22.31
470433001	mounting plate, gray	22.31
470433002	Model 94x back-to-back	22.31
470433002	mounting plate, black	22.31
470434001	Model 97x back-to-back	18.38
170101001	mounting plate, gray	10.00
470434002	Model 97x back-to-back	21.00
	mounting plate, black	
470577001	Housing, M820, M825 smart	43.55
	card reader	.0.00
470578001	Backplate, M820, M825 smart	33.14
	card reader	
470610001	Model 10x0 Dual Tech surface	45.94
	mount box, gray	
470633001	Housing, M840, M845 smart	52.50
	card reader	
470634001	Backplate, M840, M845 smart	9.32
	card reader	
470672001	Model 24x Spacer Plate for	10.50
	Metal Wall Installation, Gray	
470676001	Cover, snap-on, Model 240	16.68
	reader, gray	

470676002	Cover, snap-on, Model 245 reader, gray	20.21
470677001	Mounting Plate, gray, Mullion Transition reader on single- width USA electrical box	7.88
470677002	Mounting Plate, black, Mullion Transition reader on single- width USA electrical box	7.88
470677003	Mounting Plate, charcoal, Mullion Transition reader on single-width USA electrical box	7.88
4GFXS	BioScrypt / V-Flex 4G / Secugen Optical /V-Flex FX 4G (S)	810.00
4GFXSG	BioScrypt / V-Flex 4G / Secugen Optical / Gemalto Mifare & Desire /V-Flex 4G (S, G)	1080.00
4GFXSP	BioScrypt / V-Flex 4G / Secugen Optical / HID Prox /V- Flex 4G (S,P)	954.00
4GFXU1	BioScrypt / V-Flex 4G / UPEK TCS1 /V-Flex FX 4G (U1)	882.00
4GSTS	BioScrypt / V-Station 4G / Secugen Optical /V-Station 4G (S)	1464.00
4GSTSG	BioScrypt / V-Station 4G / Secugen Optical / Gemalto Mifare & DesFire /V-Station 4G (S,G)	1814.00
4GSTSP	BioScrypt / V-Station 4G / Secugen Optical / HID Prox /V- Station 4G (S, P)	1604.00
4GSTU1H	BioScrypt / V-Station 4G / UPEK TCS1 / HID iClass /V- Station 4G (U1,H)	2104.00
414O-ID	Four Input Four Output Device, Addressable. The Addressable Four Input, Four Output Device Allows Connection of Up to 4 Non-Addressable Devices to the NX-2192 Interface Card. Supports 4 Inputs and 4 Unsupervised Outputs (Horns, Bells, Sirens, Etc.)	57.33
5-0001	15 Watt Interior Speaker	7.91
501R	N/A - Rack Card Enclosure, 1 Card	61.25
502R	N/A - Rack Card Enclosure, 2 Cards	81.25
503H	N/A - Horizontal 3-Card Rack, 1 RU, 19-inch	280.63

503R	N/A - Rack Card Enclosure, 3 Cards	121.88
5150C-M	Shock Sensor w/Coil Cord, Brown, 3'	13.72
5150C-W	Shock Sensor w/Coil Cord, White, 3'	13.72
5150-M	Shock Sensor, 2-Wire, Brown	9.23
5150M19-100PKG	Shock Sensor, 2-Wire, Brown, 100-Pack	709.74
5150-W	Shock Sensor, 2-Wire, White	9.23
5150W19-100PKG	Shock Sensor, 2-Wire, White, 100-Pack	709.74
515PS1	N/A - Internal Redundant Power Supply for 515R1	483.75
515R1	Card Cage, 15 Slots w/PS. Can also be used for SymNet- 5R Units	731.25
517EPS1	N/A - External Power Supply for (2) 517R1	690.63
517R1	N/A - Hi-Density Card Cage, 17 Slots	290.63
51B	N/A - Rack-Mount Thermal Baffle	40.63
51FP-1	N/A - Card Cage Filler Panel, 1 Slot	20.63
51FP-2	N/A - Card Cage Filler Panel, 2 Slots	24.38
51FP-4	N/A - Card Cage Filler Panel, 4 Slots	28.75
51FP-8	N/A - Card Cage Filler Panel, 8 Slots	32.50
51WM	N/A - Wall Mount Bracket for 515R1 and 517R1	24.38
520111601	Micro/5 "C-bracket" assembly. Does NOT include backplane, 110061001.	50.40
520159001	Model 43x heater kit, 110/24VAC, (see 560-92820- 000 for heater power transformer)	118.13
520240004	T-700 Cover, Gray color Plastic. Order with 430240501	12.82
520240005	T-700 Cover, Charcoal color Plastic. Order with 430240501	12.82
520240006	T-700 Cover, Black color Plastic. Order with 430240501	12.82
520241004	T-720 Cover, Gray color Plastic. Order with 430241501	12.82
520241005	T-720 Cover, Charcoal color Plastic. Order with 430241501	12.82

E00044000	T 700 O DIII	40.00
520241006	T-720 Cover, Black color Plastic. Order with 430241501	12.82
	Plastic. Order with 430241301	
520242004	T-725 Cover, Gray color	12.82
	Plastic. Order with 430242501	
520242005	T-725 Cover, Charcoal color	12.82
	Plastic. Order with 430242501	
520242006	T-725 Cover, Black color	12.82
	Plastic. Order with 430242501	
520769001	Entree Proximity Card (500)	919.29
0_0.0000.	w/Tab Run Data File on CD	0.0.20
520836001-CR	Traditional Model 940 gray	374.06
	Reader and Junction Box kit.	
	Includes reader, M/RJ box, 15	
	ft. prox reader cable,	
	installation wrench.	
520838001-CR	Traditional Model 940 black	374.06
	Reader and Junction Box kit.	
	Includes reader, M/RJ box, 15	
	ft. prox reader cable, installation wrench.	
520839001-CR		393.75
520639001-CR	Traditional Model 941 gray Reader and Junction Box kit.	393.75
	Includes reader, M/RJ box, 15	
	ft. prox reader cable,	
	installation wrench.	
520840001-CR	Traditional Model 941 black	393.75
	Reader and Junction Box kit.	
	Includes reader, M/RJ box, 15	
	ft. prox reader cable,	
	installation wrench.	
520845001	Model 970 gray Reader and	531.56
	Junction Box kit. Includes	
	reader, M/RJ box, 15 ft. prox	
	reader cable, installation wrench.	
520847001	Model 971 gray Reader and	551.25
320047001	Junction Box kit. Includes	331.23
	reader, M/RJ box, 15 ft. prox	
	reader cable, installation	
	wrench.	
520848001	Model 971 black Reader and	551.25
	Junction Box kit. Includes	
	reader, M/RJ box, 15 ft. prox	
	reader cable, installation	
	wrench.	
520849001	Model 972 gray Reader and	636.56
	Junction Box kit. Includes	
	reader, M/RJ box, 15 ft. prox reader cable, installation	
	wrench.	
L		

I		
520850001	Model 972 black Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable, installation wrench.	636.56
520851001	Model 973 gray Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable, installation wrench.	656.25
520852001	Model 973 black Reader and Junction Box kit. Includes reader, M/RJ box, 15 ft. prox reader cable, installation wrench.	656.25
520868001	Conversion Kit, M5 enclosure to allow converting M5 OEM to standard M5.	147.00
521005001	M/RC Cabinet Box, cabinet housing, tamper switch, and key/lock set (Does not contain Reader I/F Card) Typically used with WIU-2 or WIU-4	45.94
521007001	Micro/Reader Junction Box Electonics Kit Only, No Enclosure	25.00
521050022	Facility Commander Base Media Kit Version 2.2	NC
521142001	Back Box Housing Kit for Model 1109 Reader	200.00
521209001	Model T-500SW reader kit, gray, mullion mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693)	262.50
521209002	Model T-500SW reader kit, charcoal, mullion mount, S- F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693)	262.50
521209003	Model T-500SW reader kit, black, mullion mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693)	262.50

521210001	Model T-520SW reader kit,	288.75
	gray, single-width USA electrical box mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693),HID prox & Corp 1000	
521210002	Model T-520SW reader kit, charcoal, single-width USA electrical box mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	288.75
521210003	Model T-520SW reader kit, black, single-width USA electrical box mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and MR/J Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	288.75
521211001	Model T-525SW reader kit, gray, 12-key keypad, single-width USA elect box mount, S-F/2F and Wiegand comm, with pigtail, installation wrench and M/RJ Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	446.25
521211002	Model T-525SW reader kit, charcoal, 12-key keypad, single-width USA elect box mnt, S-F/2F and Wiegand comm, with pigtail, installation wrench and M/RJ Box. Reads GE Proximity, Mifare (ISO14443A) & Vicinity (ISO15693), HID prox & Corp 1000	446.25

521211003	Model T-525SW reader kit, black, 12-key keypad, single- width USA elect box mnt, S- F/2F \$ Wiegand comm, with pigtail, installation wrench and M/RJ Box. Reads GE Proximity, Mifare (ISO14443A) and Vicinity (ISO15693), HID prox & Corp 1000	446.25
521216001	PXNplus Ten-pack, CPU Card	11812.50
	kit, Picture Perfect, Serial, Ethernet 10/100Mb. Upgrade M/5PX(N) or M/PX(N)-2000	
521216002	PXNplus Ten-pack CPU Card kit, FC Wnx, Secure Perfect , Serial & Ethernet, 10/100Mb. Upgrade M/5PX(N) or M/PX(N)- 2000.	11812.50
521223001	Rack mount kit, M3000 - field installation required. Includes brackets and mounting hardware. Rack hardware not included.	98.44
521226001	EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Light Gray	26.25
521227001	EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Charcoal Gray	26.25
521228001	EMEA/ Dual Gang Mounting plate for 520/525 Transition Reader, Black	26.25
521243001	Visitor Central Single Server Base License & Software	4593.75
521247001	Modem, daughter board plug- in, M5PXNplus, M3000PXNplus, and M2000PXNplus, DirecDoor ONLY. Field installation required.	196.88
521252001	Fully assembled WIU-4 on standoffs in Micro/Reader J-box which has keylock and tamper switch	164.06
521258001	T-5XX Generation 2 Plugs Kit, Black	2.00
521258002	T-5XX Generation 2 Plugs Kit, Charcoal	2.00
521258003	T-5XX Generation 2 Plugs Kit, Gray	2.00
521271001	T-5XX Series Reader Gasket Kit	0.00
521303001	Kit, Replacement Connectors, MRJ-Box	NC

521305001	Kit, Beeper Off & Reset Default Config. Cards, T-7XX Reader	NC
521306001	Kit, LED Green & Reset Default Config. Cards, T-7XX Reader	NC
521307001	Kit, PIV Bit Format & Reset Default Config. Cards, T-7XX Reader	NC
521308001	Kit, 5XX Emulation Mode & Reset Default Config. Cards, T- 7XX Reader	NC
521309001	Kit, Keypad Config. Cards, T-7XX Reader	NC
521310001	Kit, OESM Key Cards, T-7XX Readers	NC
521313001	DirecDoor IO Expansion unit, 4 Supervised Inputs, 4 Relay Outputs	187.50
521327001	WIU-4 Mounting Plate MRJ Box Kit	25.00
5355ABK00	ProxPro proximity reader with keypad (2 of 7 matrix), 12VDC, Wiegand output, beige	266.25
5355ABN00	ProxPro proximity reader, 12VDC, Wiegand output, beige	162.50
5355AGK00	ProxPro proximity reader w/keypad, 12-VDC, Wiegand output, charcoal	266.25
5355AGN00	ProxPro proximity reader, 12- VDC, Wiegand output, charcoal	162.50
5365EGP00	MiniProx proximity reader, 5- 16VDC, Wiegand output, charcoal with pigtail	131.25
5365EKP00	MiniProx proximity reader, 5- 16VDC, Wiegand output, black, with pigtail	137.50
5375AGN00	MaxiProx proximity reader, extended range, 24VDC, Wiegand output, charcoal	443.75
5395CB100	ThinLine II proximity reader, switch plate style, 5-16VDC, Wiegand output, beige with pigtail	133.75
5395CG100	ThinLine II proximity reader, switch plate style,5-16VDC, Wiegand output, gray with pigtail	133.75
5395CK100	ThinLine II proximity reader, switch plate style, 5-16VDC, Wiegand output, black with pigtail	133.75

5005014400	I	100 75
5395CW100	ThinLine II proximity reader,	133.75
	switch plate style, 5-16VDC,	
	Wiegand output, white with	
	pigtail	
5402-W	Metal Enclosure, Assault	31.49
	Sensor, 2-Wire, Includes	
	Lithium Battery, Grey	
5414-W	Glassbreak Shock Sensor, 2-	29.72
	Wire, Tamper, White, Closed	
	Loop, Lithium Powered, UL	
	Listed	
5415A-M	Glassbreak Shock Sensor, 2-	33.51
O-TIOA-IVI	Wire, Tamper, Brown, Closed	33.31
	Loop, Lithium Powered w/Reed	
	Switch and Magnet. UL Listed	
5415A-W	Glassbreak Shock Sensor, 2-	33.51
0110/11	Wire, Tamper, White, Closed	00.01
	Loop, Lithium Powered w/Reed	
	Switch and Magnet. UL Listed	
	Switch and Magnet. Of Listed	
5422-W	Metal Enclosure, Assault	33.87
	Sensor, 4-Wire, External	
	Power Required, Grey	
5425-M	Glassbreak Shock Sensor, 4-	31.49
O-120 IVI	Wire, Brown, Latching LED	01.40
	Option	
5425-W	·	21.40
3423-VV	Glassbreak Shock Sensor, 4-	31.49
	Wire, White, Latching LED	
E455 A O N 100	Option	47.50
5455AGM00	ProxPro II glass mount kit	17.50
5455BBN00	ProxPro II proximity reader, 5-	141.25
	16VDC, Wiegand, Wiegand	
	output, beige	
5455BGN00	ProxPro II proximity reader, 5-	141.25
	16VDC, Wiegand, Wiegand	
	output, charcoal	
5455BKN00	ProxPro II proximity reader, 5-	141.25
	16VDC, Wiegand, Wiegand	
	output, black	
5455BWN00	ProxPro II proximity reader, 5-	141.25
	16VDC, Wiegand, Wiegand	
	output, white	
5501-M	Processor for Moisture Sensor,	41.77
	Brown, Accommodates Up to 4	
	Detectors. Includes 2 Long-Life	
	Lithium Batteries. Closed Loop,	
	Terminal Connection	
	Tominal Connection	
5515-G	Surface Mount Moisture	16.44
	Sensor, Grey, 10' Lead	
5600-W	ShatterPoint Residential	23.85
	Glassbreak Sensor form C	
	Relay, 9.5 - 16 VDC, White. UL	
	1.10.03, 0.0 10.120, 111.110.02	

	T	1
5620-W	ShatterPoint Glassbreak Sensor w/Magnetic Contact form C Relay, 9.5 - 16 VDC, White. Includes Magnetic Contact. UL Listed	27.44
564503-W	Wireless ShatterPoint 3V w/Magnetic Contact, Transmitter Not Included, White	45.30
56H28804FETLLHR32D	ASSA ABLOY, Harmony 8800 Rim Exit Device, HID iClass reader UTC 5502 Format, 24VD, Left Hand Reverse, Satin stainless steel	1873.75
56H28804FETLRHR32D	ASSA ABLOY, Harmony 8800 Rim Exit Device, HID iClass reader UTC 5502 Format, 24VD, Right Hand Reverse, Satin stainless steel	1873.75
56H28904FFLWRHR612	ASSA ABLOY, Harmony 8900 Rim Exit Device, HID iClass reader, UTC 5502 Format, 24VD, Right Hand, Satin Bronze Finish	2206.25
5709C-W	ShatterPro Hand-Held Glassbreak Tester, Hand-held Tester w/Real Glassbreak Sounds	48.90
5812A-W	Rectangle Acoustic Sensor, UL Listed. Tamper	27.99
5812NT	ShatterPro 3 Glassbreak Sensor (Rectangular Housing) form A. 3' - 35' Adjustable Range	27.99
5812-RND	Round Acoustic Glassbreak form A	19.79
5815A-W	Rectangle Acoustic Glassbreak Sensor, ULC Listed, Tamper form C	40.38
5815NT	ShatterPro 3 Glassbreak Sensor w/Tamper (Rectangular Housing) form C. Tamper Switch. 3' - 35' Adjustable Range	31.09
5820A-W	Recessed ShatterPro II Glassbreak Sensor, 1" Recessed Mounting	40.58
5822A-W	Recessed ShatterPro II Glassbreak w/Tamper, Includes Tamper Switch. 1" Recessed Mounting. UL Listed	41.77
584503-W	Wireless ShatterPro, 3V, Transmitter Not Included	47.75
584509-W	Wireless ShatterPro, 9V, Transmitter Not Included	52.52

50.45 ID	14.11	
5845-ID	Addressable ShatterPro®	62.00
	Glassbreak Sensor. Featuring	
	Pattern Recognition	
	Technology for superior	
	detection & false alarm	
	immunity, it protects all glass	
	types up to a thickness of 1/4".	
	It has a range of 20' and can	
	be wall or ceiling mounted	
5885-W	Motion Sensitive Acoustic	73.26
	Sensor, UL Listed. 24 Hour	
	Applications	
59-743-01-95R-32Z	Concord Integrated RF32 CPU	165.64
	(Board Only)	
59-851-03	Concord 4 Commercial Sub	138.52
	Assembly, PCB	
59-851-95R-AR	Concord 4 CPU Advanced	84.25
	Replacement	
5U5-BE-STD	Nice Duc Connector Pack,	11.97
	Standard Size, Beige	
5U5-BR-STD	Nice Duc Connector Pack,	11.97
000 BR 01B	Standard Size, Brown	11.01
5U5-OW-STD	Nice Duc Connector Pack.	11.97
303-0W-31D	Standard Size, Off-White	11.37
FUE WHI OTD		11.97
5U5-WH-STD	Nice Duc Connector Pack,	11.9
2000	Standard Size, White	
6000	6000 Series High Performance	30.00
	High Density Fresnel Lens PIR	
	Motion Sensor, 35' X 35' PIR	
	form A, w/ Tamper, Standard	
	Lens, UL/ULC Residential	
600-1002-95R	2-Button Medical Panic, 319.5	55.73
600-1012	Broadband Ready Simon 3.	333.91
000 1012	Includes Ethernet Interface	000.0
	Module & cable assembly to	
	I	
	enable Internet connectivity.	
	Includes 2-Way Voice	
	capability, 24-hr backup	
	battery, phone cord &	
	hardware kit. Ethernet cable,	
	transformer, telco jack sold	
	separately	
600-1019	SuperBus 2000 2AMP Power	89.13
	Supply	
600-1020	FTP 1000 Fixed English	62.84
	Touchpad	
600-1021-95R	Concord 4 Board w/Enclosure	97.29
200 1000	OL 0.T (40.5)/	0.5
600-1023	Class 2 Transformer, 16.5V,	9.5
222 1222 211	40VA	2.5
600-1023-CN	Class 2 Transformer, 16.5V,	9.5
	40VA (Canada)	
	Class 2 Transformer, 16.5V,	20.02
600-1024	40VA, w/Power Line Carrier	

600-1025-01-95R	SB2000 Transceiver, 319.5 MHz SAW	89.95
600-1030	Transformer, 12VDC, 500MA	6.72
600-1040	Concord 4 Commercial Panel	147.64
600-1048-XT-6-AT	Simon XT GSM Modem, Non Z- Wave for ATT Network	155.00
600-1048-XT-6-TM	Simon XT GSM Modem, Non Z- Wave for TMobile Network	149.00
600-1048-XT-ZWAVE-AT	Simon XT GSM Modem, Z- Wave for ATT Network	187.00
600-1048-XT-ZWAVE-TM	Simon XT GSM Modem, Z- Wave for TMobile Network	181.00
600-1048-XT-ZX-AT	GSM Radio for XT/XTi w/Z- Wave and Image Sensor Ready for ATT Network	155.00
600-1048-XT-ZX-TM	GSM Radio for XT/XTi w/Z- Wave and Image Sensor Ready for TMobile Network	149.00
600-1053-3	Concord 4 GSM Alarm.Com Kit	187.00
600-1053-3-AT	Concord 4 GSM Alarm.Com Kit for ATT Network	187.00
600-1053-3-TM	Concord 4 GSM Alarm.Com Kit for TMobile Network	180.00
600-1053-3-ZWAVE-AT	Concord 4 GSM Alarm.Com Kit, Z-Wave for ATT Network	219.00
600-1053-3-ZWAVE-TM	Concord 4 GSM Alarm.Com Kit, Z-Wave for TMobile Network	212.00
600-1061	Door Kit for Simon XT New Look	1.69
600-1061-PK	Door Kit for Simon XT New Look, 25 Pack	39.00
600-1064-95R	4-Button Micro Keyfob, Provides Portable Control of the Security System, LED Confirms RF Transmission, Battery Included, Large Buttons in Miniature Overall Size, Black	26.00
600-1064-95R-PK	4-Button Micro Keyfob, Provides Portable Control of the Security System, LED Confirms RF Transmission, Battery Included, Large Buttons in Miniature Overall Size, Black, 25 Pack	585.00
6005BBB00	ProxPoint Plus proximity reader, 5-16VDC, Wiegand output, LED & beeper, beige with pigtail	80.00

00050000	In nice	22.22
6005BGB00	ProxPoint Plus proximity	80.00
	reader, 5-16VDC, Wiegand	
	output, LED & beeper, gray	
000501/000	with pigtail	
6005BKB00	ProxPoint Plus proximity	80.00
	reader, 5-16VDC, Wiegand	
	output, LED & beeper, black	
	with pigtail	
6005BWB00	ProxPoint Plus proximity	80.00
	reader, 5-16VDC, Wiegand	
	output, LED & beeper, white	
	with pigtail	
600-6520-95	Wireless Carbon Monoxide	94.50
	Alarm. Replaces 60-652-95	
600-9400-IMAG	Image Sensor	125.00
600-9400-IMAG-KIT	Image Sensor w/Zigbee	136.00
	Daughter Board	
600-9400-ZB	Zigbee Daughter Board	17.00
600-CL	Camlock w/keys for NetworX	4.53
000 02	Enclosures	4.00
600-XTI-BAT	Simon XTI Battery, 6VDC,	25.50
000-X11-BA1	2100Mah., NIMH	25.50
600-XTI-TEMPLATE-00	Grey, Gradient. Replacement	12.00
000-XTI-TEWFLATE-00	Template for Simon XTI	12.00
	Template for Simon XTI	
600-XTI-TEMPLATE-01	Dorle Crove Worker	12.00
600-XTI-TEMPLATE-01	Dark Grey, Waves.	12.00
	Replacement Template for Simon XTI	
COO VILTEMBLATE OO		10.00
600-XTI-TEMPLATE-02	Light Grey, Waves.	12.00
	Replacement Template for	
000 VTI TEMBLATE 00	Simon XTI	10.00
600-XTI-TEMPLATE-03	Grey, Silk. Replacement	12.00
000 VTI TEMBI ATE 04	Template for Simon XTI	10.00
600-XTI-TEMPLATE-04	Grey, Abstract. Replacement	12.00
	Template for Simon XTI	
000 VTI TEMBI ATE 05		10.00
600-XTI-TEMPLATE-05	Blue, Lines, Gradient.	12.00
	Replacement Template for	
	Simon XTI	
600-XTI-TEMPLATE-06	Black-Blue, Gradient.	12.00
	Replacement Template for	
	Simon XTI	
600-XTI-TEMPLATE-07	Blue, Gradient. Replacement	12.00
	Template for Simon XTI	
60-188-25PKG	Magnet Spacers, White, 25-	6.02
	Pack	
60-189-20PKG	Door/Window Sensor Spacer,	6.02
	White, 20-Pack	
60-190-25PKG	Crystal Sensor Magnet Spacer,	6.02
	Brown, 25-Pack	
60-191-20PKG	Door/Window Sensor Spacer,	6.02
	Brown, 20-Pack	
601B-T/1B	MM - Serial Digital Video, Tx,	620.63
	Can	
601SBL-T/1S	SM - Serial Digital Video, Tx,	988.13
	Laser, Can	

601SB-R/1S	SM - Serial Digital Video, Rx, Can	896.25
60-252	Interior Speaker/Piezo Combination Mount: Voice, Status and Alarms. UL Listed	21.00
60-260	Crystal Sensor Case, White, 5- Pack	6.09
60-261	Crystal Sensor Case, Brown, 5-Pack	6.09
60-278	Siren/Piezo Combination- Surface Mount Enclosure (Interior): Provides Low- Volume Status Beeps and Full- Volume Alarm Sounds. Includes Speaker and Piezo	36.44
60-290	451 Single Door Access Point Manager: Operates Independently of Controllers or a Central Computer, Using Its Own Microprocessor, Database and Clock. 500 Card Capacity. Includes Battery Cable	383.06
60-336	Advent 1251e Single Door Access Point Manager: Provides Both Card Access and Alarm Monitoring. 8,500 Card Capacity. Monitors the Status of Up to 8 Alarm Points and Can Control Up to 4 Output Points. Includes Battery Cable	434.28
60-362N-10-319.5	Crystal Standard Door/Window Sensor, White	35.97
60-362N-10-319.5-PK	Crystal Standard Door/Window Sensor, White, 25-Pack	807.55
60-362N-11-319.5	Crystal Standard Door/Window Sensor, Brown	35.97
60-368	Advent 1251e Dual Door Access Point Manager: Provides Both Card Access and Alarm Monitoring. 8,500 Card Capacity. Monitors the Status of Up to 8 Alarm Points and Can Control Up to 4 Output Points. Includes Battery Cable	545.63

	T=	1
60-401	Rf Sniffer: Installation Tool Used to Determine if a Learn Mode Sensor is Transmitting	36.07
60-452-10-319.5	Crystal Pendant Panic Sensor: Allows a Person to Wear a Sensor that Can Activate a Panic Alarm. Can Be Worn Around Neck. Recessed Panic Button Prevents False Alarms	41.29
60-457-10-319.5	Crystal Double-Button Panic Sensor: Allows a Person to Activate an Emergency Alarm. Two Buttons Must Be Pressed Together, Reducing the Likelihood of False Alarms	36.44
60-458-10-319.5	Crystal Single-Button Panic Sensor: Allows a Person to Activate an Emergency Alarm. Single Button Press for Easy Alarm Activation	36.44
60-460-01-95	Crystal 200° Rate-of-Rise Heat Sensor w/Lithium Battery: Responds to High Temperatures or Rapid Temperature Changes. Activates When Temperature Increases 15° F/Minute Or Greater. Fixed Temperature Sensor Activates At 200° F. Lithium Battery Included	65.74
60-460-319.5	Crystal 135° Rate-of-Rise Heat Sensor: Responds to High Temperatures or Rapid Temperature Changes. Activates When Temperature Increases 15° F/Minute Or Greater. Fixed Temperature Sensor Activates At 135° F	45.79
60-460-319.5-LB	Crystal 135° Rate-of-Rise Heat Sensor W/Lithium Battery: Responds to High Temperatures or Rapid Temperature Changes. Activates When Temperature Increases 15° F/Minute Or Greater. Fixed Temperature Sensor Activates At 135° F. Lithium Battery Included	49.61
60-462-10-319.5	Crystal Glass Guard Sensor, White	57.72
60-462-11-319.5	Crystal Glass Guard Sensor, Brown	57.72

	T	
60-483-01	Slim Line Piezo Siren (Interior): Provides Status and Alarms in	22.81
60-499-10-319.5	a Small Size Crystal Slim Line Door/Window Sensor, White	40.88
60-499-11-319.5	Crystal Slim Line Door/Window Sensor, Brown	40.88
60-504-10-319.5	Crystal Freeze Sensor, White: Detects Furnace Failure By Signaling the Panel When Air Temperature Falls Below 45° F. Monitors Up to 900 Sq. Ft	45.69
60-511-01-95	DS924I Crystal PIR Motion Sensor: Passive Infrared Detection Inside an Enclosed Structure. 3 Sensitivity Settings. 40' X 40' Standard Coverage Pattern. Includes Masking Kit to Adjust Coverage Pattern. Optional Lenses Available	101.47
60-511-02-95	DS924I Pet Crystal PIR Motion. Passive infrared detection inside enclosed structure. 3 sensitivity settings & 40' x 40' standard coverage pattern. Includes masking kit to adjust coverage pattern. For use with pets up to 40 lbs	101.47
60-515	9VAC Class II Transformer for Repeater When No Backup Battery is Required	9.00
60-554	SX-V and SX-IV Backup Battery, 6V, 3.2AH	15.82
60-555-10	Crystal Sensor Magnet. Includes Plastic and Mounting Bracket, White, 10-Pack	18.25
60-555-11	Crystal Sensor Magnet. Includes Plastic and Mounting Bracket, Brown, 10-Pack	18.25
60-568	Barcode Swipe Reader, Weather Resistant. Reads Cards from Right to Left or Left to Right. Optional Wiegand and Magnetic-Stripe Output	260.28

60-578-10-95	Crystal Water-Resistant Pendant Panic. Allows a person to wear a sensor that can activate a panic alarm. Recessed panic button prevents false alarms. Optional wall mount bracket available. Compatible with all panels. Use with Quik Bridge Receivers	40.35
60-597-95	HiTech Hand-Held Wireless Crystal Touchpad. Provides Remote Operational Control of the Panel: Arm/Disarm, Bypass Sensors, Control Lights, Activate Panic Alarms and Report System Status. Includes Battery and Wall Mount Bracket	62.24
60-600	1.5VDC AA Alkaline Battery, 6- Pack	3.58
60-606-319.5	4-Button Crystal Keychain Touchpad. Light Control Capability	38.16
60-606-95-AC	4-Button Wireless Access Keychain Touchpad: Provides Portable Operational Control of the System. Light Control Capability	38.16
60-607-319.5	2-Button Crystal Keychain Touchpad	32.71
60-607-95-AC	2-Button Wireless Access Keychain Touchpad: Provides Portable Operational Control of the System	32.71
60-619	3.6VDC Full Size AA Lithium Battery, 6-Pack	34.30
60-620-01	SuperBus 2000 Energy Saver Module: Monitor and Control Home Heating and Cooling. Analog Thermostats Only	37.59
60-639-95R	Indoor Saw PIR Motion Sensor: Two Sensitivity Settings. Small and Unobtrusive. Optional Pet Alley Lens. 35' X 40' Coverage Area. Masking Kit Included	86.24

60-639-95R-OD	Outdoor SAW PIR Motion. Use in driveways, walkways, etc., where chime notification of movement outside the premises is required, or to turn on an exterior light upon approach. Passive infrared detection. 35' x 40' coverage area. Masking kit included	108.22
60-641-11-95	Crystal Long-Life Door/Window Sensor, Brown	39.27
60-641-95	Crystal Long-Life Door/Window Sensor, White	39.27
60-644	HID ProxPro Reader w/Keypad	490.61
60-648	Easy Access Software Package: Controls Up to 32 Doors. PowerfUL Report Generator. Remote Dial-Up Capability. On-Line Help. Includes Software, Manual, Planning Form and Free Software Updates for One Year	44.49
60-660-01-95R	Quik Bridge Supervised 8-Channel Loop Receiver. Receiver allows up to 16 Learn Mode wireless sensors (2/channel) to be used. Powered from hardwire panel. Quik Bridge Receivers aren't compatible with Simon panels. Compatible with SAW & Crystal	74.93
60-670-11-95R	SAW Door/Window Sensor, Brown	32.71
60-670-95R	SAW Door/Window Sensor, White	32.71
60-670-95R-PK	SAW Door/Window Sensor, White, 25-Pack	714.72
60-675-WIN	ToolBox for Windows. PC-based remote programming software. Downloads panel information for new installs. Updates existing panel programming. Uploads panel information for new accounts. Easy, menu-driven interface with on-line help. Modem required	4.21

[T	
60-677	Interrogator 200 Audio Verification Module: Add Two- Way Voice Capability to a	34.20
	Concord Panel. Gives the Central Station Operator the	
	Ability to Hear What is Happening During an Alarm	
	and to Speak Directly to the People On the Premises	
60-679	16.5VAC 50VA, Class II Transformer, UL Listed	20.63
60-680	12VDC, 7.0AH Backup Battery. Provides 24 Hours Backup Power to the Panel and Hardwire Devices When AC is Out	24.37
60-681	12VDC, 4AH Backup Battery. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC is Out	12.69
60-688-11-95	Crystal Micro Door/Window Sensor, Brown	35.97
60-688-95	Crystal Micro Door/Window Sensor, White	35.97
60-688-95-PK	Crystal Micro Door Window Sensor, White, 25-Pack	869.55
60-694-95R	5-Button SAW Keychain Touchpad: Light Control Capability. Provides Single Button Panic Control	38.16
60-699	3V 190 mAh Coin Lithium Battery Replacement Battery for the Crystal or SAW Micro Wristwatch Panic Button, 10- Pack	12.17
60-709	Pet Alley Lens/Mask Kit, 3- Pack	9.04
60-710	1.5VDC AAA Alkaline Battery for Use w/Simon Hand-Held and TouchTalk Two-Way Touchpads, 6-Pack	4.88
60-711	12V Alkaline Battery for Keychain Touchpads, 6-Pack	5.49
60-713	9VDC UltraLife Lithium Battery	7.17
60-714-10PKG	SAW Door/Window Sensor Terminal Block, 10-Pack	9.57
60-715	SAW Sensor Spacer, White, 20-Pack	6.02
60-715-11	SAW Sensor Spacer, Brown 20-Pack	6.02
60-716-11-25PKG	SAW Sensor Magnet Spacer, Brown, 25-Pack	6.02

SAW Sensor Magnet Spacer, White, 25-Pack	6.02
Micro D/W Sensor Adapter Screw Mount, 25/pk, White. Use to protect wood or other surfaces from the tape used to install the Micro Sensor base. Adapter is screw mounted to the installation surface, then the Micro Sensor base is taped to the Adapter	6.09
Micro D/W Sensor Adapter Screw Mount, 25/pk, Brown. Use to protect wood or other surfaces from the tape used to install the Micro Sensor base. Adapter is screw mounted to the installation surface, & then the Micro Sensor base is taped to the Adapter	6.09
ToolBox Modem Kit: Recommended Modem for Remote Programmer. Includes Instructions	304.23
Simon 3 Table Mounting Base for Table Top Mounting	9.59
Simon XT Semi-Flush Mount Kit	9.00
Micro Magnet, White, 10-Pack	18.25
Micro Magnet, Brown, 10-Pack	18.25
3V Button Top Lithium Battery for HiTech Hand-Held Wireless Touchpads, AP750W PIR Motion Sensors, ShatterPro Sound Sensors, Shock Sensors, ESL Wireless Smoke Sensors and Wireless SAW Smoke Sensors, 6-Pack	20.71
Concord Hybrid Control Panel: 8-Zone Hardwire Panel. Optional Wireless Receivers Available. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately	105.86
Recessed Micro Door/Window Sensor	39.00
	Mite, 25-Pack Micro D/W Sensor Adapter Screw Mount, 25/pk, White. Use to protect wood or other surfaces from the tape used to install the Micro Sensor base. Adapter is screw mounted to the installation surface, then the Micro Sensor base is taped to the Adapter Micro D/W Sensor Adapter Screw Mount, 25/pk, Brown. Use to protect wood or other surfaces from the tape used to install the Micro Sensor base. Adapter is screw mounted to the installation surface, & then the Micro Sensor base is taped to the Adapter ToolBox Modem Kit: Recommended Modem for Remote Programmer. Includes Instructions Simon 3 Table Mounting Base for Table Top Mounting Simon XT Semi-Flush Mount Kit Micro Magnet, White, 10-Pack Micro Magnet, Brown, 10-Pack 3V Button Top Lithium Battery for HiTech Hand-Held Wireless Touchpads, AP750W PIR Motion Sensors, ShatterPro Sound Sensors, ShatterPro Sound Sensors, Shock Sensors, ESL Wireless Smoke Sensors and Wireless Smoke Sensors and Wireless SAW Smoke Sensors, 6-Pack Concord Hybrid Control Panel: 8-Zone Hardwire Panel. Optional Wireless Receivers Available. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately Recessed Micro Door/Window

60-741-95	Crystal Recessed Micro Door/Window Sensor, White: Battery Included. Must Be Returned to GE Security for Battery Replacement	39.27
60-742-95R	Saw Freeze Sensor: Only Compatible w/Simon and Caregard; Not Compatible w/Any Other Control Panel. Detects Furnace Failure When Temperature Drops Below 41° F. Batteries Included	42.50
60-744-95R	Saw Water Sensor: Detects Water Leaks in Homes and Businesses. Consists of a Detector and a Transmitter. Not Compatible w/Advent Home Navigator, Advent Commercial, Advent Commercial Fire and Concord Ultra. Batteries Included	48.10
60-745	Micro Case, White, 5-Pack	6.09
60-745-11	Micro Case, Brown, 5-Pack	6.09
60-746-01	SuperBus 2000 LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X16 Liquid Crystal Display. Allows for On-Site Installer Programming	78.57
60-755	Power Line Carrier (X10) Card: CPU Feature Card. Use w/Part Number 60-762 or 60-779	20.69
60-756	Combo Input/Output Snapcard: 3 Hardwire Inputs, 1 Two-Wire Smoke Input, 2 Form-C Relay Outputs. 2K Ohm Resistors Included	31.85
60-757	8-Zone Input Expansion Snapcard: 6 Hardwire Inputs, 2 Two-Wire Smokes. 2K Ohm Resistors Included	31.85
60-758	4-Zone Output Snapcard: 4 Form-C Relay Outputs	35.40

60-760-01-95R	Quik Bridge Supervised 1- Channel Receiver: Supervised 1-Channel Capability. Quik Bridge Receivers Are Not Compatible w/Simon Panels. Compatible w/SAW and Crystal Sensors	25.31
60-760-95R	Quik Bridge Non-Supervised 2- Channel Receiver: Non- supervised 2-Channel Receiver Enables Use of Up to 4 Wireless Learn Mode Sensors. Quik Bridge Receivers Are Not Compatible w/Simon Panels. Compatible w/SAW and Crystal Sensors	27.95
60-761	24VAC, 30VA Class II Transformer: Provides Primary Power to the Panel	10.27
60-763	Lock and Key Set for Enclosures: Included in Concord Packages	3.50
60-764-43-MAX	Supberbus RF Receiver 433 Mhz Max	97.45
6076-N	SharpShooter Single Beam Pet Alley Lens, 50' x 6° Range, 5- Pack	8.98
60-770	SuperBus 2000 4 Relay Output Module. Adds 4 Programmable Relay Outputs. 2K Ohm Resistors Included	49.07
60-773	Advent Voice Siren 25/70V Converter Card: Adds 25 or 70V Voice/Siren/Audio Output Capability	72.91
60-774	SuperBus 2000 8-Zone Input Module. Adds 8 Additional Supervised Hardwire Zones. 2K Ohm Resistors Included	49.07
60-777-01	SuperBus 2000 Phone Interface/Voice Module: Adds Phone Control, On-Premise Voice Annunciation and Voice Zone Descriptors. Requires 8 Ohm Speaker	103.92
60-778	24VAC, 50VA Class II Transformer: Provides Primary Power to the Panel	20.49
6077-N	SharpShooter Pet Alley Lens, Non-Tilt, 35' x 90° Range, 5- Pack	8.98

60-781	12VDC, 17AH Backup Battery. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC is Out	56.24
60-783	SuperBus 2000 Advent Printer Module: Enables Connection of a Parallel Printer to Print or Log Events	121.55
60-783-02	SuperBus 2000 Automation Module w/RS232: Integrates Concord w/Energy Management Systems, Lighting Controls and Audio/Video Systems. For Concord Panels w/Software Version of 2.5 or Later. Not Compatible w/Concord Express. Not UL Listed	56.21
60-787	Simon Interrogator 2-Way Voice Module. Add additional remote 2-way voice capability to a Simon 3 2-Way panel. Gives the central station operator the ability to hear what's happening during an alarm & to speak directly to the people on the premises	85.07
60-789	Phone Line Monitor Card. Monitors voltage of the phone line connected to a Concord. If low line voltage is detected, it initiates a trouble message. Easy installation. For Concord panels with software ver 2.5 or later. Not compatible with Express	6.95
60-790	Simon Hand-Held Wall Mount Bracket	6.45
60-791	Installation Programming Cable. Quick Plug Cable for Programming Touchpads	5.71
60-792-01-95R-16Z	Concord RF16 Integrated Control Panel: Integrated 16- Zone Wireless/8-Zone Hardwire Panel. Compatible w/SAW and Crystal Sensors. Requires SuperBus 2000 Peripherals. Battery, Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately	147.08

60-792-01-95R-32Z	Concord RF32 Integrated Control Panel: Integrated 32- Zone Wireless/8-Zone	174.67
	Hardwire Panel. Compatible w/SAW and Crystal Sensors. Requires SuperBus 2000 Peripherals. Battery,	
	Transformer, Phone Cord, Jack, Lock Set and Owner's Video Ordered Separately	
60-793	Panel or Expansion Enclosure: Concord Metal Panel Enclosure. Can Also Hold Up to Six Single-Sized SuperBus Modules	19.49
60-799	Case, SAW Door/Window Sensor, White, 5-Pack	6.09
60-799-11	Case, SAW Door/Window Sensor, Brown, 5-Pack	6.09
60-800	Enclosure, Phone Interface Module or Input/Output Modules: Enclosure for External Mounting of Phone Interface Module or Up to (2) Input or Output Modules	7.27
60-801-01	Concord Commercial Hybrid Control Panel. 8-zone hardwire panel with UL residential/commercial listings. Optional wireless receivers avail. Includes attack-proof case, tamper switch & lockset. Battery, transformer, phone cord & jack sold separately.	162.20
60-803-04	SuperBus 2000 2-Line LCD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X20 Liquid Crystal Display. Allows for On-Site Installer Programming	130.96
60-804-01	SuperBus 2000 Advent VFD Alphanumeric Touchpad: Date, Time, Text Zone Descriptions and Customized Text in a 2X20 Vacuum Fluorescent Display. Not UL Listed for Fire Applications	196.44

erBus 2000 2-Line VFD 196.44 anumeric Touchpad: , Time, Text Zone
criptions and Customized in a 2X20 Vacuum
rescent Display. Allows for
Site Installer Programming
ess Control Panel: 6 88.66
wire Zones and 16 less Zones. Does Not
de Battery, Transformer,
ne Cord or RJ31 Jack
or SAW PIR Pet Immune 88.40 on Sensor w/Lithium
ery
or Saw PIR Pet Immune 79.59
on Sensor: Two Sensitivity
ngs. Small and
otrusive. False Alarm
unity for Pets Having a
bined Weight of Up to 40
nds. 35' X 40' Coverage
or SAW PIR Pet Immune 756.09
on Sensor, 10-Pack
on concert, to t don
C, 550 mAh, Duracell 7.11
ine Battery, 3-Pack
DC ½ Size AA Lithium 33.57 ery for Water-Resistant
dant Panic Sensors and
ole/Single-Button Panic
sors, 9-Pack
C Eveready Energizer 6.39
ine Battery, 3-Pack mercial Panel or 60.76
unsion Enclosure:
mercial Metal Panel
osure. Can Also Be Used
ount Additional SuperBus
ules. Includes Hardware
mercial Bus Module 14.53
nting Kit: Used for
nting Up to 4 Add-On
oherals. Rail-Mounted
e the Enclosure erBus 2000 Fixed Display 54.53
shous 2000 Fixed Display 54.35 shpad: English Language
anumeric Display for Zone
us and User Programming.
s Not Provide Panel
ramming Capability
S ordered on the control of the cont

60-821-95	Advent Radio Transceiver Module. Plastic housing. 2500' typical open air range. Up to 5 transceivers can be added to an Advent. Compatible with crystal sensors only. For additional range, order the metal expansion enclosure (P/N 60-881) 16.5VAC, 25VA Class II Transformer: Provides Primary	9.89
	Power to the Panel. Included in Express Packages. You Must Use This Transformer w/Concord Express, UL Listed	
60-822-CN	16.5VAC, 25VA Class II Transformer (Canadian): Provides Primary Power to the Panel, CSA Listed	9.89
60-823	24VAC, 100VA Class II Transformer: Provides Primary Power to the Panel. Includes Line Carrier and Circuit Breaker	55.32
60-829	International Class I Transformer, 24VAC, 100VA, 220V, 50 Hz.: For International Use, Not Intended for the U.S. Provides Primary Power to the Panel	55.88
60-830	24VAC, 100VA Class I Transformer: Provides Primary Power to the Panel. Includes Line Carrier and Circuit Breaker	55.88
60-831-10	SAW Sensor Magnet w/Plastic, White, 10-Pack	18.25
60-832-95R	2-Button Encrypted SAW Keychain Touchpad: Encryption Provides Increased Security of Wireless Communications. Compatible w/Concord Express, Concord (Version 2.0 or Higher), Concord Commercial (Version 2.0 or Higher) and Simon 3	36.44
60-834-95	Adjustable Dual Technology Sound Sensor: 360° Room Coverage, Up to 25' Away. Adjustable Flex Sensitivity	103.92

60-836	Superbus 2000 Voice Module: Expand the Panel w/Advanced Voice Messaging Functions. Digital Voice Chip Has a Vocabulary of Over 220 Words. Requires 8 Ohm Speaker	61.82
6083-N	Swivel Bracket for 6180/6190 Series	22.11
60-846	Recessed Micro Door/Window Sensor Case, White, 5-Pack	9.13
60-846-11	Recessed Micro Door/Window Sensor Case, Brown, 5-Pack	9.13
6084-N	Ceiling/Wall Extension Bracket	10.16
6085	Wire Cage for Sharpshooter, Protects from Direct Hits	14.14
60-871	LED Display Board: Red, Green and Yellow LEDs Provide Device/System Status. Pre-Wired LED Groups Provide Quick and Easy Setup. Not UL Listed	63.65
60-873-95	ShatterPro Crystal Glassbreak Sensor: 360° Room Coverage, Up to 20' Away. Pattern Recognition Technology Ignores Most False Alarm Sounds	77.93
60-874-95R	Allegro Control Panel: Control Panel Only. Includes Backup Battery and Transformer	124.24
60-874-95R-CN	Canadian Allegro Control Panel: Canadian Control Panel Only. Includes Backup Battery and Transformer	124.24
60-875-11-3	Simon 3 Control Panel. Compatible with SAW and crystal sensors. Includes 2-Way Voice capability, 24-hour backup battery, phone cord, Owner's Manual and hardware kit. Transformer & RJ31X telco jack are sold separately	185.23
60-875-11-3-ACS	Simon 3 Tabletop CPU	397.53

	_	
60-875-11-3-CN	Simon 3 Canada Control Panel. Compatible with SAW and crystal sensors. Includes 2- Way Voice capability, 24-hour backup battery, phone cord, Owner's Manual and hardware kit. Transformer, and RJ31X telco jack are sold separately	185.23
60-875-11-3-SPN	Simon 3 Spanish Control Panel. Compatible with SAW & crystal. Includes 2-Way Voice capability, 24-hour backup battery, phone cord, Owner's Manual, & hardware kit. Transformer and RJ31X telco jack are sold separately	185.23
60-879-95R	Dialog Telephone Interface Module. The Dialog Telephone Interface Module (DTIM) receives signals from the panel & uses the telephone line to report to the central station. Supervised, with low-battery signal. Compatible with Simon 3 ver 4.1 & later	71.40
60-880-95	AP750W Crystal PIR Motion Sensor: Passive Infrared Detection Inside an Enclosed Structure. Coverage Area and Sensitivity Modes Are Field- Selectable. 33' or 50' Coverage Area. Cover-Activated Tamper	92.48
60-882-09	3.6V Lithium Battery w/Leads, 9-Pack	36.48
60-886-11-95	Crystal Shock Sensor, Brown	65.84
60-886-95	Crystal Shock Sensor, White	54.87
60-888	Advent DES3 Receiver Motherboard	110.25
60-889	Advent DES3 Receiver Replacement Glass	110.25
60-890	Advent DES3 Receiver VFD- GUI PCB	992.25
60-891	Advent DES Receiver LED PCB Assembly	551.25

60-892	SuperBus 2000 DES3 Near Encryption Module: The SuperBus 2000 DES3 Near Encryption Module Provides Encryption/Decryption of Data from the Advent System to the Encrypted Receiver. Mounts "Near" (Inside) the Advent Control Panel. One Near Encryption Module	178.21
60-893	SuperBus 2000 DES3 Far Encryption Module: The SuperBus 2000 DES3 Far Encryption Module Provides Encryption/Decryption of Data Between the Encrypted Receiver and Protected Areas. Mounts "Far" (in the Receiver) from the Advent Control Panel	178.21
60-894	Advent DES3 Encrypted Receiver. The high security receiver allows you to connect up to 16 separate Advents with up to 16 total partitions for remote reporting, commanding & controlling of the systems (partitions)	2970.24
60-898-CN	Simon 3 Class II Transformer (Canada). Provides Primary Power to the Panel. No X10 Capability, CSA Listed	5.63
60-898-ITI	Simon 3 Class II Transformer: Provides Primary Power to the Panel. No X10 Capability. UL Listed	5.73
60-899	Simon XT Transformer	23.10
60-899-2WTTSXFMR	Talking Touchscreen Power Supply, 6VDC w/25' Cable	16.00
60-906-43-EUR	Micro Multipurpose Panic Button, 433 Mhz, NX-476-I	52.00
60-906-95	Crystal Micro Wristwatch Panic Button: A Wireless Device Used for Activating Medical Alarms. The Panic Button Can Be Worn On the Wrist Like a Watch, Clipped On a Belt, Used as a Pendant or Mounted On the Wall. Water-Resistant to 3 Feet. Battery Included	41.55

	1	
60-913	Simon 3 Line Carrier Transformer: Provides Primary Power to the Panel. Required for X10 Capability, UL Listed	15.25
60-913-CN	Simon 3 Line Carrier Transformer (Canada). Provides Primary Power to the Panel. Required for X10 Capability, CSA Listed	15.25
60-914	6VDC, 1.2AH 24-Hour Rechargeable Backup Battery. Included w/All Simon 3 and Simon XT Panels. Provides 24 Hours Backup Power to the Panel and to Hardwire Devices When AC Power is Out	10.36
60-915	Simon 3 Braille Set: Braille overlay for the Simon 3 Panel	10.87
60-924-3-01	Dialog QS1500 TouchTalk Interactive Touchpad. Allows user to arm/disarm, activate panic alarms, check sys status, control lights and hear voice feedback. 2 operating modes: key (compatible w/ Simon 3 ver 3.3) & chime (compatible w/ Simon 3 ver 4.1)	82.31
60-924-3-XT	Simon XT Two-Way Talking Touchpad	75.00
60-924-RF-TS	Simon XT Talking Touchscreen, White, w/PS	117.00
60-924-RF-TS-N	Simon XT Talking Touchscreen, White, w/o PS	108.00
60-925	Allegro Panel Backup Battery. Included w/Allegro Control Panel	11.53
60-928	Multi-Purpose Housing: Rugged Plastic Enclosure Designed to Hold a Variety of Circuit Boards. It Can Be Adapted for Many Different Installation Situations	19.23
60-930-95R	Apartment Manager Keychain Touchpad. This touchpad is designed for use by apartment managers or service people to disarm any Allegro system within a complex. Battery included	41.55

60-938	Ethernet Interface Module. Provides the ability to control and monitor a Simon system (vers 4.0 or later) using premisesconnect.com. Module connects to DSL/cable modem & reports events to premisesconnect.com. Ethernet cable not included	170.29
60-960-95	Concord Ultra Panel. Includes 96 wireless/8 hardwire zones, power line carrier & phone line monitor cards, phone interface module, phone cord, lock set. Compatible w/ crystal sensors & requires SB2000 peripherals. Battery/transformer sold separately	351.50
60-961	Power Supply Replacement Kit: Includes a CareGard Transformer w/Molded-In Power Cord and Attached Connectors for Easy Installation. Enables Dealers to Repair a CareGard w/a Damaged Power Cord or Transformer	11.59
60-968	Help Button Accessory Kit: Includes Plastic Adaptors, Fittings and Wristbands for the Crystal or SAW Micro Wristwatch Panic Buttons, Part Number 60-906-95	5.81
60-971	Simon Wireless Gateway Module. Provides ability to control/monitor a Simon (ver 3.5 or later) using a website. Wireless data transceiver on the module provides the link from the Simon to the website through a 3rd party wireless paging network	228.60
60-972	Line Carrier (X10) Power Supply Replacement Kit: Includes Caregard Line Carrier Transformer w/Molded-In Power Cord. Enables Addition of X10 Modules That Flash Lamps During Medication Reminders and No Activity Warnings	23.11

60-978	Linegrabber Line Seizure Module: The Linegrabber Module Easily Attaches to Existing Telephone Devices, Providing a Simple Solution to Line Seizure Needs in Homes w/More Than One Telephone Device	15.00
60-982-95R	Allegro Dialog Remote Station. Designed to provide remote system control & status checking. Allows user to arm/disarm, check system status & activate panic alarms. Features an LCD display, armed & ready LEDs, & includes a built-in siren	87.77
60-983	ATP1000 Alphanumeric Touchpad: Large 2X16 Liquid Crystal Display w/Adjustable Contrast and Brightness. Swing-Down, Removable Door. Police, Fire and Auxiliary Panic Buttons. Allows for On-Site Installer Programming	78.57
60-985	ATP2100 Alphanumeric LCD Touchpad	106.28
613P	N/A - Power Adapter, 100- 240VAC In, 13.5VDC Out	28.75
614P	N/A - Power Adapter, 100- 240VAC In, 13.5VDC 2.7A Out	40.63
6187CTX-N	Industrial/Outdoor SharpShooter. Die-cast aluminum housing w/ gasket for rugged installations in indoor/outdoor applications. Water-resistant. Minus 40F to plus 120F. 45' x 90° std coverage. Includes std, Long Range, and Vertical Barrier lens. White	161.35
6197-N	Intrinsically Safe PIR System	2269.10
6198-N	Non-Incendive PIR Motion Sensor, White	973.37
623050002	Facility Commander Base for Windows Server, SQL Server Ready	6562.50
623053002	Facility Commander v2.2 base for Red Hat Linux w/Informix	9843.75

623055002	Facility Commander v2.2 base	9843.75
	for AIX w/Informix	
623073002	Facility Commander V2.1 To	3937.50
	2.2 Purchaseable Upgrade For	
	Linux. Requires Purchase Of	
	Informix Upgrade	
6255FM-W	SureShot Flush Mount Fresnel	41.77
	PIR Motion Sensor for Prewire	
	or Flush Mount Locations,	
	Normally Closed. 30' x 90°	
	Range	
6255-W	SureShot Fresnel PIR Motion	37.87
	Sensor, 30' x 90° Range,	
	Normally Closed	
6257FM-W	SureShot Flush Mount Fresnel	47.99
	PIR Motion Sensor for Prewire	
	or Flush Mount Locations,	
	SPDT. 30' x 90° Range,	
CESOLICM	Tamper	20.00
6530UCM	360 PIR	36.00
6540U	12M 40' PIR	10.90
6540UPI	12M 40' PIR PI	10.90
6545U-BP	Bracket, 10-Pack	8.10
6545U-CL	Curtain Lens, 10-Pack	14.40
6545U-LR	Long-Range Lens, 25M, 10-	14.40
	Pack	
6550U	15M 50' PIR	12.50
700002001	Wiegand, horizontal, GE	6.93
	Security logo/white,	
	matte/matte	
700002101	Custom Wiegand, horizontal,	5.25
	white, matte/matte	
700054001	ProxLite card, ProxLite logo,	3.78
	matte/matte	
700055001	ProxLite card, ProxLite logo,	4.40
	photo image surface/matte	
700060001	Custom ProxLite, matte/matte	3.78
700060003	Custom ProxLite, photo image	4.58
. 30000000	surface/matte	7.50
700060004	Custom ProxLite, photo image	5.40
7 0000000 1	surface both sides	0.10
700061101	Custom Wiegand, vertical,	5.25
	white, matte/matte	0.20
700063001	Magstripe Card, white/white,	1.48
	photo image surface both	
	sides, magstripe not encoded	
700065037	Print test card for .037" thick	70 FA
700065037	style badge, white gloss both	73.50
	sides, 100/lot.	
700065053	Print test card for .053" thick	73.50
1,00000000	style badge, white gloss both	7 3.30

70007001	To	2.05
700087001	Custom Wiegand, horizontal,	8.05
	white, photo image surface	
	both sides	
700093001	ISO ProxLite card, white, photo	6.49
	image surface both sides, high	
	coercively magstripe	
700400004	Custom Wingond vertical	0.00
700100001	Custom Wiegand, vertical,	9.06
	white, photo image surface both sides	
7004.45004		0.40
700145001	Custom ISO ProxLite card,	6.49
	white, photo image surface both sides, high coercivity	
	magstripe	
700147001	ISO ProxLite card, white, photo	6.03
100141001	image surface both sides, no	0.00
	magstripe	
700149001	Entrée Proximity card with GE	1.80
1	Security logo, vertical slot	
	punch, external ID number	
700175001	Custom ISO ProxLite card,	6.03
	white, photo image surface	
	both sides, no magstripe	
700178001	Contactless smart card, Mifare,	6.10
	gloss front/gloss back, no ext	
	ID, no slot punch	
700470004		0.50
700179001	Contactless smart card, Mifare,	6.50
	gloss front, gloss back with	
	magstripe, no ext ID, no slot punch	
700180001	ISOProxLite/Mifare access	13.00
700100001	card,12-digit prox format and	13.00
	contactless smart card, gloss	
	front/gloss back, matching ext	
	ID, no slot punch	
700181001	Contactless smart card, Mifare,	5.58
	gloss front/gloss back,	
	sequential ext ID, no slot punch	
700182001	ProxLite card, std logo	4.20
700102001	front/white gloss back, no ext	4.20
	ID, no slot	
700183001	ISO ProxLite card, no	3.71
700103001	magstripe, white gloss both	3.7 1
	sides, no ext ID, no slot	
	oldes, he out is, he didt	
700183002	ISO Composite HPETG	3.80
	Proxlite Card, No Magstripe,	
	White/White Gloss, No	
	External ID, No Slot Punch	
700184001	ISO ProxLite card, with	3.95
	magstripe, white gloss both	
	sides, no ext ID, no slot	

700184002	ICO Composito UDETO	4.00
700164002	ISO Composite HPETG Proxlite Card with Magstripe, White/White Gloss, No External ID, No Slot Punch	4.00
700185001	Magnetic Stripe card, white gloss both sides, no ext ID, no slot	1.48
700189001	ProxLite, photo image surface both sides, no ext. ID, no slot	4.25
700192001	Contactless (ISO 15693) smart card, white gloss front/back, serial number encoding, SLI-2, no ext ID, no slot punch	2.60
700195001	Contactless (ISO 15693) key fob, black front/back, serial number encoding, SLI-2, no ext. ID, slot punch	5.89
700201001	ProxLite key tag, molded blue, no external ID	3.48
700202001	ProxLite card, std logo, mate/matte, no external ID, no slot punch (not compatible with dye-sub print)	3.78
700211001	ProxLite tag, white front / adhesive back, std 40-bit 125khz ProxLite BID, .98in (25mm) x .74in (19mm) x .04in (1mm)	3.52
700215001	Card, Transition Reader communication configuration	NC
700215019	Configuration Card For T-5Xx- Piv Readers To Change Reader Output To 200 Fasc-N Bits	NC
700215020	Configuration Card For T-5Xx- Piv Readers To Change Reader Output To 75 Bits	NC
700222001	Visitor paper badge, landscape, fold & clip, 2.25" x 3.5", Avery 2949, 500 per box	85.31
700300001	Mifare 1K, ISO Thickness, Composite, Gloss/Gloss, CR- 80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 2601 Data Encoded	5.45

700300002	Mifare 1K, ISO Thickness, Composite, Gloss/Gloss, CR- 80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 5502 Data Encoded	5.45
700300003	Mifare 4K, ISO Composite, Gloss/Gloss, CR-80, No Ext ID, No Slot, No Magnetic Stripe, GE D-Key, 2601 Data Encoded	7.28
700300004	Mifare 4K, ISO Thickness, Composite, Gloss/Gloss, CR- 80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 5502 Data Encoded	7.28
700300005	MY-D 10K Bits, ISO Thickness, Composite, Gloss/Gloss, CR- 80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 2601 Data Encoded	6.71
700300006	MY-D 10K Bits, ISO Thickness, Composite, Gloss/Gloss, CR- 80, No External ID, No Slot, No Magnetic Stripe, GE D-Key, 5502 Data Encoded	6.71
700510001	Dual Tech MiFare 4K + CASI Proximity, ISO Thickness, Composite, CR-80	10.12
80-006-10-20PKG	Shock/Freeze Spacer, Grey, 20-Pack	30.32
800-1034-4	Concord 4 Kit with Fixed Eng TP, AP100PI PIR, Battery, Siren, and Transformer	186.00
80-043	1251e Single Door Firmware Upgrade Kit	55.62
80-045	1251e Dual Door Firmware Upgrade Kit	55.62
80-048	115/230V 1251e Power Supply Option: 115/230Vs Direct to the Panel. Most Secure Supply of Power Available	54.15
80-049	16V 1251e Power Supply Option: Requires 16VAC, 50VA Transformer	36.92
80-088	Rechargeable NICAD Battery Pack for RF Commander and Hardwire Commander, 280 mAh	16.65
80-089-10	Slim Line Sensor Case, White, 5-Pack	9.13

800-951-4	Concord 4 KIT w/FTP 1000 Touchpad	117.58
800-952-4	Concord 4 Hardwire Package F11 w/FTP 1000 Touchpad	120.09
800-963-4	Concord 4 Hardwire Package F12 w/FTP 1000 Touchpad	147.88
800-964-4-CN	Concord 4: Kit w/FTP 1000 Fixed English Touchpad	117.58
800-965-4	Concord 4 Wireless Kit w/FTP 1000 Touchpad	234.60
800-973-4-CN	Canadian Concord 4 Hardwire Package F11 w/FTP 1000 Touchpad	122.95
800-975-4	Concord 4 Wireless Crystal Package G2 w/FTP 1000 Touchpad	254.61
800-976-4	Concord 4 Wireless Crystal Package G4 w/FTP 1000 Touchpad	254.61
800-993-4	Concord 4 W/Atp1000 Tp, 3H/W Contacts, Kctp, Batt & Xformer	225.00
80-116	Wall-Mount Bracket for Water- Resistant Pendant Panic Sensor, 5-Pack	7.92
8016	Quik Bridge Supervised 8- Channel Loop Receiver Enables the Use of Up to 16 Wireless Sensors (2 Per Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors	74.93
80-213-3	Simon 3 Demonstration Kit. Includes Panel, line carrier transformer, phone cord, (2) SAW D/W Sensors, (1) PIR motion (inactive), (1) X10 Lamp Module, (1) X10 Siren, (1) SAW 4-Button Keyfob, Battery, Owner's Manual, and carrying case	294.00
80-213-3-XT	Simon XT Demonstration Kit: Battery, Transformer, Phone Cord, Owner's Guide, (2) SAW Door/Window Sensors and (1) 4-Button SAW Keychain Touchpad	347.00
80-213-3-XTI	Simon XTi Demonstration Kit: Battery, Transformer, Phone Cord, Owner's Guide, (2) SAW Door/Window Sensors and (1) 4-Button SAW Keychain Touchpad	401.00

80-249-3N	Simon 3 SAW Package A4 w/o	218.96
20210011	X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	210.30
80-249-3N-SPN	Simon 3 Spanish SAW Package A4 w/o X10: Includes Simon 3 Spanish Panel, Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	218.96
80-249-3X	Simon 3 SAW Package A4: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	230.87
80-265	Concord Hybrid Starter Package H12: Includes Concord Hybrid 8-Zone Hardwire Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	150.45
80-265-4	Concord 4: Hybrid Control, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set	131.31
80-266	Concord Hybrid Starter Package H11: Includes Concord Hybrid 8-Zone Hardwire Panel, Fixed Display Touchpad, Phone Cord, Jack and Lock Set	118.91
80-267-4	Concord 4: RF16 Control, SB2000 Fixed English Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set	132.17

80-268	Concord DE16 Integrated	166.00
10∪-∠00	Concord RF16 Integrated Starter Package H14: Includes Concord RF16 Integrated 16- Zone Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	166.60
80-269	Concord RF32 Integrated Starter Package H15: Includes Concord RF32 Integrated 32- Zone Panel, 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	188.88
80-276-3N	Simon 3 Crystal Package C4 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) Crystal Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	228.48
80-276-3X	Simon 3 Crystal Package C4: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) 60-362N-10- 319.5 Crystal Door/Window Sensors and (1) 60-807-95R SAW Pet Immune PIR Motion Sensor	240.39
80-276-3X-SPN	Simon 3 Crystal Package (Spanish). Includes Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) crystal D/W Sensors and (1) SAW Pet PIR motion	240.39
80-283-3N	Simon 3 SAW Package A7 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (3) SAW Door/Window Sensors	180.88

80-284-3X	Simon 3 Crystal Package C7: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (3) Crystal Door/Window Sensors	201.12
80-305-3X-CN	Simon 3 Canada SAW Package. Includes Panel, CSA- listed line carrier transformer, phone cord, 24-hr rechargeable backup battery, RJ31X telco jack, Owner's Video, (2) SAW D/W Sensors, (1) SAW Pet Motion, (1) 4- Button SAW Keyfob	230.87
80-307-3N	Simon 3 SAW Package A2 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	201.12
80-307-3N-SPN	Simon 3 Spanish SAW Package A2 w/o X10: Includes Simon 3 Spanish Panel, Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	201.12
80-307-3X	Simon 3 SAW Package A2: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	213.01
80-357	Express Starter Package F02: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack	98.91

80-359	Express Starter Package F04: Includes Express Panel W/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (2) 2-Button SAW Keychain Touchpads, Battery, Lock Set and Owner's Video Sold Separately	138.32
80-360	Express Hardwire Package. Includes Panel w/integrated 16- zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (3) recessed hardwire magnetic contacts, (1) hardwire siren, (1) hardwire Pet PIR motion.	108.67
80-360-CN	Express Canada Hardwire Package. Includes Panel W/integrated 16-zone wireless receiver, Fixed Display Touchpad, CSA-listed transformer, phone cord, RJ31X jack, (3) recessed hardwire contacts, (1) hardwire siren, (1) hardwire Pet PIR motion.	108.67
80-362	Express Hardwire Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (3)recessed hardwire contacts, (1)hardwire siren, (1) hardwire Pet PIR motion, (2)2-Button SAW Keyfobs.	152.89
80-369	Express Hardwire Package w/Battery F11B: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR	139.21

80-444	Express Wireless SAW Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1)hardwire siren, (2)SAW D/W Sensors, (1)SAW Pet PIR. Battery & lock set sold separately	211.21
80-460-3N	Simon 3 SAW Package A8 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (5) SAW Door/Window Sensors	213.01
80-517-3N	Simon 3 SAW Package A5 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	239.20
80-517-3N-XT	Simon XT SAW Package A5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad	288.00
80-517-3N-XTI	Simon XTi SAW Package A5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) SAW Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad	342.00
80-518	Express Starter Package F01: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, 2x16 LCD Touchpad, Transformer, Phone Cord, RJ31X Jack, Battery and Lock Set	125.57

80-555-3X	Simon 3 Crystal Package C22: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video, (2) Crystal Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	302.24
80-562-3N	Simon 3 SAW Package D5 w/o X10: Includes Simon 3 Panel, Transformer, RJ31X Jack, Owner's Video, (3) 60-670-95R SAW Door/Window Sensors, (1) 60-807-95R SAW Pet Immune PIR Motion Sensor and (1) 60-659-95R 4-Button SAW Keychain Touchpad	284.76
80-622	Concord Express Mini Demonstration Kit. Includes Carrying case, SB2000 Touchpad/Panel demo unit, (1)2-Button Keyfob, (1) D/W sensor, (1)PIR motion (inactive), Beyond Security brochure, Panel spec sheet, batteries, transformer & wire	171.36
80-632-3N	Simon 3 Starter Package A1 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack and Owner's Video	157.79
80-632-3N-XT	Simon XT Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack and Video	180.00
80-632-3N-XTI	Simon XTI Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack and Video	235.00
80-632-3N-XT-TT	Simon XT Tabletop Starter Package A1 w/o X10: Battery, Transformer, RJ31X Jack and Video	231.00
80-632-3X	Simon 3 Starter Package A1: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack and Owner's Video	169.68

00.005	I 14/1 1 0 1 1 1	
80-635	Express Wireless SAW Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1) hardwire siren, (3) SAW D/W Sensors, (1) SAW Pet PIR Motion. Battery and lock set sold separately.	234.28
80-636	Express Wireless Crystal Package G2: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR	217.28
80-638	Express Wireless Crystal Package G4: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR	240.33
80-649-3D-XT-GSM-AT	Simon XT 311 Kit w/Z-Wave, GSM for ATT Network	387.00
80-649-3D-XT-GSM-TM	Simon XT 311 Kit w/Z-Wave, GSM for TMobile Network	383.00
80-649-3D-XTI-GSM-AT	Simon XTi 311 Kit w/Z-Wave, GSM for ATT Network	442.00
80-649-3D-XTI-GSM-TM	Simon XTi 311 Kit w/Z-Wave, GSM for TMobile Network	438.00
80-649-3N-XT	Simon XT Crystal Package C5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad	295.00

80-649-3N-XTI	Simon XTi Crystal Package C5 w/o X10: Control, Battery, Class II Transformer, Phone Cord, RJ31X Jack, Video, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor, (1) 4-Button SAW Keychain Touchpad	349.00
80-649-3N-XTI-TS-ATT	Simon XTi w/Two-Way Talking Touch Screen & GSM Kit: (1) Simon XTi Two-Way Talking Touch Screen, (1) GSM Modem for ATT Network, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	484.00
80-649-3N-XTI-TS-TM	Simon XTi w/Two-Way Talking Touch Screen & GSM Kit: (1) Simon XTi Two-Way Talking Touch Screen, (1) GSM Modem for TMobile Network, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4- Button SAW Keychain Touchpad	480.00
80-649-3N-XT-TS	Simon XT w/Two-Way Talking Touch Screen Kit: (1) Simon XT Two-Way Talking Touch Screen, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	335.62
80-649-3N-XT-TS-ATT	Simon XT w/Two-Way Talking Touch Screen & GSM Kit: (1) Simon XT Two-Way Talking Touch Screen, (1) GSM Modem for ATT Network, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4-Button SAW Keychain Touchpad	429.00

80-649-3N-XT-TS-TM	Simon XT w/Two-Way Talking Touch Screen & GSM Kit: (1) Simon XT Two-Way Talking Touch Screen, (1) GSM Modem for TMobile Network, (3) Crystal Door/Window Sensors, (1) SAW Pet Immune PIR Motion Sensor and (1) 4- Button SAW Keychain Touchpad	425.00
80-650-3X	Simon 3 Crystal Package C8: Includes Simon 3 Panel, Line Carrier Transformer, Phone Cord, 24-Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (5) Crystal Door/Window Sensors	238.00
80-658-ITI	Express Wireless Crystal Package G5: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR	263.40
80-660-ITI	Express Wireless Crystal Package. Includes Panel w/integrated 16-zone wireless receiver, Fixed Display Touchpad, transformer, phone cord, RJ31X jack, (1) hardwire siren, (5) Crystal D/W Sensors. Battery, lock set and Owner's Video sold separately	243.99
80-697	Allegro Panel and DTIM Package: Includes (1) 60-874- 95R Allegro Panel, (1) 60-879- 95R Dialog Telephone Interface Module, Class II Transformer, Rechargeable Panel Battery, RJ31X Jack, Phone Cord, Owner's Manual and Installation Instructions	154.88

80-697-CN	Allegro Canadian Panel and DTIM Package: Includes Allegro Panel, Dialog Telephone Interface Module, Class II CSA Listed Transformer, Rechargeable Panel Battery, RJ31X Jack and Phone Cord. Includes Owner's Manual and Installation Instructions	154.88
80-702	Allegro Demo Kit: Includes Panel, (1) SAW Door/Window Sensor, (1) 2-Button SAW Keychain Touchpad, (1) PIR Motion Sensor (Inactive - Plastic Only), (1) DTIM (Inactive - Plastic Only), (1) 9V Alkaline Battery, Soft-Sided Demo Case	306.31
80-706-4	Concord 4: SB2000 2x16 LCD Alpha Touchpad, RJ31X, Phone Cord, MPI-35 Speaker, AP750W PIR, 4-Button Keyfob, (2) Learn Mode Door/Window Sensor-White, Lock and Key Set	234.19
80-736-3N	Simon 3 Crystal Package without X10. Includes Panel, transformer, phone cord, 24- hour rechargeable backup battery, RJ31X telco jack, Owner's Video, (2) Crystal D/W Sensors, (1) SAW Pet PIR Motion, (1) 4-Button SAW Keyfob	233.24
80-742	Upsell Kit: Designed to Provide Upselling Strategies, Tips and Techniques, the Upsell Kit Provides an Array of Tools that Are Ready for Use. The Upsell Kit Includes a Black, Soft-Sided Case, Foam Inserts for Component Kits (Below) and a Literature Pack	55.61
80-755-3N	Simon 3 SAW Package A9 w/o X10: Includes Simon 3 Panel, Transformer, Phone Cord, 24- Hour Rechargeable Backup Battery, RJ31X Jack, Owner's Video and (8) SAW Door/Window Sensors	260.61

80-784	Simon 3 Crystal Package w/DS924I: Includes Simon 3 Panel, Line Carrier Transformer, RJ31X Jack, Owner's Video and (2) 60- 362N-10-319.5 Crystal Door/Window Sensors and (1) 60-511-02-95 DS924I Pet Immune Crystal PIR Motion Sensor	231.00
80-795	Allegro SAW Package A2: Includes Allegro Panel, Dialog Telephone Interface Module, Class II Transformer, Rechargeable Panel Battery, RJ31X Jack, Phone Cord, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	205.15
80-797	Allegro SAW Package. Includes Panel, Dialog Telephone Interface Module, Class II transformer, rechargeable panel battery, RJ31X telco jack, phone cord, (3) SAW D/W Sensors, (1)SAW Pet PIR Motion, (1)2- Button Keyfob	237.91
80-798	Allegro SAW Package A7: Includes Allegro Panel, Dialog Telephone Interface Module, Class II Transformer, Rechargeable Panel Battery, RJ31X Jack, Phone Cord and (3) SAW Door/Window Sensors	178.43
80-837	Concord Wireless SAW Package. Includes 16-zone panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2)SAW D/W Sensors, (1) SAW Pet PIR Motion, (1) 4- Button SAW Keyfob, (1)hardwire speaker. Battery and transformer sold separately	262.64
80-840	Concord RF16 Integrated ATP1000 Starter Package: Includes Concord RF16 Integrated 16-Zone Panel, ATP1000 2x16 LCD Touchpad, Phone Cord, RJ31X Jack and Lock Set	166.60

00.040	F ATD4000 0: :	10=
80-842	Express ATP1000 Starter Package: Includes Express Panel w/Integrated 16-Zone Wireless Receiver, ATP1000 2x16 LCD Touchpad, Transformer, Phone Cord, RJ31X Jack, Battery, Lock Set and Owner's Video Sold Separately	125.57
80-843	Concord ATP1000 Hybrid Starter Package: Includes Concord Hybrid 8-Zone Hardwire Panel, ATP1000 2x16 LCD Touchpad, Phone Cord, Jack and Lock Set	150.45
80-843-4	Concord 4: ATP1000 2x16 LCD Touchpad, Phone Cord, RJ31X Jack, Lock and Key Set for Enclosure	134.63
80-860-4	Concord 4: ATP1000 Alpha Touchpad, RJ31X Jack, Phone Cord, (3) Learn Mode Door/Window Sensors, PIR Crystal, Lock and Key Set	185.57
80-871	Concord Wireless Crystal Package. Includes Control with 16-zone panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2)Crystal D/W Sensors, (1)Crystal PIR Motion, (1) hardwire speaker. Battery, transformer & Owner's Video sold separately	254.91
80-872	Concord Wireless Crystal Package. Includes Panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (2) Crystal D/W Sensors, (1) Crystal PIR Motion Sensor, (1) 4-Button SAW Keyfob, (1) hardwire speaker. Battery and transformer sold separately	275.48
80-874	Concord Wireless Crystal Package. Includes Panel, 2x16 LCD Touchpad, phone cord, RJ31X jack, lock set, (3) Crystal D/W Sensors, (1) hardwire speaker. Battery, transformer and Owner's Video sold separately	272.40

80-874-4	Concord 4: SB2000 2x16 LCD Touchpad, RJ31X, Phone Cord, Learn Mode Door/Window Sensor, MPI-35 Speaker, Lock and Key Set	260.69
80-918-4	Concord 4: ATP1000 Alpha Touchpad, Transformer, Phone Cord and RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) MPI-35 Speaker, (1) PI6000 PIR, Lock and Key Set	168.13
80-919	Express Hardwire Package. Includes Panel w/integrated 16- zone wireless receiver, ATP1000 2x16 Alpha Touchpad, transformer, phone cord, RJ31X jack, (3)recessed hardwire contacts, (1)hardwire siren, (1) hardwire Pet PIR motion, (1)2-Button SAW Keyfob.	156.65
80-922-1	Repeater Kit 319.5, with Crystal Transmitter	169.89
80-936	SuperBus Transceiver w/Enclosure	89.95
80-951-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord and RJ31X Jack	117.58
80-952-4	Concord 4 Panel: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren and (1) Hardwire Pet Immune PIR Motion Detector	120.09
80-953-4	Concord 4 Panel: SB2000 2x16 LCD Touchpad, Transformer, Phone Cord and RJ31X Jack	139.85
80-966-4	Concord 4: ATP1000 2x16 LCD Touchpad, Transformer, Phone Cord and RJ31X Jack	139.85

00 000 4	Concord 4: ATD4000 0:40	4.40.00
80-968-4	Concord 4: ATP1000 2x16 Alphanumeric Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren and (1) Hardwire Pet Immune PIR Motion Detector	146.03
80-969-4	Concord 4: Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector, 12V, 4AH Battery, Lock Set and Owner's Video Sold Separately	152.72
80-973-4-CN	Concord 4: Fixed Display Touchpad, CSA Listed Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren and (1) Hardwire Pet Immune PIR Motion Detector	122.95
80-975-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless Crystal Door/Window Sensors and (1) Wireless SAW Pet Immune PIR Motion Sensor	254.61
80-976-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) Wireless Crystal Door/Window Sensors and (1) Wireless SAW Pet Immune PIR Motion Sensor	254.61
80-977-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (2) 2- Button SAW Keychain Touchpads	167.17

80-978-4	Concord 4: ATP1000 2x16	170.93
	Alphanumeric Touchpad, Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (1) 2- Button SAW Keychain Touchpad	
80-979-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless SAW Door/Window Sensors and (1) Wireless SAW Pet Immune PIR Motion Sensor	225.49
80-982-4-CN	Concord 4: Fixed Display Touchpad, CSA Listed Transformer, Phone Cord, RJ31X Jack, (3) Recessed Hardwire Magnetic Contacts, (1) Hardwire Siren, (1) Hardwire Pet Immune PIR Motion Detector and (1) 2- Button SAW Keychain Touchpad.	147.88
80-983-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (3) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	248.56
80-985-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, RJ31X Jack, (1) Hardwire Siren, (2) Wireless Crystal Door/Window Sensors, (1) Wireless SAW Pet Immune PIR Motion Sensor and (1) SAW 2-Button Keychain Touchpad	254.61
80-986-4	Concord 4: SB2000 Fixed English Touchpad, Transformer, Phone Cord, (1) RCR-PET PIR, Battery, RJ31X Jack and (1) Hardwire Siren	199.05
80-987-4	Concord 4: SB2000 Fixed Display Touchpad, Transformer, Phone Cord, (1) Hardwire Siren and RJ31X Jack	124.96

00 004 4	One and A. ATDOLOG Alaba	450.00
80-991-4	Concord 4: ATP2100 Alpha	150.02
	Touchpad, RJ31X Jack,	
	Transformer and Phone Cord	
970165001	Visitor Central Client License	1312.50
970600001	License, Digital Video Interface	656.25
970600001-UPG	UPGRADE, Digital Video	262.50
	Interface. No Warranty. Does	
	not include SSA. SSA	
	coverage going forward is	
	required and must be	
	purchased on the same PO.	
970601001	License, Camera Capacity (32	1312.50
	cameras per unit)	
970601001-UPG	UPGRADE, Camera Capacity	525.00
	(32 cameras per unit). No	
	Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must	
	be purchased on the same PO.	
970602001	License, Camera Capacity	13125.00
	(512 cameras per unit)	
970602001-UPG	UPGRADE, Camera Capacity	5250.00
	(512 cameras per unit). No	
	Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must	
	be purchased on the same PO.	
970603001	Facility Commander Access	NC
970003001	Control System Interface	INC
	License	
970606001	Facility Commander Web	1312.50
	Client License, (5 concurrent	
	seats)	
970606001-UPG	Facility Commander	525.00
	UPGRADE Web Client	
	License, (5 concurrent seats).	
	No Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must	
	be purchased on the same PO.	
970607001	Facility Commander Command	1312.50
	and Control Client License	
	(single seat)	

070007004 LIBO	F96-0	505.00
970607001-UPG	Facility Commander UPGRADE Command and Control Client License (single seat). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	525.00
970608001	License, Facility Commander Driver for Picture Perfect 1.7 or higher. No charge if customer has PP Protection Plan.	NC
970610001	License, Facility Commander Remote Media Server for Windows	3937.50
970610001-UPG	UPGRADE, Facility Commander Remote Media Server for Windows 2000. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	1575.00
970611001	License, Facility Commander Remote Media Server for Linux	3937.50
970611001-UPG	UPGRADE, Facility Commander Remote Media Server for Linux. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	1575.00
970613001	License, GE Video Driver	NC
970614001-UPG	UPGRADE, Panasonic Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	262.50
970619001	License, Analog CCTV Switcher Interface	656.25
970619001-UPG	UPGRADE, Analog CCTV Switcher Interface. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	262.50
970620001	License, Intercom System Interface	656.25

	[
970620001-UPG	UPGRADE, Intercom System Interface. No Warranty. Does not include SSA. SSA	262.50
	coverage going forward is	
	required and must be	
	purchased on the same PO.	
970621002	License, Zenitel AlphaCom Driver	1968.75
970621002-UPG	UPGRADE, Zenitel AlphaCom	787.50
010021002 01 0	Driver. No Warranty. Does	707.00
	not include SSA. SSA	
	coverage going forward is	
	required and must be	
	purchased on the same PO.	
970622001	License, Intrusion System	656.25
	Interface	
970622001-UPG	UPGRADE, Intrusion System Interface. No Warranty. Does	262.50
	not include SSA. SSA coverage going forward is	
	required and must be	
	purchased on the same PO.	
970623001	License, GE Alliance/ATS (AL- 4017) Intrusion Panel Driver	328.13
	4017) Intrusion Paner Driver	
970623001-UPG	UPGRADE, GE Alliance/ATS	131.25
	(AL-4017) Intrusion Panel	
	Driver. No Warranty. Does not include SSA. SSA	
	coverage going forward is	
	required and must be	
	purchased on the same PO.	
970624001	License, Analog CCTV	1312.50
	Switcher Capacity (32	
	switchers per unit)	
970624001-UPG	UPGRADE, Analog CCTV	525.00
	Switcher Capacity (32	
	switchers per unit). No Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must	
	be purchased on the same PO.	
970625001	License, Intercom Station	1312.50
-	Capacity (32 stations per unit)	5.2.30
970625001-UPG	UPGRADE, Intercom Station	525.00
	Capacity (32 stations per unit).	
	No Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must be purchased on the same PO.	
	be purchased on the same FO.	
	<u> </u>	

07000001	Tree tree to the tree tree tree tree tree tree tree	1010 =0
970626001	License, Intrusion Panel	1312.50
	Capacity (32 panels per unit)	
970626001-UPG	UPGRADE, Intrusion Panel	525.00
370020001-01 0	Capacity (32 panels per unit).	323.00
	No Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must	
	be purchased on the same PO.	
07000004	Li L	1000.75
970629001	License, Integral DVXi and DSXpress Driver.	1968.75
970629001-UPG	UPGRADE, Integral DVXi and	787.50
	DSXpress Driver. No	
	Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must	
	be purchased on the same PO.	
970630001	License, American Dynamics	1968.75
	Intellex	
970630001-UPG	UPGRADE, American	787.50
	Dynamics Intellex 3.1. No	
	Warranty. Does not include	
	SSA. SSA coverage going	
	forward is required and must	
	be purchased on the same PO.	
	be parenased on the same 1 o.	
970631001	License, NiceVision Pro and	1968.75
	Harmony Driver	
970631001-UPG	UPGRADE, NiceVision Pro	787.50
	and Harmony Driver. No	
	a	
	Warranty. Does not include	
	Warranty. Does not include	
	Warranty. Does not include SSA. SSA coverage going	
	Warranty. Does not include	
970632001	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	1968.75
970632001	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver	1968.75
	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000	1968.75 787.50
970632001 970632001-UPG	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver	
	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000	
	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA	
	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is	
	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be	
	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is	
	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity	
970632001-UPG 970638001	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity (256 cameras per unit)	787.50 4042.50
970632001-UPG 970638001 9904V1-R-R	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity (256 cameras per unit) SM - 4-CH Video, Rx, Rack	787.50 4042.50 1934.38
970632001-UPG 970638001 9904V1-R-R 9904V1-T-R	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity (256 cameras per unit) SM - 4-CH Video, Rx, Rack SM - 4-CH Video, Tx, Rack	787.50 4042.50 1934.38 1809.38
970632001-UPG 970638001 9904V1-R-R 9904V1-T-R	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity (256 cameras per unit) SM - 4-CH Video, Rx, Rack	787.50 4042.50 1934.38
970632001-UPG 970638001 9904V1-R-R 9904V1-T-R 9904VMPD1-R-R	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity (256 cameras per unit) SM - 4-CH Video, Rx, Rack SM - 4-CH Video, Tx, Rack SM - 4-CH Video, 2-Way MPD, Rx, Rack SM - 4-CH Video, 2-Way MPD,	787.50 4042.50 1934.38 1809.38
970632001-UPG 970638001 9904V1-R-R 9904V1-T-R 9904VMPD1-R-R	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity (256 cameras per unit) SM - 4-CH Video, Rx, Rack SM - 4-CH Video, Tx, Rack SM - 4-CH Video, 2-Way MPD, Rx, Rack SM - 4-CH Video, 2-Way MPD, Tx, Rack	787.50 4042.50 1934.38 1809.38 2971.88
970632001-UPG 970638001 9904V1-R-R 9904V1-T-R 9904VMPD1-R-R	Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Pelco DX8000 Driver UPGRADE, Pelco DX8000 Driver. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO. License, Camera Capacity (256 cameras per unit) SM - 4-CH Video, Rx, Rack SM - 4-CH Video, Tx, Rack SM - 4-CH Video, 2-Way MPD, Rx, Rack SM - 4-CH Video, 2-Way MPD,	787.50 4042.50 1934.38 1809.38 2971.88

9904VMPD2-T-R	SM - 4-CH Video, 2-Way MPD,	2121.88
9906V1-R-R	Tx, Rack, 2-Fiber SM - 6-CH Video, Rx, Rack	2246.88
9906V1-T-R	SM - 6-CH Video, Tx, Rack	2559.38
9906VMPD1-R-R	SM - 6-CH Video, 1X, Nack	
9900 VIVIPD 1-R-R	Rx, Rack	3346.88
9906VMPD1-T-R	SM - 6-CH Video, 2-Way MPD, Tx, Rack	2996.88
9906VMPD2-R-R	SM - 6-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	2496.88
9906VMPD2-T-R	SM - 6-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber	2496.88
9908V1-R-R	SM - 8-CH Video Rx, Rack	2559.38
9908VMPD1-R-R	SM - 8-CH Video, 2-Way MPD, Rx, Rack	3721.88
9908VMPD1-T-R	SM - 8-CH Video, 2-Way MPD, Tx, Rack	3371.88
9908VMPD2-R-R	SM - 8-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	2809.38
9908VMPD2-T-R	SM - 8-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber	2871.88
991000006	Badge Encode Format, 2801	NC
991000007	Badge Encode Format, 2802	NC
991000008	Badge Encode Format, 2804	NC
991000009	Badge Encode Format, 2601	NC
991000038	Slot punch, none	NC
991000039	Slot punch, vertical top center	0.20
991000040	External ID, none	NC
991000074	Magstripe Encode, none	NC
991000075	Magstripe Encode, sequential, start number	0.36
991000089	Front GE Security logo	NC
991000091	Slot punch, horizontal top center	0.20
991000096	External ID Location, none	NC
991000097	External ID Location, back, top right	NC
991000107	Front plain white	NC
991000108	Front custom 1 - color	0.53
991000109	Front custom 2 - color	0.83
991000110	Front custom 3 - color	1.2
991000111	Front custom 4 - color	1.6
991000112	Front custom 5 - color	2.00
991000113	Front custom 6 - color	2.39
991000114	Back plain white	NO
991000115	Back custom 1 - color	0.53
	Back custom 2 - color	0.83
991000116	TDACK CUSTOTT 2 - COTO	

991000118	Back custom 4 - color	1.61
991000119	Back custom 5 - color	2.00
991000120	Back custom 6 - color	2.39
991000121	Plate charge per color, per side. Required for both customer supplied and custom artwork.	262.50
991000122	Customer supplied artwork preparation charge - artwork must be camera ready	590.63
991000147	External ID Location, front, specify	NC
991000148	External ID Location, back, specify	NC
991000157	Slot Punch, special, specify	0.66
991000176	Magstripe Encode, standard, match Prox encode	0.56
991000179	Magstripe Encode, IBM, match encode	0.56
991000191	Badge Encode Format, specify	0.29
991000194	External ID, sequential, not to match encode, start number	0.53
991000195	External ID, match encode	0.56
9910V1-R-R	SM - 10-CH Video, Rx, Rack	2871.88
9910V1-T-R	SM - 10-CH Video, Tx, Rack	3246.88
9910VMPD1-R-R	SM - 10-CH Video, 2-Way MPD, Rx, Rack	4096.88
9910VMPD1-T-R	SM - 10-CH Video, 2-Way MPD, Tx, Rack	3746.88
9910VMPD2-R-R	SM - 10-CH Video, 2-Way MPD, Rx, Rack, 2-Fiber	3121.88
9910VMPD2-T-R	SM - 10-CH Video, 2-Way MPD, Tx, Rack, 2-Fiber	3246.88
9916VMPD1-R-R	SM - 16-CH Video, 2-Way MPD, Rx, Rack	8806.25
9920VMPD1-R-R	SM - 20-CH Video, 2-Way MPD, Rx, Rack	9431.25
A2100	FM Audio Repeater, MM, 2 Fibers	790.00
A2125	FM Audio Repeater, SM, 2 Fibers	1485.00
A2300SHR	FM Audio Self Healing Ring, MM, 2 Fibers, Remote	790.00
A2300SHR-M	FM Audio Self Healing Ring, MM, 2 Fibers, Master	790.00
ACU-24TFR	Plug-in wall mounted transformer 24V@40VA for RS series ACU	17.06
ACU2-MODEM	Modem, 9.6Kb dial-up, ACU2 & ACU-R2-R4 panels (RS-485)	360.94

[1	
ACU-485CNV-U	ACU Universal Input/Output RS485 4 to 2 Wire Converter	156.25
ACU-5APwr	5 Amp 24VDC, 110/220VAC, UPS ready power supply for ACUXL panels	229.69
ACU-8APwr	8 Amp 24VDC, 110/220VAC UPS ready power supply for ACUXL panels	442.97
ACU-BAT01	Two batteries, 12V / 1.3Ah for ACU RS without BBU power supply. Only used with ACU-24TFR Plug-in Transformer	19.69
ACU-BAT07	Two batteries, 12V / 7Ah for ACU RS & XL. Only used with BBU power supply	29.54
ACU-BATMR	Battery Mounting Bracket Assembly with hardware for ACUXL panels only (Supports 2 batteries)	16.41
ACU-BPLRM	Back plate for remote interface modules (RRE,RIM,RRM)	13.13
ACU-BPLXL	Back plate for ACU-XL & RS controllers	19.69
ACU-DSTNS	Door strike noise suppresser	13.13
ACU-ENC-NEMA12	20 x 16 NEMA 12 rated enclosure for RS and XL series ACU	295.31
ACU-ENCRM	12 x 12 NEMA 1 rated enclosure for RRE, RIM, RRM modules	49.22
ACU-ENCRX	20 x 16 NEMA 1 rated enclosure for RS and XL series ACU	147.66
ACU-EOLAL	Alarm device end-of-line terminator (Box of 16)	124.69
ACU-EOLRS	RS485 End-of-line terminator (for RIM & RRM application)	13.13
ACU-HEATK	ACU Heater Kit, 120 VAC /	98.44
ACU-IOCONN-U	ACU RRE-U/RRE2 and 4- U/RIM-U/RRM-U Replacement Connectors	28.88
ACU-KLOCK	Key lock for enclosures	17.06
ACU-MODEM	Modem, 9.6Kb dial-up, plug-in daughter board for RS and XL series ACU	318.29
ACU-NCEX4	RS485 Hub, Expands 1 ACU Port to 4 Ports	347.81
ACU-NCEX8	RS485 Hub, Expands 1 ACU Port to 8 Ports	515.81
ACU-NCEXBO-P	ACU-NCEX RS485 Hub primary board only. 4 Ports	285.47

ACU-NCEXBO-S	ACU-NCEX RS485 Hub	181.13
	secondary board only. For	
	second 4 Ports.	
ACU-NCEXD	RS485 Hub, Expands 2 ACU	689.06
	Ports each to 4 Ports (two	
	NCEX4 in enclosure)	
ACU-NCEXRC	ACU-NCEX primary-to-	17.06
	secondary ribbon cable.	
ACU-RIMBO	RIM16 processor board only	278.91
	',''''',	
ACU-RIMBO-U	RIM16 (ICM) Board Only	406.25
ACU-RIMRC	RIM16 Proc to Term ribbon	17.06
ACO-KINIKO	cable	17.00
ACU-RIMTB	RIM16 termination board only	82.04
ACU-RIIVITB	Riwite termination board only	62.04
ACU-RRE1B	RRE1 processor board only	295.31
ACU-RREIB	RRE I processor board only	293.31
ACU-RRE1B-U	DDE1 (CDC) Board Only	281.25
	RRE1 (SDC) Board Only	
ACU-RRE2P	RRE2 processor board only	443.63
ACU-RRE2P-U	RRE2 (DDC) Board Only	425.00
ACU-RRE2T	RRE2 termination board only	82.04
	· I	
ACU-RRE4P	RRE4 processor board only	574.22
ACU-RRE4P-U	RRE4 (DDC2X) Board Only	850.00
ACU-RRE4T	RRE4 termination board only	82.04
ACU-RRE41	KKL4 termination board only	02.04
ACU-RRERC	RRE2/4 Proc to Term ribbon	17.06
AGG-KKEKG	cable	17.00
ACU-RRMBO	RRM16 processor board only	380.63
ACO-INNIBO	Trivino processor board only	300.03
ACU-RRMBO-U	RRM16 (OCM) Board Only	406.25
	` '	
ACURS4	ACU, replacement connectors	28.88
A CLUDTO	T 5 1 0 1 15 1	
ACURT2	Two-Reader Control Panel	771.75
	w/16MB RAM, LAN port	
ACURT2-EX-MU	Two-Reader Control Panel	1102.50
	w/Two TPZ-RPP2-50 (Mullion)	
	Readers	
ACURT2-EX-MU-GE	Two-Reader Control Panel	1047.50
	w/Two T-500 Readers, Mini-	
	Mullion, Black	
ACURT2-EX-PP	Two-Reader Control Panel	970.20
	w/Two TPZ-RPP2-60 Readers	
ACURT2-EX-PP-GE	Two-Reader Control Panel	921.50
	w/Two T-100 Readers, Mini-	
	Mullion, Black	
ACURT4	Four-Reader Control Panel	1047.90
	w/16MB RAN, LAN port	
ACURT4-EX-MU	Four-Reader Control Panel	1723.05
	w/four TPZ-RPP2-50 (Mullion)	
	Readers	
ACURT4-EX-MU-GE	Four-Reader Control Panel	1637.00
	w/Four T-500 Readers, Mini-	
	Mullion, Black	
	,	

A OLUDE 4 EV DD	TE D 1 0 1 1D 1	4447.05
ACURT4-EX-PP	Four-Reader Control Panel	1447.95
	w/four TPZ-RPP2-60 Readers	
ACURT4-EX-PP-GE	Four-Reader Control Panel	1375.50
7.00KT+ EXTT 6E	w/Four T-100 Readers, Mini-	107 0.00
	Mullion, Black	
ACU-TAMSW	Cabinet tamper switch for	17.06
7100 171111011	NEMA enclosures	17.00
ACU-TAMSW-U	ACU Enclosures Tamper	17.06
7.00 17	Switch (3012-N)	
ACU-XL16B	ACUXL16 board only	1181.25
ACUXL16-E0000A	ACUXL16 - 16 remote reader	1181.25
	panel, serial & LAN, with back	
	plate, no enclosure, no power	
	supply	
ACUXL16-E0005A	ACUXL16 -16 remote reader	1509.38
	panel, serial & LAN, with back	
	plate, no enclosure, 5A BBU	
	power supply (batteries	
	optional)	
ACUXL16-E0008A	ACUXL16 -16 remote reader	1771.88
	panel, serial & LAN, with back	
	plate, no enclosure, 8A BBU	
	power supply (batteries	
	optional)	
ACUXL16-E1L00A	ACUXL16 -16 remote reader	1312.50
	panel, serial & LAN, with key	
	locked enclosure, no power	
	supply	
ACUXL16-E1L05A	ACUXL16 -16 remote reader	1640.63
	panel, serial & LAN, with key	
	locked enclosure, 5A BBU	
	power supply (batteries	
	optional)	
ACUXL16-E1L08A	ACUXL16 -16 remote reader	1903.13
	panel, serial & LAN, with key	
	locked enclosure, 8A BBU	
	power supply (batteries optional)	
ADP/MM/ST/FC	MM - Adapter, Male-Female,	36.25
ADP/IVIIVI/ST/PC	ST-FC	30.23
ADP/MM/ST/SC	MM - Adapter, Male-Female,	36.25
7.5.7	ST-SC	00.20
ADP/SM/FC/SC	SM - Adapter, Male-Female,	52.50
	FC-SC	3
ADP/SM/FC/ST	SM - Adapter, Male-Female,	36.25
	FC-ST	
ADP/SM/ST/SC	SM - Adapter, Male-Female,	52.50
	ST-SC	
AL-1111	LCD Keypad, 4-Line	93.00
AL-1116	LCD Keypad, 4-Line with	155.00
	Integrated Smart Reader	
AL-1150	Keypad, Indoor	117.00
AL-1151	Keypad, Outdoor, 3 LEDs	223.00
AL-1156	Keypad, Outdoor with	311.00
∆L-1100	Magstripe	311.00
AL-1170	Wiegand Interface Module	184.00
/\L-1110	vviegana interiace ividuale	104.00

AL-1191	Smart Reader, Indoor	130.00
AL-1193	Smart Reader, Heavy Duty	142.00
AL-1197	Exterior Pinpad with Integrated Smart Card Reader	210.00
AL-1205	8-Input DGP with Power, No Enclosure	205.40
AL-1206	8-Zone Plug-In Expansion Module	55.00
AL-1210	8-Input DGP, No Enclosure	143.00
AL-1211	8-Input DGP with Metal Enclosure, Small	137.00
AL-1231	Wireless DGP with Plastic Enclosure	122.00
AL-1256	4-Door Controller DGP, 3A, No Enclosure, 1MB	840.00
AL-125X-FW-KIT	F/W Upgrade Kit for AL-125x panels	NC
AL-1265	4-Elevator Controller DGP, 3A, No Enclosure, 1MB	1683.00
AL-1291	Point ID DGP with Plastic Enclosure	100.00
AL-1330	Data/Power Distribution Module	63.00
AL-1421	Miniprox readers 5" read range (HID-MP5363)	172.00
AL-1422	Proxpro readers, 9" read range (HID-PR5355G)	207.00
AL-1423	Proxpro readers, 9" read range with keypad (HID-PK5355G)	440.70
AL-1425	Reader, Thinline II	153.00
AL-1450-50PKG	Smart Card, Clam Shell Design, 50-Pack	108.00
AL-1470	Smart Card, Slimline, Printable	5.00
AL-1470-50PKG	Smart Card, Slimline, Printable, 50-Pack	250.00
AL-1473	Smart Tag	5.00
AL-1480	Default Card for Smart Card Programmer	14.00
AL-1623	Smart Card Programmer	145.00
AL-1630	Control Panel J18 RS-232 Interface Cable	49.00
AL-1631	Relay/Input Connection Cable, 20 inch	26.00
AL-1632	PC Interface Cable, 16 ft.	26.00
AL-1633	PC Interface Cable, 49 ft.	45.50
AL-1635	Relay/Input Connection Cable, 5 1/2 inch	16.90
AL-1645	Plastic Enclosure, Small	11.00
AL-1660	Card Reader Cover, White (10 pieces)	21.00
AL-1665	Card Reader Cover, Light Gray (10 pieces)	21.00

AL-1668	Card Reader Cover,	4.00
AL-1000	Rectangular, White (1 piece)	4.00
AL-1672	Transformer, 18V, 100VA Class I	82.00
AL-1680	Metal Enclosure, Large, UL	132.00
712 1000	(Safe and Vault)	102.00
AL-1681	Metal Universal Mounting	22.50
	Plate, Medium, UL	
AL-1682	Metal Enclosure, Large, UL	93.00
AL-1683	Metal Universal Mounting Plate, Large, UL	73.50
AL-1684	Metal Enclosure, Medium, UL	89.70
712 100 1	metal Endesdre, mediani, eE	00.10
AL-1685	Metal Enclosure, Small, UL	40.30
AL-1686	Metal Battery Box, UL	120.00
AL-1688	UL 24V, 2.5 Battery Backup,	284.00
AL 4004	Power Supply	22.22
AL-1691	Transformer 24V, 50VA Class	39.00
AL-1692	Transformer 16.5V, 50VA	25.00
	Class II	
AL-1693	Battery Harness, Dual, 36 inch,	28.50
	for 17.2Ah, Control Panel or DGP Series	
AL-1697	Battery Harness, Dual, 36 inch,	7.00
	for 17.2Ah, AL-1256 or AL-	
	1265 Series	
AL-1698	Battery Harness, Dual, 36 inch,	18.00
	for 12Ah, Control Panel or DGP Series	
AL-1740	System Bus Isolator/Repeater	96.00
		00.00
AL-1741	RS232 to RS485 Interface	91.00
AL-1743	Fiber Optic Interface	277.00
AL-1801	RS232 Computer/Printer	166.00
AL 4000	Interface	474.00
AL-1806	TCP/IP Network Interface Card	171.00
AL-1809	TCP/IP Network Interface Card	171.00
AL-1810	4-Relay Expansion Module	63.00
AL-1812	4-Relay Pack for Smart	63.00
AL-1813	Readers 8-Relay Expansion Module	132.00
AL-1830	1MB Memory Expansion Chip	49.00
AL-1030	Tivib Memory Expansion Only	49.00
AL-1831	4MB IUM	179.00
AL-1832	8MB IUM	247.00
AL-3017	System Control Panel, 8 Areas,	273.00
	16 RAS Readers, 64 Inputs,	
	1A, No Enclosure, 1MB	

AL-4017	System Control Panel, 16 Areas, 16 RAS Readers, 256 Inputs, 1A, No Enclosure, 1MB	331.00
AL-4617	System Control Panel, 16 Areas, 16 RAS Readers, 256 Inputs, 3A, No Enclosure, 1MB	462.00
AL-DOCS	Alliance CD of Manuals and Other Support Documentation	NC
AL-ENTR-MULTI	Alliance Enterprise Software, 1/4 Server/Client, 64 System Control Panels, 16 DVR's	827.00
AL-ENTR-PHOTO	Alliance Enterprise Photo ID Badging License	496.00
AL-ENTR-SINGLE	Alliance Enterprise Software, 1 Server or Client License, 8 System Control Panels, 4 DVR's	262.00
AL-PRINTER-1	Hand Fed ID MagiCard Tempo Printer	1680.00
AL-PROF	Alliance Professional Software	165.00
AL-REFILL-1	Refill Ribbon for PRINTER-1	132.00
AL-REFILL-2	Refill Ribbon for PRINTER-2	132.00
AL-SLOT	043 LSP slot punch	163.00
AL-SYS-A	AL-4017 Kit, - (1) AL-4017 System Control Panel, 16 Areas, 16 Readers, 256 Inputs, 1A, No Enclosure, 1MB, - (1) AL-1682 Metal Enclosure, Large, UL, - (1) AL-1690 Transformer 24V, 100VA Class I, - (1) AL-1111 LCD Keypad, 4-Line	552.00
AL-SYS-B	Door Control Kit, - (2) AL- 1170 Wiegand Interface, - (2) AL-1645 Plastic Enclosure, Small	378.00
AL-SYS-C	DGP Zone Expansion Kit, - (1) AL-1205 8-Input DGP with Aux Power, - (1) AL-1206 8-Zone Plug-In Expansion Module, - (1) AL-1684 Metal Enclosure, Medium UL, - (1) AL-1692 Transformer 16.5V, 50VA Plug in XMFR	294.00

AL-SYS-D	AL-4617 Kit, - (1) AL-4617	709.00
	System Control Panel, 16 Areas, 16 RAS Readers, 256 Inputs, 3A, No Enclosure, 1MB, - (1) AL-1682 Metal Enclosure, Large, UL, - (1) AL-1672 Transformer, 18V, 100VA Class I, - (1) AL-1111 LCD Keypad, 4-Line	
AL-SYS-E	AL-3017 Kit, - (1) AL-3017	399.00
	System Control Panel, 8 Areas, 16 RAS Readers, 64 Inputs, 1A, No Enclosure, 1MB, - (1) AL-1684 Metal Enclosure, Medium, UL, - (1) AL-1691 Transformer 24V, 50VA Class II, - (1) AL-1111 LCD Keypad, 4-Line	
AL-SYS-G	Intelligent Door Kit, - (1) AL- 1256 4-Door Controller DGP, 3A, No Enclosure, 1 MB, - (1) AL-1682 Metal Enclosure, Large, UL, - (1) AL-1672 Transformer, 18V, 100VA Class I	977.00
AL-XX17-FW-KIT	F/W Upgrade Kit	NC
AP100PI	Mirror Optic PIR w/Pet Immunity, Pet Immunity Up to 44 lbs. 33' x 90° Range. 6-10' Mounting Height form A, White. UL, ULC Listed	12.82
AP450	Mirror Optic PIR form C w/Tamper, 9 Curtains, 50' Range. UL, ULC Listed	25.31
AP450A	Mirror Optic PIR form A, 9 Curtains, 50' Range. UL, ULC Listed	23.10
AP475	Mirror Optic PIR: Single Curtain 75' Long Range, Unique Single Curtain Coverage Pattern Extending Out to 75'. Form C Relay w/Tamper, White. UL, ULC Listed	59.70
AP633	Mirror Optic PIR: 12 Coverage Patterns, Including 200' Long Range, Canadian ULC Listed Version of AP633A	119.46
AP633A	Mirror Optic PIR: 12 Coverage Patterns, Including 200' Long Range, 200' Long Range; 80' Wide Angle; 40' Coverage. Form C w/Tamper, White. UL, ULC Listed	119.46

AP669	Mirror Optic PIR, Ceiling	95.55
	Mount, Two 180 Mirror	
	Segments, Two Pyres and Two	
	ASICs for Superior Detection.	
	18 Full Curtains. 60' Diameter	
	Range; 360° Degree	
	Coverage. 12 or 24V. Form C,	
	Tamper, White. UL, ULC Listed	
AP669BP	AP669 Base Plate	7.52
AP669RK	AP669 Recessed Mounting Kit	20.16
	for Semi-Recessed Ceiling	
	Mounting	
AP750-ID	Addressable AP750W PIR	49.60
711 700 12	Motion Sensor Features	10.00
	Adaptive Signal Processing	
	that Analyzes Size, Speed,	
	Shape and Adaptive Alarm	
	Threshold. Provides 4	
	Separate Curtain Coverage	
	Patterns w/50' Range. Flat	
	Wall or Corner Mounting	
AP950PI	Mirror Optic 2-in-1 High-	27.51
	Security PIR w/Pet Immunity,	
	35' Mirror w/80 lb Pet	
	Immunity. 50' Standard Mirror	
	Included. UL, ULC Listed	
	moldded. OL, OLO Listed	
AR1000	FM Audio Receiver, MM, 1	200.00
	Fiber	
AR1000-R3	FM Audio Receiver, MM, 1	200.00
	Fiber, Rack Mount	
AR1030	FM Audio Receiver, SM or MM,	395.00
	1 Fiber	
AR1030-R3	FM Audio Receiver, SM or MM,	395.00
7111000 110	1 Fiber, Rack Mount	000.00
AR2000	FM Audio Transceiver, MM, 2	395.00
	Fibers	000.00
AR2000-R3	FM Audio Transceiver, MM, 2	395.00
AN2000-N3	Fibers, Rack Mount	393.00
A D 204 O M/D M A	·	705.00
AR2010WDMA	FM Audio Transceiver, MM, 1	725.00
A DOO 40 W DA 4A DO	Fiber, "A" End	705.00
AR2010WDMA-R3	FM Audio Transceiver, MM, 1	725.00
	Fiber, "A" End, Rack Mount	
AR2010WDMB	FM Audio Transceiver, MM, 1	725.00
	Fiber, "B" End	
AR2010WDMB-R3	FM Audio Transceiver, MM, 1	725.00
	Fiber, "B" End, Rack Mount	
AR2025	FM Audio Transceiver, SM, 2	000.00
MNZUZU	Fibers	990.00
AD2025 D2		000.00
AR2025-R3	FM Audio Transceiver, SM, 2	990.00
	Fibers, Rack Mount	
AR7420	4 Channel Digital Audio	1450.00
	Receiver - 1 Fiber, LD	
	·	

AD7400 D0	A Channal Digital Audia	1450.00
AR7420-R3	4 Channel Digital Audio	1450.00
	Receiver - 1 Fiber, LD, Rack	
	Mount	
AR7430	4 Channel Digital Audio	1780.00
.=	Receiver - 1 Fiber	
AT1000	FM Audio Transmitter, MM, 1	200.00
	Fiber	
AT1000-50	FM Audio Transmitter, MM, 1	200.00
	Fiber, International	
AT1000-R3	FM Audio Transmitter, MM, 1	200.00
	Fiber, Rack Mount	
AT1020	Audio Transmitter, MM,	395.00
	1300Nm	
AT1025	FM Audio Transmitter, SM, 1	725.00
	Fiber	
AT1025-R3	FM Audio Transmitter, SM, 1	725.00
	Fiber, Rack Mount	
AT7420	4 Channel Digital Audio	1450.00
	Transmitter, MM, 1 Fiber, LD	
AT7420-R3	4 Channel Digital Audio	1450.00
	Transmitter, MM, 1 Fiber, LD,	
	Rack Mount	
AT7430	4 Channel Digital Audio	1780.00
	Transmitter, SM Laser, 1 Fiber	
B-1245	12V, 4AMP Backup Battery	15.48
B701VER-RST	MM - Video, Wideband - 35	296.88
	MHz, Rx, Rack	
B701VET-RST	MM - Video, Wideband - 35	259.38
	MHz, Tx, Rack	
B703VR-RST	MM - S-Video, Rx, Rack	743.75
B703VT-EST	MM - S-Video, Tx, Can	743.75
B706VR-RST	MM - Two-Way Video, Rx,	712.50
D/OOVIN-INGT	Rack	712.50
B720AR-RST	MM - Audio, Digitally	252.88
DI ZUAN-NO I	Processed, Rx, Rack	252.00
B720AT-RST		252.00
DIZUAT-NOT	MM - Audio, Digitally Processed, Tx, Rack	252.88
B722AT-RSTL	MM - 2-CH Audio, Hi-	1071.88
DIZZAI-NOIL	Performance, Digitally	107 1.00
	Processed,Tx, Rack	
DZOEAD ECT1	MM - 2-Way Audio, Digitally	550.00
B725AR-EST1	Processed, Rx, Can	550.00
B725AR-RST1	MM - 2-Way Audio, Digitally	FEO 00
DIZDAR-ROTT	Processed, Rx, Rack	550.00
DZOEAT FOTA		550.00
B725AT-EST1	MM - 2-Way Audio, Digitally	550.00
	Processed, Tx, Can	550.00
	MM - 2-Way Audio, Digitally	550.00
B725A1-RS11	Processor IV Pock	
	Processed, Tx, Rack	1017 50
	MM - 2-Way 2-CH Audio,	1047.50
B726AT-RST1		1047.50
	MM - 2-Way 2-CH Audio, Digitally Processed, Tx, Rack	1047.50
	MM - 2-Way 2-CH Audio,	1047.50 507.50

B740AVT-ESTL	MM - Video & Audio, Digitally	507.50
B/40AV1-E31L		307.30
	Processed, Tx, Can	
B741AVR-RSTL	MM - Video & Audio, Digitally	678.13
	Processed, Rx, Rack	
B741AVT-RSTL	MM - Video & Audio, Digitally	678.13
	Processed, Tx, Rack	
B742AVT-RSTL	MM - Video & 2-CH Audio,	1220.63
	Digitally Processed, Tx, Rack	
B746AVR-EST2	MM - Video & 2-Way Audio,	418.75
	Digitally Processed, Rx, Can, 2-Fiber	
B746AVT-RST1	MM - Video & 2-Way Audio,	537.50
1	Digitally Processed, Tx, Rack	
B7703VR-RFC	SM - S-Video, Rx, Rack	1093.75
B7703VT-RFC	SM - S-Video, Tx, Rack	1093.75
B7720AR-RST	SM - Audio, Digitally	595.00
	Processed, Rx, Rack	
B7720AT-EST	SM - Audio, Digitally	595.00
DETECAT DOT	Processed, Tx, Can	505.00
B7720AT-RST	SM - Audio, Digitally Processed, Tx, Rack	595.00
B7721AR-RFC	SM - 2-CH Audio, Digitally	647.50
DITZIAK-KI O	Processed, Rx, Rack	047.50
B7721AT-RST	SM - 2-CH Audio, Digitally	647.50
	Processed, Tx, Rack	
B7722AR-RST	SM - 2-CH Audio, Hi-	1246.88
	Performance, Digitally	
	Processed, Rx, Rack	
B7723AT-RST	SM - 4-CH Audio, Digitally	1395.63
B7726AR-RST1	Processed, Tx, Rack SM - 2-Way 2-CH Audio,	1297.50
D1120AK-K311	Digitally Processed, Rx, Rack	1297.50
	Digitally 1 10003304, TX, TXack	
B7726AT-RST1	SM - 2-Way 2-CH Audio,	1297.50
	Digitally Processed, Tx, Rack	
B7742AVR-RFC	SM - Video & 2-CH Audio,	1570.63
DITAZAVIC-ICI C	Digitally Processed, Rx, Rack	1370.03
	- 19.00)	
B7742AVR-RST	SM - Video & 2-CH Audio,	1570.63
	Digitally Processed, Rx, Rack	
B7746AVR-EST1	SM - Video & 2-Way Audio, Rx,	1425.00
	Digitally Processed, Can	
B7746AVT-EST1	SM - Video & 2-Way Audio,	1425.00
2.7.0.07.1.2011	Digitally Processed, Tx, Can	1 120.00
	3 , ,,,	
B7746AVT-RST1	SM - Video & 2-Way Audio,	1425.00
	Digitally Processed, Tx, Rack	
	, , , , , , , ,	

DZ00CD DCT0	MMA DOD High Decelution	4400 40
B780GR-RST3	MM - RGB High Resolution	1483.13
	Component Video, Rx, Rack, 3-	
	Fiber	
B780GT-RST3	MM - RGB High Resolution	1483.13
	Component Video, Tx, Rack, 3-	
	Fiber	
BB-1GS	Barrier Bar Perimeter Alarm	23.05
	Switch. Fits Windows 12" to	
	40", Plastic Bar	
BB-2	Barrier Bar Mercury Tilt Switch.	50.00
	Fits Windows 12" to 40". For	
	Use w/Tilt-Style Windows	
	Often Found in Basements,	
	Plastic Bar	
BB-2XL	Barrier Bar Mercury Tilt Switch,	30.70
	Reinforced, 20-Pack, Fits	30.70
	Windows 12" to 40". For Use	
	w/Tilt-Style Windows Often Found in Basements. Metal	
	Reinforced Bar. Ordered in	
	Quantities of 20; Price Shown	
	is for One (1) Unit	
BR601	AP633 Ceiling/Wall Mount	17.87
	Swivel Bracket	
CAR46UPG-SSAG512	CARMA 4.6 Upgrade For	NC
	Greater Than 512 Reader	
	Version Covered Under SSA.	
	Compatible With Picture	
	Perfect 4.0, 4.5 And 4.6.	
	Operating System Not	
	Included	
CAR46UPG-SSAL512	CARMA 4.6 Upgrade For Less	NC
07.11.1001.0.007.12012	Than 512 Reader Version	110
	Covered Under SSA.	
	Compatible With Picture	
	Perfect 4.0, 4.5 And 4.6.	
	Operating System Not	
	Included	
OAD 40UD DD 40540		2005.22
CAR46UP-PP4G512	CARMA 4.6 Upgrade For	2205.00
	Greater Than 512 Reader	
	Version Not Covered Under	
	SSA. Requires Purchase Of	
	SSA On Same PO. Compatible	
	With Picture Perfect 4.0, 4.5	
	And 4.6. Operating System Not	
	Included.	
CAR46UP-PP4L512	CARMA 4.6 Upgrade For Less	1614.74
	Than 512 Reader Version Not	
	Covered Under SSA. Requires	
	Purchase Of SSA On Same	
	PO. Compatible With Picture	
	Perfect 4.0, 4.5 And 4.6.	
	Operating System Not	
	Included.	
	moluucu.	

	1	
CARMA45-PPG512	Carma 4.5 - Report Server Software for Picture Perfect 4.0 or 4.5.1 Linux or AIX Systems Licensed Greater Than 512 Reader Capacity. Bundled with 1 Year of Support. Does not include Operating System.	4593.75
CARMA45-PPL512	Carma 4.5 - Report Server Software for Picture Perfect 4.0 or 4.5.1 Linux or AIX Systems Licensed Less Than 512 Reader Capacity. Bundled with 1 Year of Support. Does not include Operating System.	4542.50
CARMA46-PPG512	CARMA 4.6 - Report Server Software For Picture Perfect 4.0,4.5 ,4.6Systems Licensed Greater Than 512 Reader Capacity. Bundled With 1 Year Of Support . Does Not Inlcude Operating System.	5512.50
CARMA46-PPL512	CARMA 4.6 - Report Server Software For Picture Perfect 4.0,4.5 ,4.6 Systems Licensed Less Than 512 Reader Capacity. Bundled With 1 Year Of Support . Does Not Inlcude Operating System.	4036.85
CARMA-MEDIAKT	CARMA 4.6 Media Kit, No Licensing Included, Not Intended For Upgrades. For Picture Perfect 4.0, 4.5 And 4.6	39.38
CAT30KEY	Replacement Keys	2.52
CBR-PB2-KA2	ProBridge for Kalatel PTZ Units	309.00
CBR-PB2-PA	ProBridge for Panasonic Domes	309.00
CBR-PB2-PE	ProBridge for PELCO Domes	309.00
CBR-PB3-ATM	Generic ATM ProBridge Interface - Single/Multiple ATMs	309.00
CBR-PB3-PBE	ProBridge Ethernet ATM	419.00
CBR-PB3-POS-RP	Receipt printer, POS ProBridge Interface, Single	309.00
CBR-PB3-POS-SCG	Gilbarco PC based G-Site, POS ProBridge Interface	309.00
CBR-PB3-POS-WN	ProBridge for Wayne Nucleus	309.00

	1	
CH12A	Power Supply, Board Only. Use to Power Systems Requiring an External 12VDC Power Source w/Loads Not Exceeding 1.75AMPs. Board Only, 6 or 12V	19.50
CYB-2102	CyberDome II Flush Housing Clear Acrylic Dome	100.00
CYB-2103	CyberDome II Flush Housing Smoke Acrylic Dome	100.00
CYB-2104	CyberDome II Flush Housing Chrome Acrylic Dome	240.00
CYB-2122	CyberDome II Flush Housing Clear Polycarbonate Dome	125.00
CYB-2123	CyberDome II Flush Housing Smoke Polycarbonate Dome	125.00
CYB-2202	CyberDome II Pendant Housing Clear Acrylic Dome	100.00
CYB-2203	CyberDome II Pendant Housing Smoke Acrylic Dome	100.00
CYB-2204	CyberDome II Pendant Housing Chrome Acrylic Dome	240.00
CYB-2206	UltraView/CyberDome II, Pendant, Acrylic Dome, Molded, Clear	100.00
CYB-2207	UltraView/CyberDome II, Pendant, Acrylic Dome, Molded, Tinted	100.00
CYB-2208	UltraView/CyberDome II, Pendant, Acrylic Dome, Molded, Chrome	240.00
CYB-2209	UltraView/CyberDome II, Pendant, Acrylic Dome, Molded, Gold	290.00
CYB-2302	CyberDome II Plenum Rated Housing Clear Acrylic Dome	100.00
CYB-2305	CyberDome II Plenum Rated Housing Gold Acrylic Dome	290.00
CYB-2322	CyberDome II Plenum Rated Housing Clear Polycarbonate Dome	125.00
CYB-2402	CyberDome II Rugged Housing Clear Acrylic Dome	120.00
CYB-2403	CyberDome II Rugged Housing Smoke Acrylic Dome	120.00

CYB-2404	CyberDome II Rugged Housing	260.00
016 2404	Chrome Acrylic Dome	200.00
CYB-2405	CyberDome II Rugged Housing Gold Acrylic Dome	310.00
CYB-2422	CyberDome II Rugged Housing Clear Polycarbonate Dome	145.00
CYB-2423	CyberDome II Rugged Housing Smoke Polycarbonate Dome	145.00
CYB-2502	CyberDome II Heavy Duty Housing Clear Acrylic Dome	145.00
CYB-2522	CyberDome II Heavy Duty Housing Clear Polycarbonate Dome	170.00
CYB-2523	CyberDome II Heavy Duty Housing Smoke Polycarbonate Dome	170.00
CYB-2602	Cyberdome II, PressurDome Housing Clear Polycarbonate Dome	126.00
CYB-C3-C22P	CyberDome II, 22X Color, Wall Mount Housing, Clear Acrylic, Pal, Coax/UTP	1560.00
CYB-C6-C22P	CyberDome II, 22X Color, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	1700.00
CYB-C6-D18P	CyberDome II, 18X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2200.00
CYB-C6-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	1700.00
CYB-C6-D26P	CyberDome II, 26X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2400.00
CYB-C6-D36P	CyberDome II, 36X Day/Night, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2460.00
CYB-C7-C22P	CyberDome II, 22X Color, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1750.00
CYB-C7-D18P	CyberDome II, 18X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2250.00
CYB-C7-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1750.00

CYB-C7-D26P	CyberDome II, 26X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2450.00
CYB-C7-D36P	CyberDome II, 36X Day/Night, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2510.00
CYB-CE6-C22P	CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	1860.00
CYB-CE6-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	1860.00
CYB-CE7-C22P	CyberDome II, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	1910.00
CYB-CE7-D18P	CyberDome II, 18X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2410.00
CYB-CE7-D23P	CyberDome II, 23X Day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	1910.00
CYB-CE7-D26P	CyberDome II, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2610.00
CYB-CE7-D36P	CyberDome II, 36X Day/Night, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2670.00
CYB-D8-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	1835.00
CYB-D8-D18P	CyberDome II, 18X Day/Night, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	2335.00
CYB-D8-D23P	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	1835.00

CYB-D9-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	1835.00
CYB-D9-D18P	CyberDome II, 18X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	2335.00
CYB-D9-D23P	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	1835.00
CYB-D9-D26P	CyberDome II, 26X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	2535.00
CYB-D9-D36P	CyberDome II, 36X Day/Night, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax/UTP	2595.00
CYB-DE8-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	1995.00
CYB-DE9-C22P	CyberDome II, 22X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	1995.00
CYB-DE9-D23P	CyberDome II, 23X Day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	1995.00
CYB-F4-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1470.00
CYB-F6-C22P	CyberDome II, 22X Color, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	1610.00
CYB-F6-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2110.00
CYB-F6-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	1610.00

CYB-F6-D26P	CyberDome II, 26X Day/Night,	2310.00
C1B-F0-D20F	Flush Mount Housing, Chrome Mirrored Acrylic, Pal,	2310.00
CYB-F6-D36P	Coax/UTP CyberDome II, 36X Day/Night, Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2370.00
CYB-F7-C22P	CyberDome II, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1660.00
CYB-F7-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2160.00
CYB-F7-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1660.00
CYB-F7-D26P	CyberDome II, 26X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2360.00
CYB-F7-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2420.00
CYB-F8-C22P	CyberDome II, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	1495.00
CYB-F8-D18P	CyberDome II, 18X Day/Night, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	1995.00
CYB-F8-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	1495.00
CYB-F9-C22P	CyberDome II, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	1495.00
CYB-F9-D23P	CyberDome II, 23X Day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	1495.00
CYB-F9-D26P	CyberDome II, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2195.00

CVP TO DOED	CubarDama II 26V Day/Night	2255 00
CYB-F9-D36P	CyberDome II, 36X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	2255.00
CYB-FP3-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	1490.00
CYB-FP3-D18P	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	1990.00
CYB-FP3-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	1490.00
CYB-FP3-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	2190.00
CYB-FP3-D36P	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP	2250.00
CYB-FP4-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1490.00
CYB-FP4-D18P	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1990.00
CYB-FP4-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1490.00
CYB-FP4-D36P	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2250.00
CYB-FP6-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	1630.00
CYB-FP6-D18P	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2130.00

CYB-FP6-D23P	CyberDome II, 23X Day/Night	1630.00
	WDR, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	
CYB-FP6-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2330.00
CYB-FP6-D36P	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2390.00
CYB-FP7-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1680.00
CYB-FP7-D18P	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2180.00
CYB-FP7-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1680.00
CYB-FP7-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2380.00
CYB-FP7-D36P	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2440.00
CYB-FP8-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1515.00
CYB-FP8-D18P	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2015.00
CYB-FP8-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1515.00
CYB-FP8-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2215.00

CYB-FP8-D36P	CyberDome II, 36X Day/Night,	2275.00
	Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	
CYB-FP9-C22P	CyberDome II, 22X Color, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	1515.00
CYB-FP9-D18P	CyberDome II, 18X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2015.00
CYB-FP9-D23P	CyberDome II, 23X Day/Night WDR, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	1515.00
CYB-FP9-D26P	CyberDome II, 26X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2215.00
CYB-FP9-D36P	CyberDome II, 36X Day/Night, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	2275.00
CYB-H6-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	1610.00
CYB-H6-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2110.00
CYB-H6-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	1610.00
CYB-H6-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2310.00
CYB-H6-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2370.00
CYB-H7-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1660.00

	1	
CYB-H7-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2160.00
CYB-H7-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	1660.00
CYB-H7-D26P	CyberDome II, 26X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2360.00
CYB-H7-D36P	CyberDome II, 36X Day/Night, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2420.00
CYB-HE3-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	1630.00
CYB-HE6-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	1770.00
CYB-HE6-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	1770.00
CYB-HE7-C22P	CyberDome II, 22X Color, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	1820.00
CYB-HE7-D18P	CyberDome II, 18X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2320.00
CYB-HE7-D23P	CyberDome II, 23X Day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	1820.00
CYB-R3-C22P	CyberDome II, 22X Color, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	1710.00
CYB-R3-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	2210.00
CYB-R4-C22P	CyberDome II, 22X Color, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	1710.00
CYB-R4-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	2210.00

CYB-R4-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	1710.00
CYB-R8-C22P	CyberDome II, 22X Color, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	1735.00
CYB-R8-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	2235.00
CYB-R8-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	1735.00
CYB-R9-C22P	CyberDome II, 22X Color, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	1735.00
CYB-R9-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	2235.00
CYB-R9-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	1735.00
CYB-R9-D26P	CyberDome II, 26X Day/Night, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	2435.00
CYB-R9-D36P	CyberDome II, 36X Day/Night, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	2495.00
CYB-RE3-C22P	CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	1870.00
CYB-RE4-C22P	CyberDome II, 22X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	1870.00
CYB-RE8-D18P	CyberDome II, 18X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	2395.00

CYB-RE8-D23P	CyberDome II, 23X Day/Night	1895.00
OTB REG BEGI	WDR, Rugged Housing,	1000.00
	Htr/Fan, Clear Polycarbonate,	
	Pal, Coax/UTP	
CYB-RE9-C22P	CyberDome II, 22X Color,	1895.00
	Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal,	
	Coax/UTP	
CYB-RE9-D18P	CyberDome II, 18X Day/Night,	2395.00
	Rugged Housing, Htr/Fan,	
	Smoke Polycarbonate, Pal, Coax/UTP	
CYB-RE9-D23P	CyberDome II, 23X Day/Night WDR, Rugged Housing,	1895.00
	Htr/Fan, Smoke Polycarbonate,	
	Pal, Coax/UTP	
CYH-3101	CyberDome II, Low Cost	110.00
	Housing, Flush Mount	
CYH-3201	CyberDome II, Low Cost Housing, Pendant Mount	135.00
CYH-3202	CyberDome II, Low Cost	290.00
	Housing, Pendant Mount,	
	Htr/Fan	
CYH-3301	Cyberdome II, Low Cost Housing, Flush Mount, Plenum	120.00
	Rated	
CYH-3402	CyberDome II, Low Cost Housing, Rugged, Htr/Fan	350.00
CYH-3502	CyberDome II, Low Cost	540.00
	Housing, Heavy Duty, Wall	
	Mount, Htr/Fan	
CYH-4101	CyberDome II Select, Flush Mount Housing, Coax	225.00
CYH-4201	CyberDome II Select, Pendant	225.00
	Mount Housing, Coax	
CYH-4202	CyberDome II Select, Pendant	385.00
	Mount Housing, Htr/Fan, Coax	
CYH-4301	CyberDome II Select, Plenum	235.00
	Rated Flush Mount Housing, Coax	
CYH-4401	CyberDome II Select, Rugged	465.00
0)/ 4400	Housing, Coax	005.00
CYH-4402	CyberDome II Select, Rugged Housing, Htr/Fan, Coax	625.00
CYH-4501	CyberDome II Select, Heavy	565.00
	Duty Housing, Wall Mount, Coax	
CYH-4502	CyberDome II Select, Heavy	725.00
	Duty Housing, Wall Mount,	
	Htr/Fan, Coax	

CYH-6101	CyberDome II, Flush Mount Housing, Alarm Inputs/Outputs, Coax/UTP	295.00
CYH-6201	CyberDome II, Pendant Mount Housing, Alarm Inputs/Outputs, Coax/UTP	295.00
CYH-6202	CyberDome II, Pendant Mount Housing, Alarm Inputs/Outputs, Htr/Fan, Coax/UTP	455.00
CYH-6301	CyberDome II, Plenum Rated Flush Mount Housing, Alarm Inputs/Outputs, Coax/UTP	365.00
CYH-6401	CyberDome II, Rugged Housing, Alarm Inputs/Outputs, Coax/UTP	535.00
CYH-6402	CyberDome II, Rugged Housing, Htr/Fan, Alarm Inputs/Outputs, Coax/UTP	695.00
CYH-6501	CyberDome II, Heavy Duty Housing, Wall Mount, Alarm Inputs/Outputs, Coax/UTP	635.00
CYH-6502	CyberDome II, Heavy Duty Housing, Alarm Inputs/Outputs, Wall Mount, Htr/Fan, Coax/UTP	795.00
CYH-6602	Cyberdome II, Advanced Housing, Alarm Inputs/Relay Outputs, Pressurized, Pendant Mount, Htr/Fan, Coax/UTP	1235.00
CYS-C6-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Chrome Mirrored Acrylic, Pal, Coax	1630.00
CYS-C7-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Gold Mirrored Acrylic, Pal, Coax	1680.00
CYS-CE6-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax	1790.00
CYS-CE7-C22P	CyberDome II Select, 22X Color, Wall Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax	1840.00
CYS-D9-C22P	CyberDome II Select, 22X Color, Heavy Duty Housing, Smoke Polycarbonate, Pal, Coax	1765.00
CYS-DE8-C22P	CyberDome II Select, 22X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax	1925.00

CYS-DE9-C22P	CyberDome II Select, 22X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax	1925.00
CYS-F7-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax	1590.00
CYS-F8-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax	1425.00
CYS-F9-C22P	CyberDome II Select, 22X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax	1425.00
CYS-FP3-C22P	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Acrylic, Pal, Coax	1420.00
CYS-FP6-C22P	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Chrome Mirrored Acrylic, Pal, Coax	1560.00
CYS-FP7-C22P	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax	1610.00
CYS-FP8-C22P	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Gold Mirrored Acrylic, Pal, Coax	1445.00
CYS-FP9-C22P	CyberDome II Select, 22X Color, Plenum Rated Flush Mount Housing, Clear Polycarbonate, Pal, Coax	1445.00
CYS-H6-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Chrome Mirrored Acrylic, Pal, Coax	1540.00
CYS-H7-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Gold Mirrored Acrylic, Pal, Coax	1590.00
CYS-HE4-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax	1560.00
CYS-HE6-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax	1700.00
CYS-HE7-C22P	CyberDome II Select, 22X Color, Pendant Mount Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax	1750.00

CYS-R3-C22P	CyberDome II Select, 22X Color, Rugged Housing, Clear	1640.00
	Acrylic, Pal, Coax	
CYS-R4-C22P	CyberDome II Select, 22X	1640.00
G13-N4-G22F	Color, Rugged Housing,	1040.00
	Smoke Acrylic, Pal, Coax	
CYS-R8-C22P	CyberDome II Select, 22X	1665.00
010-10-0221	Color, Rugged Housing, Clear	1005.00
	Polycarbonate, Pal, Coax	
	r diyearbenate, r ar, coax	
CYS-RE4-C22P	CyberDome II Select, 22X	1800.00
	Color, Rugged Housing,	
	Htr/Fan, Smoke Acrylic, Pal,	
0)/0.5=0.005	Coax	
CYS-RE8-C22P	CyberDome II Select, 22X	1825.00
	Color, Rugged Housing,	
	Htr/Fan, Clear Polycarbonate,	
0)/0 PE0 000P	Pal, Coax	1005.00
CYS-RE9-C22P	CyberDome II Select, 22X	1825.00
	Color, Rugged Housing,	
	Htr/Fan, Smoke Polycarbonate, Pal, Coax	
D1010	RS232/RS422: Data	200.00
	Transceiver, MM, 2 Fibers	
D1010-C	RS232/RS422: Data	275.00
	Transceiver, MM, 2 Fibers,	
	Conformal Coat	
D1010-R3	RS232/RS422: Data	200.00
	Transceiver, MM, 2 Fibers,	
	Rack Mount	
D1010WDMA	RS232/RS422: Data	595.00
	Transceiver, MM, 1 Fiber, "A"	
	End	
D1010WDMA-R3	RS232/RS422: Data	595.00
	Transceiver, MM, 1 Fiber, "A"	
	End, Rack Mount	
D1010WDMB	RS232/RS422: Data	595.00
	Transceiver, MM, 1 Fiber, "B"	
	End	
D1010WDMB-R3	RS232/RS422: Data	595.00
	Transceiver, MM, 1 Fiber, "B"	
D4000	End, Rack Mount	105.00
D1020	RS232/RS422: Data	465.00
	Transceiver, MM, 2 Fibers, LD	
D1020-R3	RS232/RS422: Data	465.00
	Transceiver, MM, 2 Fibers, LD,	
	Rack Mount	
D1030	RS232/RS422: Data	625.00
	Transceiver, SM, 2 Fibers	
D1030-R3	RS232/RS422: Data	625.00
	Transceiver, SM, 2 Fibers,	
	Rack Mount	
D1030WDMA	RS232/RS422: Data	790.00
ĺ	Transceiver, SM, 1 Fiber, "A"	

D1030WDMA-R3	RS232/RS422: Data	790.00
	Transceiver, SM, 1 Fiber, "A"	
	End, Rack Mount	
D1030WDMB	RS232/RS422: Data	790.00
D 1000VV DIVID	Transceiver, SM, 1 Fiber, "B"	700.00
	End	
D 4 0 0 0 1 4 D 4 D 6	=::-	205.00
D1030WDMB-C	RS232/RS422: Data	865.00
	Transceiver, SM, 1 Fiber, "B"	
	End, Conformal Coat	
D1030WDMB-R3	RS232/RS422: Data	790.00
	Transceiver, SM, 1 Fiber, "B"	
	End, Rack Mount	
D1210	T1 / E1: Data Transceiver, MM,	662.50
01210		002.30
	2 Fibers	
D1210-R3	T1 / E1: Data Transceiver, MM,	662.50
	2 Fibers, Rack Mount	
D1220	T1 / E1: Data Transceiver,	987.50
	1300Nm	
D1220-R3	T1 / E1: Data Transceiver,	987.50
D1220110	1300Nm, Rack Mount	007.00
D4005		101100
D1225	T1 / E1: Data Transceiver, SM,	1344.00
	2 Fibers	
D1225-C-G	T1 / E1: Data Transceiver, SM,	1569.00
	2 Fibers, Conformal Coat, Gold	
	Plate	
D1225-R3	T1 / E1: Data Transceiver, SM,	1344.00
1223-113	2 Fibers, Rack Mount	1344.00
D.1000		171000
D1230	T1 / E1: Data Transceiver,	1740.00
	Laser 1300Nm	
D1230-R3	T1 / E1: Data Transceiver,	1740.00
	Laser 1300Nm, Rack Mount	
D1300	RS485: (2 Wire) Data	330.00
	Transceiver, MM, 2 Fibers	
D1300-24	RS485: (2 Wire) Data	330.00
1300-24	,	330.00
	Transceiver, MM, 2 Fibers,	
	24VDC	
D1300-R3	RS485: (2 Wire) Data	330.00
	Transceiver, MM, 2 Fibers,	
	Rack Mount	
D1300WDMA	RS485: (2 Wire) Data	595.00
2.00011211111	Transceiver, MM, 1 Fiber, "A"	000.00
	End	
D 100001/101/14 D0	-	=0= 00
D1300WDMA-R3	RS485: (2 Wire) Data	595.00
	Transceiver, MM, 1 Fiber, "A"	
	End, Rack Mount	
D1300WDMB	RS485: (2 Wire) Data	595.00
	Transceiver, MM, 1 Fiber, "B"	
	End	
D1300WDMB-R3	RS485: (2 Wire) Data	595.00
נאים ואום אייטטני ם	, ,	393.00
	Transceiver, MM, 1 Fiber, "B"	
	End, Rack Mount	
	RS485: (4 Wire) Data	395.00
D1315		
D1315	Transceiver, MM, 2 Fibers	
	Transceiver, MM, 2 Fibers RS485: (4 Wire) Data	790.00
D1315 D1315-1300	Transceiver, MM, 2 Fibers RS485: (4 Wire) Data Transceiver, MM, 2 Fibers, LD	790.00

D1315-1300-R3	DO405: (4 \Mins) D-4-	700.00
	RS485: (4 Wire) Data	790.00
	Transceiver, MM, 2 Fibers, LD,	
	Rack Mount	
D1315-24	RS485: (4 Wire) Data	395.00
	Transceiver, MM, 2 Fibers,	
	24VDC	
D1315-C	RS485: (4 Wire) Data	470.00
	Transceiver, MM, 2 Fibers,	
	Conformal Coat	
D1315-R3	RS485: (4 Wire) Data	395.00
	Transceiver, MM, 2 Fibers,	
	Rack Mount	
D1315-SM	RS485: (4 Wire) Data	1055.00
	Transceiver, SM, 2 Fibers	
D1315-SM-R3	RS485: (4 Wire) Data	1055.00
	Transceiver, SM, 2 Fibers,	
	Rack Mount	
D1315-SM-R3-C		4420.00
D1315-3M-R3-C	RS485: (4 Wire) Data	1130.00
	Transceiver, SM, 2 Fibers,	
	Rack Mount, Conformal Coat	
D1315WDMA	RS485: (4 Wire) Data	645.00
	Transceiver, MM, 1 Fiber, "A"	
	End	
DAGAEWONA DO		045.00
D1315WDMA-R3	RS485: (4 Wire) Data	645.00
	Transceiver, MM, 1 Fiber, "A"	
	End, Rack Mount	
D1315WDMB	RS485: (4 Wire) Data	645.00
	Transceiver, MM, 1 Fiber, "B"	
	End	
DAGAEWEND DO	-	045.00
D1315WDMB-R3	RS485: (4 Wire) Data	645.00
	Transceiver, MM, 1 Fiber, "A"	
	End, Rack Mount	
D1320	RS485: (2 Wire) Data	725.00
	Transceiver, MM, 2 Fibers, LD	
D1320-R3	RS485: (2 Wire) Data	725.00
	Transceiver, MM, 2 Fibers, LD,	
	TRack Mount	
	Rack Mount	055.00
D1325	RS485: (2 Wire) Data	955.00
	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers	
D1325 D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data	
	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers	
	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data	
D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount	955.00
	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure	955.00
D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount	955.00
D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers	955.00
D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure	955.00
D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers,	955.00
D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure	955.00
D1325-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers, Rack Mount	955.00 330.00 330.00
D1325-R3 D1810 D1810-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers, Rack Mount Contact Closure, Conformal	955.00 330.00 330.00
D1325-R3 D1810 D1810-R3 D1825-C	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers, Rack Mount Contact Closure, Conformal Coat	955.00 330.00 330.00 735.00
D1325-R3 D1810 D1810-R3	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers, Rack Mount Contact Closure, Conformal Coat RS232/422/485: Digital Self	955.00 330.00 330.00 735.00
D1325-R3 D1810 D1810-R3 D1825-C D19110SHR	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Rack Mount Contact Closure, Conformal Coat RS232/422/485: Digital Self Healing Ring, MM, 2 Fibers	955.00 330.00 330.00 735.00 925.00
D1325-R3 D1810 D1810-R3 D1825-C	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers, Rack Mount Contact Closure, Conformal Coat RS232/422/485: Digital Self Healing Ring, MM, 2 Fibers RS232/422/485: Digital Self	955.00 955.00 330.00 330.00 735.00 925.00
D1325-R3 D1810 D1810-R3 D1825-C D19110SHR	RS485: (2 Wire) Data Transceiver, SM, 2 Fibers RS485: (2 Wire) Data Transceiver, SM, 2 Fibers, Rack Mount Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Bi-Directional Contact Closure Transceiver, MM, 2 Fibers Rack Mount Contact Closure, Conformal Coat RS232/422/485: Digital Self Healing Ring, MM, 2 Fibers	955.00 330.00 330.00 735.00

D19130SHR	RS232/422/485: Digital Self	1320.00
	Healing Ring, SM, 2 Fibers	
D19130SHR-C	RS232/422/485: Digital Self	1395.00
	Healing Ring, SM, 2 Fibers,	
	Conformal Coat	
D19130SHR-FC	RS232/422/485: Digital Self	1320.00
	Healing Ring, SM, 2 Fibers	
D19130SHR-R3	RS232/422/485: Digital Self	1320.00
D191303111(-1(3	J	1320.00
	Healing Ring, SM, 2 Fibers,	
	Rack Mount	
D19130SHR-R3-C	RS232/422/485: Digital Self	1395.00
	Healing Ring, SM, 2 Fibers,	
	Rack Mount, Conformal Coat	
D2100	RS232/RS422: Data Repeater,	495.00
D2100		495.00
	MM, 2 Fibers	
D2100-R3	RS232/RS422: Data Repeater,	495.00
	MM, 2 Fibers, Rack Mount	
D2100WDM	RS232/RS422: Data Repeater,	1285.00
DZ 100 W DIW	MM, 1 Fiber	1200.00
D2100WDM-R3	RS232/RS422: Data Repeater,	4005.00
D210000 DIVI-R3		1285.00
	MM, 1 Fiber, Rack Mount	
D2125	RS232/RS422: Data Repeater,	1515.00
	SM, 2 Fibers	
D2125-R3	RS232/RS422: Data Repeater,	1515.00
D2123-113	SM, 2 Fibers, Rack Mount	1313.00
	Sivi, 2 Fibers, Nack Mount	
D2300	RS485: (2 Wire) Data	530.00
	Repeater, MM, 2 Fibers	
D2300CPS	RS485: (2 Wire) Data	530.00
5200001.0	Repeater, MM, 2 Fibers	000.00
D2300-R3	RS485: (2 Wire) Data	530.00
D2300-R3		550.00
	Repeater, MM, 2 Fibers, Rack	
	Mount	
D2300SHR	RS485: (2 Wire) Self Healing	790.00
	Ring, MM, 2 Fibers	
D2300SHR-R3	RS485: (2 Wire) Self Healing	790.00
	Ring, MM, 2 Fibers, Rack	
	Mount	
D2300WDM	RS485: (2 Wire) Data	790.00
	Repeater, MM, 1 Fiber	
D2300WDM-R3	RS485: (2 Wire) Data	790.00
D2300VV DIVI-IN3	Repeater, MM, 1 Fiber, Rack	7 30.00
	Mount	
D0045		222.22
D2315	RS485: (4 Wire) Data	660.00
	Repeater, MM, 2 Fibers	
D2315-1300	RS485: (4 Wire) Data	1450.00
	Repeater, MM, 2 Fibers, LD	
D2315-SM	RS485: (4 Wire) Data	1975.00
	Repeater, SM, 2 Fibers	
D2315-SM-R3	RS485: (4 Wire) Data	1975.00
	Repeater, SM, 2 Fibers, Rack	1070.00
	Mount	
DOGAENADA		000.00
D2315WDM	RS485: (4 Wire) Data	660.00
	Repeater	

D2320	RS485: (2 Wire) Data Repeater, 1300Nm	1320.00
D2320-C	RS485: (2 Wire) Data Repeater, 1300Nm, Conformal	1395.00
D2320CPS	Coat RS485: (2 Wire) Data Repeater, 1300Nm, Cerberus	1320.00
D2325	RS485: (2 Wire) Data Repeater, SM, 2 Fibers	1845.00
D2325CPS	RS485: (2 Wire) Data Repeater, SM, 2 Fibers, Cerberus	1845.00
D2325-R3	RS485: (2 Wire) Data Repeater, SM, 2 Fibers, Rack Mount	1845.00
D2-32RPAK-L1SSA	Diamond II Level 1 SSA 32 Reader pack Capacity license increase. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	131.25
D2-32RPAK-LIC	Diamond II 32 Reader pack Capacity license increase	656.25
D2-32RPAK-UPG	Diamond II UPGRADE 32 Reader pack Capacity license increase	262.50
D2-APICON-L1SSA	Diamond II Level 1 SSA Api Connectivity License. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	656.25
D2-APICON-LIC	Diamond II Api Connectivity License	3281.25
D2-APICON-UPG	Diamond II UPGRADE Api Connectivity License	1312.50
D2-APIDEV-L1SSA	Diamond II Level 1 SSA Api Development Site License. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	1312.50
D2-APIDEV-LIC	Diamond II Api Development Site License	6562.50
D2-APIDEV-UPG	Diamond II UPGRADE Api Development Site License	2625.00

D2-CLIWKS-L1SSA	Diamond II Level 1 SSA Client workstation license - additional single client workstation. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	196.88
D2-CLIWKS-LIC	Diamond II Client workstation license - additional single client workstation	984.38
D2-CLIWKS-UPG	Diamond II UPGRADE Client workstation license - additional single client workstation	393.75
D2-DES	DES III encryption option, Diamond II only	656.25
D2-DES-L1SSA	Diamond II Level 1 SSA DES III encryption option, Diamond II only. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	131.25
D2-DES-UPG	Diamond II UPGRADE DES III encryption option, Diamond II only	262.50
D2-ENTREP-L1SSA	Diamond II Level 1 SSA Enterprise Server Replication Option (Replicates data between 2 Enterprise servers, requires 2nd Diamond II Enterprise Server software license @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assista	787.50
D2-ENTREP-LIC	Enterprise Server Replication Option (Replicates data between 2 Enterprise servers, requires 2nd Diamond II Enterprise Server software license @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	3937.50

D2-ENTREP-UPG	Diamond II UPGRADE	1575.00
	Enterprise Server Replication Option (Replicates data between 2 Enterprise servers, requires 2nd Diamond II	
	Enterprise Server software license @ 50% discount, recommend Labor, Travel &	
	Expenses for applicable on-site factory assistance)	
D2-ENTSVR-L1SSA	Diamond II Level 1 SSA Enterprise Server with Partitioned Regional Site Support (For hosting multiple Diamond II systems, recommend Labor, Travel & Expenses for applicable on-site factory assistance). No Warranty. Does not include SSA. SSA coverage goi	3150.00
D2-ENTSVR-UPG	Diamond II UPGRADE Enterprise Server with Partitioned Regional Site Support (For hosting multiple Diamond II systems, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	6300.00
D2-GTSOPT-L1SSA	Diamond II Level 1 SSA Guard Tour. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	157.50
D2-GTSOPT-LIC	Guard Tour	787.50
D2-GTSOPT-UPG	Diamond II UPGRADE Guard Tour	315.00
D2-HOSTUP-L1SSA	Diamond II Level 1 SSA Host Upload for Cardholder Database Import. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	157.50
D2-HOSTUP-LIC	Host Upload for Cardholder	787.50
D2-HOSTUP-UPG	Database Import Diamond II UPGRADE Host Upload for Cardholder Database Import	315.00

D2-HRSOPT-L1SSA	Diamond II Level 1 SSA Hot	656.25
	Redundant Server Operation (Links 2 servers, requires second Diamond II Standard Server software licenses and options @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site	
	factory assistance). No Warranty.	
D2-HRSOPT-LIC	Hot Redundant Server Operation (Links 2 servers, requires second Diamond II Standard Server software licenses and options @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	3281.25
D2-HRSOPT-UPG	Diamond II UPGRADE Hot Redundant Server Operation (Links 2 servers, requires second Diamond II Standard Server software licenses and options @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	1312.50
D2-INTOAS-L1SSA	Diamond II Level 1 SSA Interface - OASIS (Requires 1 serial port). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	196.88
D2-INTOAS-UPG	Diamond II UPGRADE Interface - OASIS (Requires 1 serial port)	393.75
D2-INTRAD-L1SSA	Diamond II Level 1 SSA Interface - Radionics D6500 Receiver (Requires 1 serial port). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	196.88
D2-INTRAD-LIC	Interface - Radionics D6500 Receiver (Requires 1 serial port)	984.38
D2-INTRAD-UPG	Diamond II UPGRADE Interface - Radionics D6500 Receiver (Requires 1 serial port)	393.75

D2-INTSTE-L1SSA	Diamond II Level 1 SSA Interface - Stentofon P9600 (Requires 1 serial port). No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	196.88
D2-INTSTE-LIC	Interface - Stentofon P9600 (Requires 1 serial port)	984.38
D2-INTSTE-UPG	Diamond II UPGRADE Interface - Stentofon P9600 (Requires 1 serial port)	393.75
D2-INTVIS-L1SSA	Diamon II Level 1 SSA Interface - VisiPlex Paging (Requires 1 serial port). Compatible with PageLink Base Unit. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	196.88
D2-INTVIS-LIC	Interface - VisiPlex Paging (Requires 1 serial port). Compatible with PageLink Base Unit	984.38
D2-INTVIS-UPG	Diamond II UPGRADE Interface - VisiPlex Paging (Requires 1 serial port). Compatible with PageLink Base Unit	393.75
D2L2SSA-0256	Diamond II L2 Extended After Hours Support - up to 256 Reader/Camera capacity, requires active Level 1 SSA	1875.00
D2L2SSA-1024	Diamond II L2 Extended After Hours Support - up to 1024 Reader/Camera capacity, requires active Level 1 SSA	3750.00
D2L2SSA-2048	Diamond II L2 Extended After Hours Support - up to 2048 Reader/Camera capacity, requires active Level 1 SSA	5625.00
D2L2SSA-4096	Diamond II L2 Extended After Hours Support - up to 4096 Reader/Camera capacity, requires active Level 1 SSA	9375.00

	D	
D2-MPVOPT-L1SSA	Diamond II Level 1 SSA Monitor Point Walk Test Verification. No Warranty. Does not include SSA. SSA	157.50
	coverage going forward is	
	required and must be	
	purchased on the same PO.	
D2-MPVOPT-LIC	Monitor Point Walk Test Verification	787.50
D2-MPVOPT-UPG	Diamond II UPGRADE Monitor Point Walk Test Verification	315.00
D2-MSOOPT-L1SSA	Diamond II Level 1 SSA Multiple Server Operation (Links multiple servers for Cardholder replication and Alarm routing, 1 MSO license required per each Diamond II Standard Server, recommend Labor, Travel & Expenses for applicable on-site factory assistanc	328.13
D2-MSOOPT-LIC	Multiple Server Operation (Links multiple servers for Cardholder replication and Alarm routing, 1 MSO license required per each Diamond II Standard Server, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	1640.63
D2-MSOOPT-UPG	Diamond II UPGRADE Multiple Server Operation (Links multiple servers for Cardholder replication and Alarm routing, 1 MSO license required per each Diamond II Standard Server, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	656.25
D2-PDBOPT-L1SSA	Diamond II Level 1 SSA Partitioned Database Server Operation. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	196.88
D2-PDBOPT-LIC	Partitioned Database Server Operation	984.38
D2-PDBOPT-UPG	Diamond II UPGRADE Partitioned Database Server Operation	393.75

D2-RDRMAX-L1SSA	Diamond II Level 1 SSA 2048 Reader maximum capacity license increase. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	4725.00
D2-RDRMAX-LIC	Diamond II 2048 Reader maximum capacity license increase	23625.00
D2-RDRMAX-UPG	Diamond II UPGRADE 2048 Reader maximum capacity license increase	9450.00
D2SSA-CUC	D2 SSA - Certified User Call In - Requires L I or L II SSA in place additionally	9375.00
D2SSA-DSL	D2 SSA - Duplicate Server License coverage Requires L I or L II SSA in place additionally	3125.00
D2-STDSVR-L1SSA	Diamond II Level 1 SSA Standard Server License - Server + 2 Client Workstations, 32 readers.	1050.00
D2-STDSVR-LIC	Diamond II Standard Server License - Server + 2 Client Workstations, 32 readers	5250.00
D2-STDSVR-UPG	Diamond II UPGRADE Standard Server License - Server + 2 Client Workstations, 32 readers. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	2100.00
D2-SVSOPT-L1SSA	Diamond II Level 1 SSA System Video Server - Standard Kalatel DVMRe Triplex / ACUVISION Support. No Warranty. Does not include SSA. SSA coverage going forward is required and must be purchased on the same PO.	124.69
D2-SVSOPT-LIC	System Video Server - Standard Kalatel DVMRe Triplex / ACUVISION Support	623.44
D2-SVSOPT-UPG	Diamond II UPGRADE System Video Server - Standard Kalatel DVMRe Triplex / ACUVISION Support	249.38

D3420WDMA	4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "A" End	595.00
D3420WDMA-R3	4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "A" End, Rack	595.00
D3420WDMA-SP	4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "A" End	595.00
D3420WDMB	4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "B" End	595.00
D3420WDMB-C	4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "B" End, Conformal Coat	670.00
D3420WDMB-SP-R3	4 Channel Contact Mapping Transceiver, MM, 1 Fiber, "B" End, Rack Mount	595.00
D7120	10/100 Ethernet Transceiver, MM Laser, 2 Fibers	495.00
D7120-C	10/100 Ethernet Transceiver, MM Laser, 2 Fibers, Conformal Coat	570.00
D7120-R3	10/100 Ethernet Transceiver, MM Laser, 2 Fibers, Rack Mount	495.00
D7120-R3-C	10/100 Ethernet Transceiver, MM Laser, 2 Fibers, Rack Mount, Conformal Coat	570.00
D7120WDMA	10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "A" End	990.00
D7120WDMA-C	10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "A" End, Conformal Coat	1065.00
D7120WDMA-R3	10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "A" End, Rack Mount	990.00
D7120WDMB	10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "B" End	990.00
D7120WDMB-R3	10/100 Ethernet Transceiver, MM Laser, 1 Fiber, "B" End, Rack Mount	990.00
D7130WDMA	10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "A" End	1120.00
D7130WDMA-C	10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "A" End, Conformal Coat	1195.00
D7130WDMA-R3	10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "A" End, Rack Mount	1120.00

D7400WDMD	140/400 Eth t T	4400.00
D7130WDMB	10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "B" End	1120.00
D7130WDMB-C	10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "B" End, Conformal Coat	1195.00
D7130WDMB-R3	10/100 Ethernet Transceiver, SM Laser, 1 Fiber, "B" End, Rack Mount	1120.00
D7420	Four Port Ethernet Switch/Transceiver, MM Laser, 2 Fibers	1285.00
D7420-R3	Four Port Ethernet Switch/Transceiver, MM Laser, 2 Fibers, Rack Mount	1285.00
D7420WDM	Four Port Ethernet Switch/Transceiver, MM Laser, 1 Fiber	1515.00
D7420WDMA-RSH-R3	Three Port Ethernet Switch RSH, MM Laser, 1 Fiber, "A" End, Rack Mount	1645.00
D7420WDMB-RSH-R3	Three Port Ethernet Switch RSH, MM Laser, 1 Fiber, "B" End, Rack Mount	1645.00
D7420WDM-R3	Four Port Ethernet Switch/Transceiver, MM Laser, 1 Fiber, Rack Mount	1515.00
D7430WDM	Four Port Ethernet Switch/Transceiver, SM Laser, 1 Fiber	1715.00
D7430WDMA-RSH	Four Port Ethernet Switch RSH, SM Laser, 1 Fiber, "A" End	1845.00
D7430WDMB-RSH	Four Port Ethernet Switch RSH, SM Laser, 1 Fiber, "B" End	1845.00
D7430WDMB-RSH-R3	Four Port Ethernet Switch RSH, SM Laser, 1 Fiber, "B" End, Rack Mount	1845.00
D7430WDM-C	Four Port Ethernet Switch/Transceiver, SM Laser, 1 Fiber, Conformal Coat	1790.00
D7430WDM-R3	Four Port Ethernet Switch/Transceiver, SM Laser, 1 Fiber, Rack Mount	1715.00
D7430WDM-SC	Four Port Ethernet Switch/Transceiver, SM Laser, 1 Fiber, SC Connector	1715.00
D7430WDM-SC-R3	Four Port Ethernet Switch/Transceiver, SM Laser, 1 Fiber, Rack Mount	1715.00
D8020WDMA	8 Channel Data Transceiver, MM, 1 Fiber, "A" End	1975.00

D8020WDMA-R3	8 Channel Data Transceiver, MM, 1 Fiber, "A" End, Rack Mount	1975.00
D8020WDMB	8 Channel Data Transceiver, MM, 1 Fiber, "B" End	1975.00
D8020WDMB-R3	8 Channel Data Transceiver, MM, 1 Fiber, "B" End, Rack Mount	1975.00
D8030WDMA-R3	8 Channel Data Transceiver, SM, 1 Fiber, "A" End, Rack Mount	2635.00
D8030WDMA-SC-R3	8 Channel Data Transceiver, SM, 1 Fiber, "A" End, SC Connector, Rack Mount	2635.00
D8030WDMB	8 Channel Data Transceiver, SM, 1 Fiber, "B" End	2635.00
D8030WDMB-R3	8 Ch Data Transceiver, SM, 1 Fiber, "B" End, Rack Mount	2635.00
D8030WDMB-SC	8 Channel Data Transceiver, SM, 1 Fiber, "B" End, SC Connector	2635.00
D8030WDMB-SC-R3	8 Ch Data Transceiver, SM, 1 Fiber, "B" End, SC Connector, Rack Mount	2635.00
D9110	RS232: Data Repeater, MM, 2 Fibers, Db25	560.00
D9110E	RS232: Data Transceiver, MM, 2 Fibers, Db25	330.00
D9110E-R3	RS232: Data Transceiver, MM, 2 Fibers, Db25, Rack Mount	330.00
D9110WDM-B	RS232: Data Repeater, 1 Fiber In/Out 850/1300Nm, Battery Backup	1120.00
D9110WDM-B-R3	RS232: Data Repeater, 1 Fiber In/Out 850/1300Nm, Battery Backup, Rack Mount	1120.00
D9130	RS232: Data Repeater, SM Laser, 2 Fibers, Db25	1185.00
D9130-B-R3	RS232: Data Repeater, SM Laser, 2 Fibers, Db25, Battery Backup, Rack Mount	1260.00
D9130-B-R3-C	RS232: Data Repeater, SM Laser, 2 Fibers, Db25, Battery Backup, Rack Mount, Conformal Coat	1335.00
D9130E	RS232: Data Transceiver, SM Laser, 2 Fibers, Db25	925.00
D9130E-R3	RS232: Data Transceiver, SM Laser, 2 Fibers, Db25, Rack Mount	925.00
D9130EWDMA	RS232: Data Transceiver, SM Laser, 1 Fiber, Db25, "A" End	1580.00

	IDOOOO D . T . OM	4500.00
D9130EWDMB	RS232: Data Transceiver, SM	1580.00
	Laser, 1 Fiber, Db25, "B" End	
D9130EWDMB-B-R3	RS232: Data Transceiver, SM	1655.00
BOTOGE WEINE BITTO	Laser, 1 Fiber, Db25, "B" End,	1000.00
	Battery Backup, Rack Mount	
	Battery Backup, Nack Mount	
D9130EWDMB-R3	RS232: Data Transceiver, SM	1580.00
	Laser, 1 Fiber, Db25, "B" End,	
	Rack Mount	
D9130-R3	RS232: Data Repeater, SM	1185.00
	Laser, 2 Fibers, Db25, Rack	
	Mount	
D9130-SC	RS232: Data Repeater, SM	1185.00
20.00 20	Laser, 2 Fibers, Db25, SC	
	Connector	
D9130-SC-B	RS232: Data Repeater, SM	1260.00
D9130-3C-B	Laser, 2 Fibers, Db25, SC	1200.00
D0400 00 0	Connector, Battery Backup	1000.00
D9130-SC-C	RS232: Data Repeater, SM	1260.00
	Laser, 2 Fibers, Db25, SC	
	Connector, Conformal Coat	
D9130WDM	RS232: Data Repeater, SM	2175.00
	Laser, 1 Fiber, Db25	
D9130WDM-B	RS232: Data Repeater, SM	2250.00
	Laser, 1 Fiber, Db25, Battery	
	Backup	
D9220	RS232 w/Handshake, 1300Nm	825.00
D0000 D0	D0000 #1 1 1	205.00
D9220-R3	RS232 w/Handshake,	825.00
	1300Nm, Rack Mount	
D9230	RS232 (Control Lines): Data	955.00
	Transceiver, SM Laser, 2	
	Fibers	
D9230-SC	RS232 (Control Lines): Data	955.00
	Transceiver, SM Laser, 2	
	Fibers, SC Connector	
D9230WDMA	PS222 (Control Lines): Data	1515.00
D9230WDINA	RS232 (Control Lines): Data	1515.00
	Transceiver, SM Laser, 1	
	Fiber, "A" End, SC Connector	
D9230WDMA-R3	RS232 (Control Lines): Data	1515.00
D9230WDMA-R3	RS232 (Control Lines): Data	1515.00
D9230WDMA-R3	Transceiver, SM Laser, 1	1515.00
D9230WDMA-R3	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector,	1515.00
	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount	
	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data	
	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1	1515.00 1515.00
	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data	
D9230WDMA-SC	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector	1515.00
D9230WDMA-SC	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector RS232 (Control Lines): Data	
D9230WDMA-SC	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector RS232 (Control Lines): Data Transceiver, SM Laser, 1	1515.00
D9230WDMA-SC	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector RS232 (Control Lines): Data	1515.00
D9230WDMA-SC D9230WDMB-R3	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector RS232 (Control Lines): Data Transceiver, SM Laser, 1	1515.00
D9230WDMA-SC D9230WDMB-R3	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, 'B' End, Rack Mount	1515.00 1515.00
D9230WDMA-R3 D9230WDMA-SC D9230WDMB-R3 D9230WDMB-SC	Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector, Rack Mount RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, "A" End, SC Connector RS232 (Control Lines): Data Transceiver, SM Laser, 1 Fiber, 'B' End, Rack Mount RS232 (Control Lines): Data	1515.00 1515.00

<u></u>	1	
DATA	Picture Perfect Data Generator. Request Data Generator Requirement Guide for procedure	3150.00
DATACONVER	Service, convert sites existing Picture Perfect database to be compatible with the current Picture Perfect version	2100.00
DD0FC	DirecDoor PoE based Controller, 2 Reader Supported, FC Wnx / Secure Perfect, w/o enclosure	945.00
DD0PP	DirecDoor PoE based Controller, 2 Reader Supported, Picture Perfect, w/o enclosure	945.00
DD1-2RDRKIT100B	DirecDoor 2 Reader Kit: (1) DirecDoor, (2) T100 Readers Black Mini-Mullion Mount. Power Supply Options Sold Separately	1057.69
DD1-2RDRKIT500B	DirecDoor 2 Reader Kit: (1) DirecDoor, (2) T500SW Readers Black Mullion Mount, (2) Back Plates Black for Single-Width. Use Elect Box Mount. Power Supply Options Sold Separately	1121.79
DD1-2RDRKIT520B	DirecDoor 2 Reader Kit: (1) DirecDoor, (2) T520SW Readers Black Mid Range Single-Width. Use Elect Box Mount. Power Supply Options Sold Separately	1153.85
DD1FC	DirecDoor PoE based Controller, 2 Reader Supported, FC Wnx / Secure Perfect, with standard DirecDoor enclosure	1008.00
DD1FC-DN	DirecDoor PoE based Controller, 2 Reader Supported, Dual NIC, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, with standard DirecDoor enclosure	1258.00
DD1PP	DirecDoor PoE based Controller, 2 Reader Supported, Picture Perfect, with standard DirecDoor enclosure	1008.00
DD-DEMO	DirecDoor Demo Kit with FC Wnx Software	4038.46

DDICOOLL E4	Outdon Dual Task adam.	405.00
DDI602U-F1	Outdoor Dual Technology	195.00
	Detector 10.525Ghz	
	10/20/30m, 33/66/98ft	
	Selectable	
DE7100-EE	Three Port Ethernet Switch, (3)	220.00
	Cat	
DE7100-ME	Three Port Ethernet Switch, (1)	300.00
	1300Nm, (2) Cat	
DE7100-ME-50	Three Port Ethernet Switch, (1)	300.00
	1300Nm, (2) Cat, International	
DE7100-MS	Three Port Ethernet Switch, (2)	410.00
	1300Nm, (1) Cat	
DE7100-SS	Three Port Ethernet Switch, (2)	475.00
	1300Nm, (1) Cat	
DE7100-SS-C	Three Port Ethernet Switch, (2)	550.00
	1300Nm, (1) Cat, Conformal	
	Coat	
DE7200-M	Optical Ethernet Media	270.00
	Converter, (1) 1300Nm, (1) Cat	
	, , , , , , , , , , , , , , , , , , , ,	
DE7200-M-C	Optical Ethernet Media	345.00
	Converter, (1) 1300Nm, (1)	0.0.00
	Cat, Conformal Coat	
DE7200-MM	Optical Ethernet Repeater, (2)	325.00
DE / 200-IVIIVI	1300Nm	323.00
DE7000 MC		200.00
DE7200-MS	Optical Ethernet Mode	390.00
	Converter, (2) 1300Nm	
DE7200-S	Optical Ethernet Media	330.00
	Converter, (1) 1300Nm (1) Cat	
DEZOLOM	Mini Ontinal Ethania t Madia	070.00
DE7210M	Mini Optical Ethernet Media	270.00
	Converter, MM, (1) 1300Nm	
DE7210M-C	Mini Optical Ethernet Media	345.00
	Converter, MM, (1) 1300Nm,	
	Conformal Coat	
DE7210MWDMA	Mini Ethernet Media Converter,	465.00
	1310/1550Nm, MM, "A" End	
DE7210MWDMB	Mini Ethernet Media Converter,	465.00
	1310/1550Nm, MM, "B" End	
DE7000M	M: 0 : 15:	200.00
DE7230M	Mini Optical Ethernet Media	330.00
	Converter,SM, (1) 1300Nm	
DE7230M-C	Mini Optical Ethernet Media	405.00
	Converter,SM, (1) 1300Nm,	
	Conformal Coat	
DE7300-M3	Three Port Ethernet Gigabit	990.00
	Transceiver, MM, 6 Fibers	
DE7300-ME	Three Port Ethernet Gigabit	925.00
	Transceiver, MM, 2 Fibers	
DE7300-MM	Three Port Ethernet Gigabit	990.00
	Transceiver, MM, 4 Fibers	
DE7300-MS	Three Port Ethernet Gigabit	1120.00
.	Transceiver, SM/MM, 4 Fibers	0.00
DE7300-SE	Three Port Ethernet Gigabit	990.00
	Transceiver, SM, 2 Fibers	550.00
	114110001101, 0111, 2 1 10010	

DE7200 CC	Throe Dort Ethernet Cigobit	1105.00
DE7300-SS	Three Port Ethernet Gigabit Transceiver, SM, 4 Fibers	1185.00
DE7400-M	Two Port Gigabit Ethernet Media Converter, (1) 850 Nm, MM, 2 Fibers	890.00
DE7400-MM	Two Port Gigabit Ethernet Repeater, (1) 850Nm, MM, 4 Fibers	890.00
DE7400-S	Two Port Gigabit Ethernet Media Converter, (1) 850 Nm, MM, 2 Fibers	1020.00
DE7400-S-C	Two Port Gigabit Ethernet Media Converter, (1) 850 Nm, MM, 2 Fibers, Conformal Coat	1095.00
DE7400-SS	Two Port Gigabit Ethernet Repeater, (2) 1300 Nm, SM	890.00
DECR3000	8 Channel Contact Closure to Ethernet Receiver, 10/100 Receiver Elec	330.00
DECR3000-R3	8 Channel Contact Closure to Ethernet Receiver, 10/100 Receiver Elec, Rack	330.00
DECR3020	8 Channel Contact Closure to Ethernet Receiver, 100Fx MM	395.00
DECR3020-E	8 Channel Contact Closure to Ethernet Receiver, 10/100Receiver Elec & 10Fx, MM	445.00
DECR3030	8 Channel Contact Closure to Ethernet Receiver,1300Nm, SM, 2 Fibers	470.00
DECT3000	8 Channel Contact Closure to Ethernet Transmitter, 10/100 Transmitter Elec	330.00
DECT3000-R3	8 Channel Contact Closure to Ethernet Transmitter, 10/100 Transmitter Elec, Rack	330.00
DECT3020	8 Channel Contact Closure to Ethernet Transmitter, 100Fx MM	395.00
DECT3020-E	8 Channel Contact Closure to Ethernet Transmitter, 10/100 Transmitter Elec & 10Fx MM	445.00
DECT3030	8 Channel Contact Closure to Ethernet Transmitter,1300Nm, SM, 2 Fibers	470.00
DED2500-E	Serial to Ethernet Media Converter, 10/100 Transmitter, Electrical	430.00
DED2500-EM	Serial to Ethernet Media Converter, 10/100 Transmitter & 100Fx MM	580.00

DFAMMD01-RX	Audio TCVR-RX, 1 MM Fiber	400.00
DFAMMD01-TX	Audio TCVR-TX, 1 MM Fiber	400.00
DFAMMD04-RX	4-CH Audio Mux TCVR-RX, 1 MM Fiber	1200.00
DFAMMD04-TX	4-CH Audio Mux TCVR-TX,, 1 MM Fiber	1200.00
DFAMMF01-RX	Multi Mode Single Channel Audio Receiver	350.00
DFAMMF01-TX	Multi Mode Single Channel Audio Transmitter	350.00
DFAMMF04-RX	4-CH Audio Mux Receiver, 1 MM Fiber	1000.00
DFAMMF04-TX	4-CH Audio Mux Transmitter, 1 MM Fiber	1000.00
DFASMD01-RX	Audio TCVR-RX, 1 SM Fiber	550.00
DFASMD01-TX	Audio TCVR-TX, 1 SM Fiber	550.00
DFASMD04-RX	4-CH Audio Mux TCVR-RX,, 1 SM Fiber	1350.00
DFASMD04-TX	4-CH Audio Mux TCVR-TX,, 1 SM Fiber	1350.00
DFASMF01-RX	Single Mode Single Channel Audio Receiver	500.00
DFASMF01-TX	Single Mode Single Channel Audio Transmitter	500.00
DFASMF04-RX	4-CH Audio Mux Receiver, 1 SM Fiber	1150.00
DFASMF04-TX	4-CH Audio Mux Transmitter, 1 SM Fiber	1150.00
DFASMLD01-RX	Audio TCVR-RX, 1 SM Fiber, LD	700.00
DFASMLD01-TX	Audio TCVR-TX, 1 SM Fiber, LD	700.00
DFASMLD04-RX	4-CH Audio Mux TCVR-TX,, 1 SM Fiber, LD	1500.00
DFASMLD04-TX	4-CH Audio Mux TCVR-RX,, 1 SM Fiber, LD	1500.00
DFASMLF01-RX	Audio Transmitter, 1 SM Fiber, LD	650.00
DFASMLF01-TX	Audio Receiver, 1 SM Fiber, LD	650.00
DFASMLF04-RX	4-CH Audio Mux Receiver, 1 SM Fiber, LD	1300.00
DFASMLF04-TX	4-CH Audio Mux Transmitter, 1 SM Fiber, LD	1300.00
DFCCMMD0001-RX	Contact Closure TCVR-RX, 1 MM Fiber	275.00
DFCCMMD0001-TX	Contact Closure TCVR-TX, 1 MM Fiber	275.00
DFCCMMF0008-RX	Multi Mode 8 Channel Contact Closure Receiver	475.00
DFCCMMF0008-TX	Multi Mode 8 Channel Contact Closure Transmitter	475.00
DFCCSMD0001-RX	Single Mode Single Channel Duplex Contact Closure Receiver	425.00

DFCCSMD0001-TX	Single Mode Single Channel	425.00
DI OCCIVIDOCOT-TX	Duplex Contact Closure	425.00
	Transmitter	
DFCCSMF0008-RX	8-CH Contact Closure Mux RX,	625.00
	1 SM Fiber	
DFCCSMF0008-TX	8-CH Contact Closure Mux TX,	625.00
	1 SM Fiber	
DFCCSMLD0001-RX	Single Mode Single Channel	575.00
	Duplex Contact Closure	
	Receiver, Long	
DFCCSMLD0001-TX	Single Mode Single Channel	575.00
	Duplex Contact Closure	
	Transmitter, Long	
DFCCSMLF0008-RX	8-CH Contact Closure Mux RX,	775.00
	1 SM Fiber, LD	
DFCCSMLF0008-TX	8-CH Contact Closure Mux TX,	775.00
DEDIMAGA DV	1 SM Fiber, LD	450.00
DFDMM001-RX	Multi Mode Duplex Data	450.00
DEDMMOOA TV	Receiver	450.00
DFDMM001-TX	RS232/422/485 Data TCVR-	450.00
DFDMM004-RX	TX, 1 MM Fiber	4.400.00
DFDIVIIVIOU4-RX	4-CH RS232/422/485 Data Mux RX, 1 MM Fiber	1400.00
DFDMM004-TX	Multi Mode 4 Channel Duplex	1400.00
	Data Transmitter	1400.00
DFDSM001-RX	Single Mode Duplex Data	600.00
DEDSWIDG I-KX	Receiver	000.00
DFDSM001-TX	Single Mode Duplex Data	600.00
DI DOMOGT TX	Transmitter	000.00
DFDSM004-RX	4-CH RS232/422/485 Data	1550.00
	Mux TX, 1 SM Fiber	
DFDSM004-TX	4-CH RS232/422/485 Data	1550.00
	Mux RX, 1 SM Fiber	
DFDSML001-RX	RS232/422/485 Data TCVR-	750.00
	RX, 1 SM Fiber, LD	
DFDSML001-TX	RS232/422/485 Data TCVR-	750.00
	TX, 1 SM Fiber, LD	
DFDSML004-RX	4-CH RS232/422/485 Data	1700.00
	Mux TX, 1 SM Fiber, LD	
DFDSML004-TX	4-CH RS232/422/485 Data	1700.00
	Mux RX, 1 SM Fiber, LD	
DFR	Rack Chassis Only	300.00
DFR-BPF	Blank Front Rack Cover Panel	15.00
DFR-NETC	Communications Rack Self	700.00
	Contain Network Web Server	
	Module	
DFR-PS1	Single PSU for Primary and	300.00
	Redundancy	
DFR-R3-1	IFS R3 Adapter Plate, 1 Slot	115.00
DFR-R3-2	IFS R3 Adapter Plate, 2 Slot	130.00
DFR-R3-3	IFS R3 Adapter Plate, 3 Slot	145.00
DFR-R3-4	Adapter Plate for R3, 4 Slot	160.00
	·	
DFVMM1-R	10 Bit Multi Mode Video Receiver	500.00
DFVMM1-T	10 Bit Multi Mode Video	500.00
אוטוועו ז - ו	Transmitter	500.00
	Hansimilei	

DFVMM2-R	10 Bit Multi Mode Two Channel Video Receiver	750.00
DFVMM2-T	10 Bit Multi Mode Two Channel Video Transmitter	750.00
DFVMM4-R	10 Bit Multi Mode Four Channel Video Receiver	1000.00
DFVMM4-T	10 Bit Multi Mode Four Channel Video Transmitter	1000.00
DFVMM8-R	10 Bit Multi Mode Eight Channel Video Receiver	1800.00
DFVMM8-T	10 Bit Multi Mode Eight Channel Video Transmitter	1800.00
DFVMMD1001-R	10 Bit Multi Mode Video Single Channel Duplex Contact Closure Receiver	725.00
DFVMMD1001-T	10 Bit Multi Mode Video Single Channel Duplex Contact Closure Transmitter	725.00
DFVMMD101-R	10 Bit Multi Mode Video Single Channel Duplex Data Receiver	825.00
DFVMMD101-T	10 Bit Multi Mode Video Single Channel Duplex Data Transmitter	825.00
DFVMMD102-R	10 Bit Multi Mode Video Dual Channel Duplex Data Receiver	1100.00
DFVMMD102-T	10 Bit Multi Mode Video Dual Channel Duplex Data Transmitter	1100.00
DFVMMD11-R	10 Bit Multi Mode Video Single Channel Duplex Audio Receiver	1225.00
DFVMMD11-T	10 Bit Multi Mode Video Single Channel Duplex Audio Transmitter	1225.00
DFVMMD12-R	Digital Video RX / 2-CH Audio TCVR, 1 MM Fiber	1500.00
DFVMMD12-T	Digital Video TX / 2-CH Audio TCVR, 1 MM Fiber	1500.00
DFVMMD2001-R	2-CH Digital Video Mux RX / Contact Closure TCVR, 1 MM Fiber	975.00
DFVMMD2001-T	2-CH Digital Video Mux TX / Contact Closure TCVR, 1 MM Fiber	975.00
DFVMMD201-R	10 Bit Multi Mode Two Channel Video Single Channel Duplex Data Receiver	1075.00
DFVMMD201-T	10 Bit Multi Mode Two Channel Video Single Channel Duplex Data Transmitter	1075.00
DFVMMD202-R	2-CH Digital Video Mux RX / 2- CH Data TCVR, 1 MM Fiber	970.00

DFVMMD202-T	2-CH Digital Video Mux TX / 2-	970.00
51 VIVIII 52 1	CH Data TCVR, 1 MM Fiber	0,0.00
DFVMMD21-R	2-CH Digital Video Mux RX / Audio TCVR, 1 MM Fiber	1500.00
DFVMMD21-T	2-CH Digital Video Mux TX / Audio TCVR, 1 MM Fiber	1500.00
DFVMMD22-R	2-CH Digital Video Mux RX / 2- CH Audio TCVR, 1 MM Fiber	1775.00
DFVMMD22-T	2-CH Digital Video Mux TX / 2- CH Audio TCVR, 1 MM Fiber	1775.00
DFVMMD4001-R	4-CH Digital Video Mux RX / Contact Closure TCVR, 1 MM Fiber	1225.00
DFVMMD4001-T	4-CH Digital Video Mux TX / Contact Closure TCVR, 1 MM Fiber	1225.00
DFVMMD401-R	4-CH Digital Video Mux RX / Data TCVR, 1 MM Fiber	1050.00
DFVMMD401-T	10 Bit Multi Mode Four Channel Video Single Channel Duplex Data Transmitter	1050.00
DFVMMD402-R	10 Bit Multi Mode Four Channel Video Dual Channel Duplex Data Receiver	1145.00
DFVMMD402-T	10 Bit Multi Mode Four Channel Video Dual Channel Duplex Data Transmitter	1145.00
DFVMMD41-R	4-CH Digital Video Mux RX / Audio TCVR, 1 MM Fiber	2100.00
DFVMMD41-T	4-CH Digital Video Mux TX / Audio TCVR, 1 MM Fiber	2100.00
DFVMMD42-R	4-CH Digital Video Mux RX / 2- CH Audio TCVR, 1 MM Fiber	2375.00
DFVMMD42-T	4-CH Digital Video Mux TX / 2- CH Audio TCVR, 1 MM Fiber	2375.00
DFVMMD8001-R	8-CH Digital Video Mux RX / Contact Closure TCVR, 1 MM Fiber	2225.00
DFVMMD8001-T	8-CH Digital Video Mux TX / Contact Closure TCVR, 1 MM Fiber	2225.00
DFVMMD801-R	10 Bit Multi Mode Eight Channel Video Single Channel Duplex Data Receiver	2325.00
DFVMMD801-T	10 Bit Multi Mode Eight Channel Video Single Channel Duplex Data Transmitter	2325.00

DFVMMD802-R	8-CH Digital Video Mux RX / 2-	2000.00
DI VIVIIVIDOUZ-IX	CH Data TCVR, 1 MM Fiber	2000.00
	orr bata 10 vrt, 1 www 1 iber	
DFVMMD802-T	8-CH Digital Video Mux TX / 2-	2000.00
51 (1111112002 1	CH Data TCVR, 1 MM Fiber	2000.00
	orr Bata 10 vrt, 1 www 1 lbor	
DFVMMD81-R	8-CH Digital Video Mux RX /	2400.00
	Audio TCVR, 1 MM Fiber	
DFVMMD81-T	8-CH Digital Video Mux TX /	2400.00
	Audio TCVR, 1 MM Fiber	
DFVMMD82-R	8-CH Digital Video Mux RX / 2-	2675.00
	CH Audio TCVR, 1 MM Fiber	
	,	
DFVMMD82-T	8-CH Digital Video Mux TX / 2-	2675.00
	CH Audio TCVR, 1 MM Fiber	
DFVSM1-R	10 Bit Single Mode Video	595.00
	Receiver	
DFVSM1-T	10 Bit Single Mode Video	595.00
	Transmitter	
DFVSM2-R	10 Bit Single Mode 2 Channel	850.00
	Video Receiver	
DFVSM2-T	10 Bit Single Mode 2 Channel	850.00
	Video Transmitter	
DFVSM4-R	10 Bit Single Mode Four	1150.00
	Channel Video Receiver	
DFVSM4-T	10 Bit Single Mode Four	1150.00
DE (0) (0)	Channel Video Transmitter	
DFVSM8-R	10 Bit Single Mode Eight	2100.00
	Channel Video Receiver	
DFVSM8-T	10 Bit Single Mode Eight	2100.00
	Channel Video Transmitter	
DFVSMD1001-R	Digital Video RX / Contact	875.00
DEVICE 4004 E	Closure TCVR, 1 SM Fiber	
DFVSMD1001-T	Digital Video TX / Contact	875.00
	Closure TCVR, 1 SM Fiber	
DFVSMD101-R	10 Bit Single Mode Video	975.00
	Single Channel Duplex Data	
DEVONDANA T	Receiver	075.00
DFVSMD101-T	10 Bit Single Mode Video	975.00
	Single Channel Duplex Data Transmitter	
DEVONDAGO D		4050.00
DFVSMD102-R	10 Bit Single Mode Video Two	1250.00
	Channel Duplex Data	
DEL (OMBAGO E	Receiver	4050.00
DFVSMD102-T	10 Bit Single Mode Video Two	1250.00
	Channel Duplex Data	
DE://01/D11/D	Transmitter	1077.00
DFVSMD11-R	10 Bit Single Mode Video and	1375.00
DEVONDA A	Duplex Audio Receiver	4075.00
DFVSMD11-T	10 Bit Single Mode Video and	1375.00
	Duplex Audio Transmitter	
DEVEMB40 B	Digital Video DV / 0 OU Accite	4050.00
DFVSMD12-R	Digital Video RX / 2-CH Audio	1650.00
DEVEMB42 T	TCVR, 1 SM Fiber	1650.00
DFVSMD12-T	Digital Video TX / 2-CH Audio	1650.00
	TCVR, 1 SM Fiber	

DEVCMD0004 D	40 Dit Cinale Made Ture	4405.00
DFVSMD2001-R	10 Bit Single Mode Two Channel Video Single Channel	1125.00
	Duplex Contact Closure	
	Receiver	
DFVSMD2001-T	10 Bit Single Mode Two	1125.00
DF V 3 WID 200 1-1	Channel Video Single Channel	1123.00
	Duplex Contact Closure	
	Transmitter	
DE://014D004_D		1005.00
DFVSMD201-R	10 Bit Single Mode Two	1225.00
	Channel Video Single Channel	
	Duplex Data Receiver	
DFVSMD201-T	10 Bit Single Mode Two	1225.00
DI VOIVIDZOT-T	Channel Video Single Channel	1223.00
	Duplex Data Transmitter	
	Duplex Data Transmitter	
DFVSMD202-R	10 Bit Single Mode Two	1200.00
	Channel Video Two Channel	
	Duplex Data Receiver	
	·	
DFVSMD202-T	10 Bit Single Mode Two	1200.00
	Channel Video Two Channel	
	Duplex Data Transmitter	
DELICATE D	0.0015: 11.001	1050.00
DFVSMD21-R	2-CH Digital Video Mux Rx /	1650.00
DEL COLADO A T	Audio TCVR, 1 SM Fiber	1050.00
DFVSMD21-T	2-CH Digital Video Mux Tx /	1650.00
D = 1 (01 (D = 0 D	Audio TCVR, 1 SM Fiber	
DFVSMD22-R	2-CH Digital Video Mux Rx / 2-	1925.00
	CH Audio TCVR, 1 SM Fiber	
DFVSMD22-T	2-CH Digital Video Mux Tx / 2-	1925.00
D. VOINIDEE .	CH Audio TCVR, 1 SM Fiber	1020.00
DFVSMD4001-R	4-CH Digital Video Mux RX /	1375.00
	Contact Closure TCVR, 1 SM	
	Fiber	
DFVSMD4001-T	4-CH Digital Video Mux TX /	1375.00
	Contact Closure TCVR, 1 SM	
	Fiber	
DFVSMD401-R	10 Bit Single Mode Four	1475.00
	Channel Video Single Channel	
	Duplex Data Receiver	
DEVONDAGA T	AO Dit Circula Manda Faces	4.475.00
DFVSMD401-T	10 Bit Single Mode Four	1475.00
	Channel Video Single Channel	
	Duplex Data Transmitter	
DFVSMD402-R	4-CH Digital Video Mux RX / 2-	1300.00
D. VOIVIDTOL IX	CH Data TCVR, 1 SM Fiber	1000.00
	OIT Data TOVIN, TOWN I IDEI	
DFVSMD402-T	4-CH Digital Video Mux TX / 2-	1300.00
	CH Data TCVR, 1 SM Fiber	
DFVSMD41-R	4-CH Digital Video Mux RX /	2250.00
	Audio TCVR, 1 SM Fiber	
DFVSMD41-T	4-CH Digital Video Mux TX /	2250.00
	Audio TCVR, 1 SM Fiber	

DFVSMD42-R	4-CH Digital Video Mux RX / 2- CH Audio TCVR, 1 SM Fiber	2525.00
DFVSMD42-T	4-CH Digital Video Mux TX / 2- CH Audio TCVR, 1 SM Fiber	2525.00
DFVSMD8001-R	8-CH Digital Video Mux RX / Contact Closure TCVR, 1 SM Fiber	2375.00
DFVSMD8001-T	8-CH Digital Video Mux TX / Contact Closure TCVR, 1 SM Fiber	2375.00
DFVSMD801-R	10 Bit Single Eight Four Channel Video Single Channel Duplex Data Receiver	2475.00
DFVSMD801-T	10 Bit Single Mode Eight Channel Video Single Channel Duplex Data Transmitter	2475.00
DFVSMD802-R	8-CH Digital Video Mux RX / 2- CH Data TCVR, 1 SM Fiber	2300.00
DFVSMD802-T	8-CH Digital Video Mux TX / 2- CH Data TCVR, 1 SM Fiber	2300.00
DFVSML1-R	Digital Video RX, 1 SM Fiber, LD	800.00
DFVSML1-T	Digital Video TX, 1 SM Fiber, LD	800.00
DFVSML2-R	10 Bit Single Mode Two Channel Video Receiver, Long Distance	1050.00
DFVSML2-T	10 Bit Single Mode Two Channel Video Transmitter, Long Distance	1050.00
DFVSML4-R	4-CH Digital Video Mux RX, 1 SM Fiber, LD	1300.00
DFVSML4-T	4-CH Digital Video Mux TX, 1 SM Fiber, LD	1300.00
DFVSML8-R	8-CH Digital Video Mux RX, 1 SM Fiber, LD	2300.00
DFVSML8-T	8-CH Digital Video Mux TX, 1 SM Fiber, LD	2300.00
DFVSMLD1001-R	Digital Video RX / Contact Closure TCVR, 1 SM Fiber, LD	1025.00
DFVSMLD1001-T	Digital Video TX / Contact Closure TCVR, 1 SM Fiber, LD	1025.00
DFVSMLD101-R	Digital Video RX / Data TCVR, 1 SM Fiber, LD	1125.00
DFVSMLD101-T	Digital Video TX / Data TCVR, 1 SM Fiber, LD	1125.00
DFVSMLD102-R	Digital Video RX / 2-CH Data TCVR, 1 SM Fiber, LD	1400.00
DFVSMLD102-T	Digital Video TX / 2-CH Data TCVR, 1 SM Fiber, LD	1400.00

DFVSMLD11-R	Digital Video RX / Audio TCVR, 1 SM Fiber, LD	1525.00
DFVSMLD11-T	Digital Video TX / Audio TCVR, 1 SM Fiber, LD	1525.00
DFVSMLD12-R	Digital Video RX / 2-CH Audio TCVR, 1 SM Fiber, LD	1800.00
DFVSMLD12-T	Digital Video TX / 2-CH Audio TCVR, 1 SM Fiber, LD	1800.00
DFVSMLD2001-R	10 Bit Single Mode Two Channel Video Single Channel Duplex Contact Closure Receiver, Long Distance	1275.00
DFVSMLD2001-T	10 Bit Single Mode Two Channel Video Single Channel Duplex Contact Closure Transmitter, Long Distance	1275.00
DFVSMLD201-R	10 Bit Single Mode Two Channel Video Single Channel Duplex Data Receiver, Long Distance	1375.00
DFVSMLD201-T	10 Bit Single Mode Two Channel Video Single Channel Duplex Data Transmitter, Long Distance	1375.00
DFVSMLD202-R	10 Bit Single Mode Two Channel Video Two Channel Duplex Data Receiver, Long Distance	1650.00
DFVSMLD202-T	10 Bit Single Mode Two Channel Video Two Channel Duplex Data Transmitter, Long Distance	1650.00
DFVSMLD21-R	2-CH Digital Video Mux RX / Audio TCVR, 1 SM Fiber, LD	1800.00
DFVSMLD21-T	2-CH Digital Video Mux TX / Audio TCVR, 1 SM Fiber, LD	1800.00
DFVSMLD22-R	2-CH Digital Video Mux RX / 2- CH Audio TCVR, 1 SM Fiber, LD	2075.00
DFVSMLD22-T	2-CH Digital Video Mux TX / 2- CH Audio TCVR, 1 SM Fiber, LD	2075.00
DFVSMLD4001-R	4-CH Digital Video Mux RX / Contact Closure TCVR, 1 SM Fiber, LD	1525.00
DFVSMLD4001-T	4-CH Digital Video Mux TX / Contact Closure TCVR, 1 SM Fiber, LD	1525.00
DFVSMLD401-R	4-CH Digital Video Mux RX / Data TCVR, 1 SM Fiber, LD	1625.00
DFVSMLD401-T	4-CH Digital Video Mux TX / Data TCVR, 1 SM Fiber, LD	1625.00

DFVSMLD402-R	4-CH Digital Video Mux RX / 2- CH Data TCVR, 1 SM Fiber, LD	1900.00
DFVSMLD402-T	4-CH Digital Video Mux TX / 2- CH Data TCVR, 1 SM Fiber, LD	1900.00
DFVSMLD41-R	4-CH Digital Video Mux Rx / Audio TCVR, 1 SM Fiber, LD	2400.00
DFVSMLD41-T	4-CH Digital Video Mux Tx / Audio TCVR, 1 SM Fiber, LD	2400.00
DFVSMLD42-R	4-CH Digital Video Mux Rx / 2- CH Audio TCVR, 1 SM Fiber, LD	2675.00
DFVSMLD42-T	4-CH Digital Video Mux Tx / 2- CH Audio TCVR, 1 SM Fiber, LD	2675.00
DFVSMLD8001-R	8-CH Digital Video Mux RX / Contact Closure TCVR, 1 SM Fiber, LD	2525.00
DFVSMLD8001-T	8-CH Digital Video Mux TX / Contact Closure TCVR, 1 SM Fiber, LD	2525.00
DFVSMLD801-R	8-CH Digital Video Mux RX / Data TCVR, 1 SM Fiber, LD	2625.00
DFVSMLD801-T	8-CH Digital Video Mux TX / Data TCVR, 1 SM Fiber, LD	2625.00
DFVSMLD802-R	8-CH Digital Video Mux RX / 2- CH Data TCVR, 1 SM Fiber, LD	2900.00
DFVSMLD802-T	8-CH Digital Video Mux TX / 2- CH Data TCVR, 1 SM Fiber, LD	2900.00
DI601	Outdoor PIR 10/20/30m, 33/66/98ft Selectable	120.00
DI601-WT	Walk Tester for DI601 and DDI602 Series	93.99
DIAL UP KIT	Dial-Up Kit for ACU's	386.40
DR2-BUBBLE	Replacement Bubble Assembly w/Lid for DR2 Series Cameras	20.00
DR3010	8 Channel Contact Receiver, MM, 1 Fiber	465.00
DR3010-B	8 Channel Contact Receiver, MM, 1 Fiber, Battery Backup	540.00
DR3010-B-R3	8 Channel Contact Receiver, MM, 1 Fiber, Battery Back-Up, Rack Mount	540.00
DR3010-C	8 Channel Contact Receiver, MM, 1 Fiber, Conformal Coat	540.00
DR3010-R3	8 Channel Contact Receiver, MM, 1 Fiber, Rack Mount	465.00

DR3030	8 Channel Contact Receiver, SM, 1 Fiber	595.00
DR3030-B	8 Channel Contact Receiver, SM, 1 Fiber, Battery Backup	670.00
DR3030-C	8 Channel Contact Receiver, SM, 1 Fiber, Conformal Coat	670.00
DR3030-R3	8 Channel Contact Receiver, SM, 1 Fiber, Rack Mount	595.00
DR3030-R3-C	8 Channel Contact Receiver, SM, 1 Fiber, Conformal Coat, Rack Mount	670.00
DR-BUBBLE	Replacement Bubble Dome for Rugged Domes	19.00
DR-EP	Extendable Pendant Mount for Rugged Dome (pipe not included)	53.00
DR-FM	Flush Mount for Rugged Dome	27.00
DR-ICM	Inside Corner Mount for UltraView Rugged Dome	37.00
DR-OCM	Outside Corner Mount for UltraView Rugged Dome	37.00
DR-PDM	Pendant Mount for Rugged Dome	48.00
DR-PM	Pendant Mount for Rugged Dome	53.00
DR-RCM	Corner Mount for UltraView Rugged Dome	53.00
DR-RWM	Wall Mount for Rugged Dome	53.00
DST-100	Tape, Double-Sided Foam, 1/2" X 1/2"	9.14
DT3010	8 Channel Contact Transmitter, MM, 1 Fiber	465.00
DT3010-C	8 Channel Contact Transmitter, MM, 1 Fiber, Conformal Coat	540.00
DT3010-R3	8 Channel Contact Transmitter, MM, 1 Fiber, Rack Mount	465.00
DT3020	8 Channel Contact Transmitter, 1300Nm, MM, 1 Fiber	595.00
DT3020-R3	8 Channel Contact Transmitter, 1300Nm, MM, 1 Fiber, Rack Mount	595.00
DT3025	8 Channel Contact Transmitter, SM, 1 Fiber	925.00
DT3025-C	8 Channel Contact Transmitter, SM, 1 Fiber, Conformal Coat	1000.00
DT3025-R3	8 Channel Contact Transmitter, SM, 1 Fiber, Rack Mount	925.00

DT3025-R3-C	8 Channel Contact Transmitter, SM, 1 Fiber, Conformal Coat, Rack Mount	1000.00
DT4010	4 Port Active Optical Data Star Coupler, MM, 8 Fibers	1188.00
DT4020	4 Port, 1300Nm, LED	662.50
DT4025	4 Port Active Optical Data Star Coupler, SM Led, 8 Fibers	2766.00
DV1201A	Structural Vibration Sensor for Vaults and Safes	176.31
DV1202A	Mounting Plate for Surface Mounting On Concrete	11.03
DV1204A	Damp Resistant Mounting Box. Use to Protect Sensor from Vandalism or High Humidity	131.20
DV1208A	8-Point Remote Annunciator	207.91
DV1212A	Tack Plate. Use for Weld Mounts When Drilling in Steel is Prohibitive	20.72
DV1215A	Self-Contained Test Transmitter, Test Accessory	31.98
DV1216A	Plastic Cable Insert for Round Conduit	2.23
DV1221A	Structural Vibration Sensor for ATMs and Night Deposit Safes	176.31
DV1228A	Metal Junction Box w/Tamper, Steel Insert Protects from Drilling, Tamper to Protect from Opening	48.13
EPROX-25PACK	Entree Proximity 25-Pack. Clam Shell Card Design w/GE Security Logo, Vertical Slot Punch, External ID	44.87
ESTVH	BioScrypt / 4G V-Station Extreme / Lumidigm Venus / HID iClass / 4G V-Station Extreme (V,H)	4320.00
ETEC	BioScrypt / TEC Module (available for any Extreme Model) / 4G Extreme Cooler Module	710.00
EZL-ACI-D2	Access Control Integration for Diamond II	2250.00
EZL-ACI-PP	Access Control Integration for Picture Perfect V4.0	2250.00
EZL-ACI-SMS	Access Control Integration for FCWnX V7.X/SMS 1.X	2250.00
EZL-ACI-SSA	Annual Software Support Agreement for each copy of Access Control Integration	488.75

EZL-ADMIN	Administrator - Additional Workstation Licenses	375.00
EZI OADDDIIO		040.05
EZL-CARDBUS	Cardscan 800 Business Card Scanner	316.25
EZL-CSSLCS	CSS 800 Combination License and Card Scanner	632.50
EZL-CSSPLC	CSS 1000 Passport License and Card Scanner	862.50
EZL-CSSSNAP	CSS Snapshell License and	862.50
EZE-0333NAF	Card Scanner	802.30
EZL-DYMOAD	Adhesive Badges for Dymo	18.00
	(300 per roll)	
EZL-DYMOEXP	Dymo 30911 Adhesive Self Expiring Badges (250)	34.50
EZL-DYMONOAD	Dymo 30856 Non-Adhesive	23.40
EZL-D I MONOAD	Badges (250 per roll)	23.40
EZL-DYMOPR	Dyno 400 Turbo Black & White	172.50
-	Thermal Printer	
EZL-EAWEB	Eadvance Web Pre-	2250.00
	Registration; One License per	
	Server	
EZL-EAWEB-SSA		400.75
EZL-EAWEB-SSA	Annual Software Support	488.75
	Agreement per copy of	
	Eadvance	
EZL-EL2SIDE	EL 2947 Two Sided Fold and	92.00
		32.00
	Clip Badges (500 per box)	
EZL-ELSELFLA	EL 2951 Self-Laminating	92.00
	Badges (500 per box)	02.00
EZL-HAFINGER	M2 Hamster Fingerprint	632.50
	Reader and Software	
EZL-ICIDCM	ICI DCM License Reader with	948.75
	Authentication	
EZL-LOGIPTZ	Logitech Orbit PTZ Web	172.50
LZL-LOGII 1Z	Camera	172.30
EZL-MET	Metrologic 9520 Barcode	230.00
	Scanner	230.00
EZL-RFIDPCPR-C	RF Ideas PCProx Card Reader	201.25
LZL-KI IDI CI K-C		201.23
	for GE Cards	
EZL-RFIDPCPR-H	RF Ideas PCProx Card Reader for HID Cards	201.25
EZL-SAT	Satellite for Check Point	750.00
LZL-SAT	Workstation	730.00
EZL-SATMOB	Satellite Mobile for Wireless	3335.00
	PDA	0000.00
EZL-SCREENDP	Denied Party Screening	2875.00
	License per Station per Year	
EZL-SCREENSO	Sex Offender Screening per Station per Year	460.00
E71 0) (NANA 2		1075
EZL-SVMMA	SVM Main Application Software	1875.00
	and includes Adminstrator for	
	Admin Reporting	
	, tarriir reporting	
	ramm reporting	
EZL-SVMMOB	SVM Mobile for Wireless PDA	6325.00

EZL-SVM-SSA	Annual Software Support Agreement for each copy of SVM	402.50
EZL-SVMVC	SVM (Main Application) Also Includes Administrator (For Admin/Reporting For Visitor Central Migration Customers - Includes Free Maintenance For One Year)	950.00
EZL-TOPAZ1X5	Topaz Signaturegem LCD 1 inch X 5 inch Signature Pad	373.75
EZL-TOPAZ4X5	Topaz Signaturegem LCD 4 inch X 5 inch Signature Pad	632.50
EZL-UNI	Bluetooth Wireless Unitech MS-860	1035.00
FC2SSA-0256	FC L2 Extended After Hours Support - up to 256 Camera capacity, requires active Level 1 SSA	1875.00
FC2SSA-1024	FC L2 Extended After Hours Support - up to 1024 Camera capacity, requires active Level 1 SSA	3750.00
FC2SSA-1025	FCWnx L2 Extended After Hours Support - 1025 and above Camera capacity, requires active Level 1 SSA	5625.00
FCCUPGSSA-AIX	FC Classic Aix No Charge UPGRADE for systems covered under an active System Support Agreement (SSA). Informix upgrade included. Optional License for Windows Media Server or Linux Media Server can be included at no charge due to change in architecture	NC
FCCUPGSSA-LINUX	FC Classic Linux No Charge UPGRADE for systems covered under an active System Support Agreement (SSA). Informix upgrade included. Optional License for Windows Media Server or Linux Media Server can be included at no charge due to change in architecture	NC
FCCUPGSSA-WINDOWS	FC CLASSIC WINDOWS NO CHARGE UPGRADE FOR SYSTEMS COVERED UNDER AN ACTIVE SYSTEM SUPPORT AGREEMENT (SSA).	NC

FCL1SSA256CAM	System Support Agreement	808.50
T OL TOOAZOOAWI	Camera Capacity (256	00.50
	cameras per unit)	
FCL1SSA32CAM	System Support Agreement	262.50
FCL133A32CAW	Camera Capacity (32 cameras	202.50
FOL 400 A 540 C A M	per unit)	2005.00
FCL1SSA512CAM	System Support Agreement	2625.00
	Camera Capacity (512	
	cameras per unit)	
FCL1SSAADI	System Support Agreement,	393.75
	American Dynamics Intellex	
	3.1	
FCL1SSAAIX	FC Level 1 SSA - Per server	1968.75
	base license package.	
	Additional options and capacity	
	licenses must be purchased	
	separately.	
FCL1SSAALLIANCE	System Support Agreement,	65.63
. 52155/1/122/1/1102	GE Alliance/ATS (AL-4017)	00.00
	Intrusion Panel Driver	
	Illitusion Failer Driver	
FOL 400 A A 0000	0	000.50
FCL1SSAASC32	System Support Agreement,	262.50
	Analog CCTV Switcher	
	Capacity (32 switchers per	
1	unit)	
FCL1SSAASI	System Support Agreement,	131.25
	Analog CCTV Switcher	
	Interface	
FCL1SSACLNT	System Support Agreement	262.50
	Facility Commander Command	
	and Control Client License	
	(single seat)	
FCL1SSADVI	System Support Agreement	131.25
. 62.66/.57.	Digital Video Interface	101.20
FCL1SSADVX	System Support Agreement,	393.75
l GETGGREVA	Integral DVXi and DSXpress	000.70
	Driver.	
FCL1SSAINTCOM	System Support Agreement,	131.25
FCE133AINTCOM		131.23
	annual, Facility Commander	
	intercom interfaces. Unlimited	
	tel tech support, M/F, std	
	hours. Upgrade not applicable.	
FCL1SSAINTRUS	System Support Agreement,	131.25
	annual, Facility Commander	
	intrusion interfaces. Unlimited	
	tel tech support, M/F, std	
	tel tech support, M/F, std	
	tel tech support, M/F, std	
FCL1SSAIPC32	tel tech support, M/F, std	262.50
FCL1SSAIPC32	tel tech support, M/F, std hours. Upgrade not applicable.	262.50
FCL1SSAIPC32	tel tech support, M/F, std hours. Upgrade not applicable. System Support Agreement,	262.50

FCL1SSAIS32	System Support Agreement, Intercom Station Capacity (32 stations per unit)	262.50
FCL1SSALINUX	FC Level 1 SSA - Per server base license package. Additional options and capacity licenses must be purchased separately.	1968.75
FCL1SSAMEDIA	System Support Agreement, annual, Facility Commander remote media server	787.50
FCL1SSANICE	System Support Agreement, NiceVision Pro and Harmony Driver	393.75
FCL1SSAPAN	System Support Agreement Panasonic Driver	131.25
FCL1SSAPELCO	System Support Agreement, Pelco DX8000 Driver	393.75
FCL1SSAPPEIF	System Support Agreement, Picture Perfect External Interface (EIF).	1050.00
FCL1SSAVISIO	System Support Agreement VisioWave LVP Driver for Facility Commander v2.1	13.00
FCL1SSAWEB	System Support Agreement Facility Commander Web Client License, (5 concurrent seats)	262.50
FCL1SSAWIN	FC Level 1 SSA - Per server base license package. Additional options and capacity licenses must be purchased separately.	1312.50
FCL1SSAZEN	System Support Agreement, Zenitel AlphaCom Driver	393.75
FCLSSA-CUC	FC SSA - Certified User Call In - Requires L I or L II SSA in place	9375.00
FCLSSA-DSL	FC SSA - Duplicate Server License coverage Requires L I or L II SSA in place additionally	3125.00
FP1101	Fiberpak - Fixed Camera Video Transmission Kit, MM, 1 Fiber	265.00
FP1505WDM	Fiberpak - Video / Up-the-Coax Data Transmission Kit, MM, 1 Fiber	990.00
FP1910WDM	Fiberpak - Video / Bi- Directional Data Transmission Kit, MM, 1 Fiber	1385.00

FVMM1-RX	8 Bit Multi Mode Single	290.00
	Channel Video Receiver, Rack	
	Unit	
FVMM1-TX	8 Bit Multi Mode Single	290.00
	Channel Video Transmitter,	
	Rack Unit	
FVMM3-RX	8 Bit Multi Mode 3 Channel	500.00
	Video Receiver, Rack	
FVMMD101-RX	8 Bit Multi Mode Single	390.00
	Channel Video Receiver	000.00
	w/Duplex Data, Rack	
FVMMD101-TX	Digital 8-Bit Video TX / Data	390.00
F VIVIIVID TO 1-1X		390.00
	TCVR, 1 MM Fiber - RM	
FVMMD303-RX	Digital 8-Bit 3-CH Video Rx / 3-	1800.00
	CH Data TCVR, 1 MM Fiber,	
	Rack Mount	
FVMMDDD1111-RX	Digital 8-Bit Video RX / Data-	1325.00
	Audio-Contact TCVRS, 1 MM	
	Fiber - RM	
FVMMDDD1111-TX	Digital 8-Bit Video TX / Data-	1325.00
	Audio-Contact TCVRS, 1 MM	1020.00
	Fiber - RM	
FVSM1-RX		500.00
FVSIVIT-RX	8 Bit Single Mode Video	500.00
	Receiver, Rack	
FVSM1-TX	Digital 8-Bit Video TX, 1 SM	500.00
	Fiber - RM	
FVSM3-RX	Digital 8-Bit 3-CH Video Rx, 1	1100.00
	SM Fiber, Rack Mount	
FVSMD101-RX	8 Bit Single Mode Video/Data	700.00
	Receiver, Rack	
FVSMD101-TX	8 Bit Single Mode Video/Data	700.00
	Transmitter, Rack	
	, i	
FVSMD303-RX	Digital 8-Bit 3-CH Video RX / 3-	1925.00
1 7 0 111 2 0 0 0 1 13 1	CH Data TCVR, 1 SM Fiber -	1020.00
	RM	
EVENDDD4444 DV		4.475.00
FVSMDDD1111-RX	8 Bit Single Channel	1475.00
	Video/Duplex Data Audio	
	Contact Closure Receiver	
FVSMDDD1111-TX	8 Bit Single Channel	1475.00
	Video/Duplex Data Audio	
	Contact Closure Transmitter	
FVSML1-RX	8 Bit Single Mode Video	625.00
	Receiver, Long Distance, Rack	
	received, zeing zhetamee, maek	
FVSML1-TX	8 Bit Single Mode Video	625.00
I VOIVIET-TX	Transmitter, Long Distance,	023.00
	Rack	
EVOLUE DV		1005.00
FVSML3-RX	Digital 8-Bit 3-CH Video RX, 1	1225.00
	SM Fiber, LD - WM	
FVSMLD101-RX	Digital 8-Bit Video TX / Data	900.00
	RX, 1 SM Fiber, LD - RM	
FVSMLD101-TX	Digital 8-Bit Video RX / Data	900.00
	TX, 1 SM Fiber, LD - RM	
FVSMLD303-RX	Digital 8-Bit 3-CH Video RX / 3-	2050.00
	CH Data TCVR, 1 SM Fiber,	_:50.50
	LD - RM	
1	-D 1/101	

FVSMLDDD1111-RX	Digital 8-Bit Video RX / Data-	1625.00
F V SIVILUUUU I I I I I-KA	Audio-Contact TCVRS, 1 SM	1025.00
	Fiber, LD - RM	
EVENI DDD4444 TV	·	4005.00
FVSMLDDD1111-TX	Digital 8-Bit Video TX / Data-	1625.00
	Audio-Contact TCVRS, 1 SM	
	Fiber, LD - RM	
GEA-102	Legend/CyberDome II Wall	84.00
	Mount, Cast Aluminum	
GEA-103	Legend/CyberDome II Wall	137.00
	Mount Goose Neck, Aluminum,	
	Pressurized Housing Only	
GEA-105	Larger d/CytharDarra II Carrag	52.00
GEA-105	Legend/CyberDome II Corner-	53.00
0.7.1.00	Mount Adapter	
GEA-106	Legend/CyberDome II Pole-	42.00
	Mount Adapter	
GEA-107	Legend/CyberDome II Roof-	132.00
	Mount Adapter	
GEA-108	Legend/CyberDome II Parapet	630.00
	Cap, Corner, Narrow, 6-12-inch	
GEA-109	Legend/CyberDome II Parapet	630.00
	Cap, Corner, Wide, 12-17"	
	Cop, Come, mac, 12	
GEA-110	Legend/CyberDome II Parapet	368.00
32,110	Cap, Straight, Narrow, 6-12-	000.00
	inch	
GEA-111	Legend/CyberDome II Parapet	368.00
GEA-TTT		300.00
	Cap, Straight, Wide, 12-17"	
GEA-112	CyberDome II, Fixed Camera	180.00
GLA-112	Bracket for CYH-3xxx	100.00
	Housings	
05444	-	10.00
GEA-114	Legend/CyberDome II T-Bar	42.00
	Panel Support Kit	
GEA-201	Ground Loop Isolator Cable	48.00
	Laward ID Dama 40V Calar	2400.00
GEA-C3-C18N-IP	Legend IP Dome, 18X Color,	2188.00
	Wall Mount Housing, Clear	
	Acrylic, NTSC, Ethernet,	
	Coax/UTP	
GEA-C3-C18P-IP	Legend IP Dome, 18X Color,	2188.00
	Wall Mount Housing, Clear	
	Acrylic, Pal, Ethernet,	
	Coax/UTP	
GEA-C3-D26N-IP	Legend IP Dome, 26X	2701.00
	Day/Night, Wall Mount	
	Housing, Clear Acrylic, NTSC,	
	Ethernet, Coax/UTP	
GEA-C3-D26P-IP	Legend IP Dome, 26X	2701.00
32, (33 B23,	Day/Night, Wall Mount	2701.00
	Housing, Clear Acrylic, Pal,	
	Ethernet, Coax/UTP	
CEA CO DOCCNID	·	0454.00
GEA-C3-D26SN-IP	Legend IP Dome, 26X	2451.00
	Day/Night w/Image Stabilizer,	
	Wall Mount Housing, Clear	
	Acrylic, NTSC, Ethernet,	
	Coax/UTP	

GEA-C3-D26SP-IP	Logand ID Dama 26V	2454.00
	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2451.00
GEA-C3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2818.00
GEA-C3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2818.00
GEA-C4-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2188.00
GEA-C4-C18P	Legend Dome, 18X Color, Wall Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1913.00
GEA-C4-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2188.00
GEA-C4-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2701.00
GEA-C4-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2701.00
GEA-C4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2451.00
GEA-C4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2451.00
GEA-C4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2818.00
GEA-C4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2818.00
GEA-C6-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2356.00

GEA-C6-C18P	Legend Dome, 18X Color, Wall Mount Housing, Chrome Acrylic, Pal, Coax/UTP	2081.00
GEA-C6-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2356.00
GEA-C6-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2869.00
GEA-C6-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2869.00
GEA-C6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2619.00
GEA-C6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2619.00
GEA-C6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2986.00
GEA-C6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2986.00
GEA-C7-C18N	Legend Dome, 18X Color, Wall Mount Housing, Gold Acrylic, NTSC, Coax/UTP	2123.00
GEA-C7-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2398.00
GEA-C7-C18P	Legend Dome, 18X Color, Wall Mount Housing, Gold Acrylic, Pal, Coax/UTP	2123.00
GEA-C7-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2398.00
GEA-C7-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2911.00
GEA-C7-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2911.00

054 07 00001110	II IID D OOY I	2224.22
GEA-C7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2661.00
GEA-C7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2661.00
GEA-C7-D36N	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, NTSC, Coax/UTP	2753.00
GEA-C7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3028.00
GEA-C7-D36P	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, Pal, Coax/UTP	2753.00
GEA-C7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3028.00
GEA-CE3-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2304.00
GEA-CE3-C18P	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2029.00
GEA-CE3-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2304.00
GEA-CE3-D26N	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Coax/UTP	2541.00
GEA-CE3-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2817.00
GEA-CE3-D26P	Legend Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2541.00
GEA-CE3-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2817.00

OFA OFO BOOON ID	L LID D 200V	0507.00
GEA-CE3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2567.00
GEA-CE3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2567.00
GEA-CE3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2934.00
GEA-CE3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2934.00
GEA-CE4-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2304.00
GEA-CE4-C18P	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	2029.00
GEA-CE4-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2304.00
GEA-CE4-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2817.00
GEA-CE4-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2817.00
GEA-CE4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2567.00
GEA-CE4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2567.00

GEA-CE4-D36N-IP	Legend IP Dome, 36X	2934.00
OLA-OL4-D30N-IF	day/Night WDR, Wall Mount	2001.00
	Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet,	
	Coax/UTP	
GEA-CE4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount	2934.00
	Housing, Htr/Fan, Smoke	
	Acrylic, Pal, Ethernet,	
07.1.070.0111	Coax/UTP	
GEA-CE6-C18N	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan,	2197.00
	Chrome Acrylic, NTSC,	
	Coax/UTP	
GEA-CE6-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan,	2472.00
	Chrome Acrylic, NTSC,	
	Ethernet, Coax/UTP	
GEA-CE6-C18P	Legend Dome, 18X Color, Wall	2197.00
	Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	
	Childrig Acryllo, Fall, Goaw of F	
GEA-CE6-C18P-IP	Legend IP Dome, 18X Color,	2472.00
	Wall Mount Housing, Htr/Fan,	
	Chrome Acrylic, Pal, Ethernet, Coax/UTP	
GEA-CE6-D26N-IP	Legend IP Dome, 26X	2985.00
	Day/Night, Wall Mount	
	Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet,	
	Coax/UTP	
GEA-CE6-D26P-IP	Legend IP Dome, 26X	2985.00
	Day/Night, Wall Mount Housing, Htr/Fan, Chrome	
	Acrylic, Pal, Ethernet,	
	Coax/UTP	
GEA-CE6-D26SN-IP	Legend IP Dome, 26X	2735.00
	Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan,	
	Chrome Acrylic, NTSC,	
	Ethernet, Coax/UTP	
GEA-CE6-D26SP-IP	Legend IP Dome, 26X	2735.00
GEN GEO BZGGI II	Day/Night w/Image Stabilizer,	2700.00
	Wall Mount Housing, Htr/Fan,	
	Chrome Acrylic, Pal, Ethernet, Coax/UTP	
	Coaxon	
GEA-CE6-D36N-IP	Legend IP Dome, 36X	3102.00
	day/Night WDR, Wall Mount	
	Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet,	
	Coax/UTP	
GEA-CE6-D36P-IP	Legend IP Dome, 36X	3102.00
	day/Night WDR, Wall Mount Housing, Htr/Fan, Chrome	
	Acrylic, Pal, Ethernet,	
	Coax/UTP	

GEA-CE7-C18N	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	2239.00
GEA-CE7-C18N-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2514.00
GEA-CE7-C18P	Legend Dome, 18X Color, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	2239.00
GEA-CE7-C18P-IP	Legend IP Dome, 18X Color, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2514.00
GEA-CE7-D26N-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3027.00
GEA-CE7-D26P-IP	Legend IP Dome, 26X Day/Night, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3027.00
GEA-CE7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2777.00
GEA-CE7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2777.00
GEA-CE7-D36N	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	2868.00
GEA-CE7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3144.00
GEA-CE7-D36P	Legend Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	2868.00
GEA-CE7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Wall Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3144.00

OE A DO 040N	Laward Dama ANY Oalan	0400.00
GEA-D8-C18N	Legend Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, NTSC, Coax/UTP	2102.00
GEA-D8-C18N-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2377.00
GEA-D8-C18P	Legend Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, Pal, Coax/UTP	2102.00
GEA-D8-C18P-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2377.00
GEA-D8-D26N-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2890.00
GEA-D8-D26P-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2890.00
GEA-D8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2640.00
GEA-D8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2640.00
GEA-D8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3007.00
GEA-D8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	3007.00
GEA-D9-C18N	Legend Dome, 18X Color, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Coax/UTP	2102.00
GEA-D9-C18N-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2377.00

GEA-D9-C18P	Legend Dome, 18X Color,	2102.00
IGEA-D9-CIBP	Heavy Duty Housing, Smoke	2102.00
	Polycarbonate, Pal, Coax/UTP	
GEA-D9-C18P-IP	Legend IP Dome, 18X Color,	2377.00
	Heavy Duty Housing, Smoke	
	Polycarbonate, Pal, Ethernet, Coax/UTP	
GEA-D9-D26N-IP	Legend IP Dome, 26X	2890.00
GEA-D9-D26N-IP	Day/Night, Heavy Duty	2690.00
	Housing, Smoke	
	Polycarbonate, NTSC,	
	Ethernet, Coax/UTP	
GEA-D9-D26P-IP	Legend IP Dome, 26X	2890.00
	Day/Night, Heavy Duty	
	Housing, Smoke	
	Polycarbonate, Pal, Ethernet, Coax/UTP	
GEA-D9-D26SN-IP	Legend IP Dome, 26X	2640.00
	Day/Night w/Image Stabilizer,	
	Heavy Duty Housing, Smoke	
	Polycarbonate, NTSC, Ethernet, Coax/UTP	
	Linemet, Goax on	
GEA-D9-D26SP-IP	Legend IP Dome, 26X	2640.00
	Day/Night w/Image Stabilizer,	
	Heavy Duty Housing, Smoke	
	Polycarbonate, Pal, Ethernet, Coax/UTP	
	COANOTP	
GEA-D9-D36N-IP	Legend IP Dome, 36X	3007.00
	day/Night WDR, Heavy Duty	
	Housing, Smoke Polycarbonate, NTSC,	
	Ethernet, Coax/UTP	
GEA-D9-D36P-IP	Legend IP Dome, 36X	3007.00
	day/Night WDR, Heavy Duty	
	Housing, Smoke Polycarbonate, Pal, Ethernet,	
	Coax/UTP	
GEA-DE8-C18N	Legend Dome, 18X Color,	2234.00
	Heavy Duty Housing, Htr/Fan,	
	Clear Polycarbonate, NTSC,	
	Coax/UTP	
GEA-DE8-C18N-IP	Legend IP Dome, 18X Color,	2509.00
	Heavy Duty Housing, Htr/Fan,	
	Clear Polycarbonate, NTSC,	
	Ethernet, Coax/UTP	
GEA-DE8-C18P	Legend Dome, 18X Color,	2234.00
	Heavy Duty Housing, Htr/Fan,	
	Clear Polycarbonate, Pal,	
	Coax/UTP	

GEA-DE8-C18P-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2509.00
GEA-DE8-D26N-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3022.00
GEA-DE8-D26P-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	3022.00
GEA-DE8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2772.00
GEA-DE8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2772.00
GEA-DE8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	3139.00
GEA-DE8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	3139.00
GEA-DE9-C18N	Legend Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Coax/UTP	2234.00
GEA-DE9-C18N-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2509.00
GEA-DE9-C18P	Legend Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	2234.00
GEA-DE9-C18P-IP	Legend IP Dome, 18X Color, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2509.00

GEA-DE9-D26N-IP	Logand ID Dama, 26V	2022.00
GEA-DE9-D20N-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	3022.00
GEA-DE9-D26P-IP	Legend IP Dome, 26X Day/Night, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	3022.00
GEA-DE9-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2772.00
GEA-DE9-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2772.00
GEA-DE9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	3139.00
GEA-DE9-D36P-IP	Legend IP Dome, 36X day/Night WDR, Heavy Duty Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	3139.00
GEA-F3-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2062.00
GEA-F3-C18P	Legend Dome, 18X Color, Flush Mount Housing, Clear Acrylic, Pal, Coax/UTP, T-Bar Support Kit	1787.00
GEA-F3-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2062.00
GEA-F3-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2575.00
GEA-F3-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2575.00

OEA ES DOCON ID	Legend ID Desc 00V	0005.00
GEA-F3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2325.00
GEA-F3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2325.00
GEA-F3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2692.00
GEA-F3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2692.00
GEA-F4-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2062.00
GEA-F4-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2062.00
GEA-F4-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2575.00
GEA-F4-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2575.00
GEA-F4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2325.00
GEA-F4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2325.00

GEA-F4-D36N-IP	Legend IP Dome, 36X	2692.00
	day/Night WDR, Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	
GEA-F4-D36P	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Acrylic, Pal, Coax/UTP	2417.00
GEA-F6-C18N	Legend Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, NTSC, Coax/UTP, T- Bar Support Kit	1955.00
GEA-F6-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2230.00
GEA-F6-C18P	Legend Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, Pal, Coax/UTP, T-Bar Support Kit	1955.00
GEA-F6-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2230.00
GEA-F6-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2743.00
GEA-F6-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2743.00
GEA-F6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2493.00
GEA-F6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2493.00
GEA-F6-D36N	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	2585.00

GEA-F6-D36N-IP	Legend IP Dome, 36X	2860.00
GLA-I 0-D30IN-II	day/Night WDR, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2000.00
GEA-F6-D36P	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Chrome Acrylic, Pal, Coax/UTP	2585.00
GEA-F6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2860.00
GEA-F7-C18N	Legend Dome, 18X Color, Flush Mount Housing, Gold Acrylic, NTSC, Coax/UTP, T- Bar Support Kit	1997.00
GEA-F7-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2272.00
GEA-F7-C18P	Legend Dome, 18X Color, Flush Mount Housing, Gold Acrylic, Pal, Coax/UTP, T-Bar Support Kit	1997.00
GEA-F7-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2272.00
GEA-F7-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2785.00
GEA-F7-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2785.00
GEA-F7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2535.00
GEA-F7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2535.00
GEA-F7-D36N	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, NTSC, Coax/UTP	2627.00

GEA-F7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2902.00
GEA-F7-D36P	Legend Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, Pal, Coax/UTP	2627.00
GEA-F7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2902.00
GEA-F8-C18N	Legend Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP	1813.00
GEA-F8-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2088.00
GEA-F8-C18P	Legend Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP	1813.00
GEA-F8-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2088.00
GEA-F8-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2601.00
GEA-F8-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2601.00
GEA-F8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2351.00

OF A FO DOCOD ID	L LID D COV	0054.00
GEA-F8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2351.00
GEA-F8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2718.00
GEA-F8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2718.00
GEA-F9-C18N-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2088.00
GEA-F9-C18P	Legend Dome, 18X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP	1813.00
GEA-F9-C18P-IP	Legend IP Dome, 18X Color, Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2088.00
GEA-F9-D26N-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2601.00
GEA-F9-D26P-IP	Legend IP Dome, 26X Day/Night, Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2601.00
GEA-F9-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2351.00

GEA-F9-D26SP-IP	Legend IP Dome, 26X	2351.00
	Day/Night w/Image Stabilizer, Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	
GEA-F9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar	2718.00
GEA-F9-D36P-IP	Support Kit	2718.00
IGEA-F9-D36F-IF	Legend IP Dome, 36X day/Night WDR, Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2716.00
GEA-FP3-C18P-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2097.00
GEA-FP4-C18N-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2097.00
GEA-FP4-C18P-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2097.00
GEA-FP4-D26N-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2610.00
GEA-FP4-D26P-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2610.00
GEA-FP4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2360.00
GEA-FP4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2360.00

GEA-FP4-D36N	Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic,	2452.00
	NTSC, Ethernet, Coax/UTP	
GEA-FP4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2727.00
GEA-FP4-D36P	Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2452.00
GEA-FP4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2727.00
GEA-FP6-C18N-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2265.00
GEA-FP6-C18P-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2265.00
GEA-FP6-D26N-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2778.00
GEA-FP6-D26P-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2778.00
GEA-FP6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2528.00
GEA-FP6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2528.00

GEA-FP6-D36N	Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2620.00
GEA-FP6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2895.00
GEA-FP6-D36P	Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2620.00
GEA-FP6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2895.00
GEA-FP7-C18N-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2307.00
GEA-FP7-C18P-IP	Legend IP Dome, 18X Color, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2307.00
GEA-FP7-D26N-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2820.00
GEA-FP7-D26P-IP	Legend IP Dome, 26X Day/Night, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2820.00
GEA-FP7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2570.00
GEA-FP7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2570.00

Logand Doma, 26V day/Night	2662.00
WDR, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2662.00
Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2937.00
Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2662.00
Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2937.00
Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2123.00
Legend Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	1848.00
Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2123.00
Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit	2361.00
Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T- Bar Support Kit	2636.00
Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	2361.00
	Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP Legend IP Dome, 36X day/Night WDR, Plenum Flush Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP, T-Bar Support Kit Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit

GEA-FP8-D26P-IP	Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2636.00
GEA-FP8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2386.00
GEA-FP8-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	2111.00
GEA-FP8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2386.00
GEA-FP8-D36N	Legend Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2478.00
GEA-FP8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2753.00
GEA-FP8-D36P	Legend Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2478.00
GEA-FP8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2753.00
GEA-FP9-C18N-IP	Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2123.00

	T	
GEA-FP9-C18P	Legend Dome, 18X Color, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	1848.00
GEA-FP9-C18P-IP	Legend IP Dome, 18X Color, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2123.00
GEA-FP9-D26N-IP	Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2636.00
GEA-FP9-D26P	Legend Dome, 26X Day/Night, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	2361.00
GEA-FP9-D26P-IP	Legend IP Dome, 26X Day/Night, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2636.00
GEA-FP9-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Coax/UTP, T-Bar Support Kit	2111.00
GEA-FP9-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2386.00
GEA-FP9-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Coax/UTP, T-Bar Support Kit	2111.00
GEA-FP9-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP, T-Bar Support Kit	2386.00

OF A FDO DOCN ID	Lamand ID Dama 200V	2752.00
GEA-FP9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2753.00
GEA-FP9-D36P	Legend Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2478.00
GEA-FP9-D36P-IP	Legend IP Dome, 36X day/Night WDR, Ultem Flush Mount Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP, T-Bar Support Kit	2753.00
GEA-H3-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2104.00
GEA-H3-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2104.00
GEA-H3-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2617.00
GEA-H3-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2617.00
GEA-H3-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2092.00
GEA-H3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2367.00
GEA-H3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2367.00
GEA-H3-D36N	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Clear Acrylic, NTSC, Coax/UTP	2459.00
GEA-H3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2734.00

OEA HO BOOD ID	L LID D COV	070400
GEA-H3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2734.00
GEA-H4-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2104.00
GEA-H4-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Smoke Acrylic, Pal, Coax/UTP	1829.00
GEA-H4-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2104.00
GEA-H4-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2617.00
GEA-H4-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2617.00
GEA-H4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2367.00
GEA-H4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2367.00
GEA-H4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2734.00
GEA-H4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2734.00
GEA-H6-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Chrome Acrylic, NTSC, Coax/UTP	1997.00
GEA-H6-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2272.00
GEA-H6-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Chrome Acrylic, Pal, Coax/UTP	1997.00

OFA HIS GAOD ID	Laward ID Dama 40V Oalar	0070.00
GEA-H6-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing,	2272.00
	Chrome Acrylic, Pal, Ethernet, Coax/UTP	
GEA-H6-D26N-IP	Legend IP Dome, 26X	2785.00
	Day/Night, Pendant Mount Housing, Chrome Acrylic,	
	NTSC, Ethernet, Coax/UTP	
GEA-H6-D26P-IP	Legend IP Dome, 26X	2785.00
	Day/Night, Pendant Mount	
	Housing, Chrome Acrylic, Pal,	
OFA HO BOOON ID	Ethernet, Coax/UTP	0505.00
GEA-H6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer,	2535.00
	Pendant Mount Housing,	
	Chrome Acrylic, NTSC,	
	Ethernet, Coax/UTP	
GEA-H6-D26SP-IP	Legend IP Dome, 26X	2535.00
	Day/Night w/Image Stabilizer,	
	Pendant Mount Housing,	
	Chrome Acrylic, Pal, Ethernet, Coax/UTP	
GEA-H6-D36N-IP	Legend IP Dome, 36X	2902.00
02/11/0 20011 !!	day/Night WDR, Pendant	2002.00
	Mount Housing, Chrome	
	Acrylic, NTSC, Ethernet,	
054 H0 B00B IB	Coax/UTP	2000.00
GEA-H6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant	2902.00
	Mount Housing, Chrome	
	Acrylic, Pal, Ethernet,	
	Coax/UTP	
GEA-H7-C18N	Legend Dome, 18X Color,	2039.00
	Pendant Mount Housing, Gold	
	Acrylic, NTSC, Coax/UTP	
GEA-H7-C18N-IP	Legend IP Dome, 18X Color,	2314.00
	Pendant Mount Housing, Gold	
	Acrylic, NTSC, Ethernet,	
	Coax/UTP	
GEA-H7-C18P	Legend Dome, 18X Color,	2039.00
	Pendant Mount Housing, Gold Acrylic, Pal, Coax/UTP	
GEA-H7-C18P-IP	Legend IP Dome, 18X Color,	2314.00
<u></u>	Pendant Mount Housing, Gold	_000
	Acrylic, Pal, Ethernet,	
	Coax/UTP	
GEA-H7-D26N-IP	Legend IP Dome, 26X	2827.00
	Day/Night, Pendant Mount Housing, Gold Acrylic, NTSC,	
	Ethernet, Coax/UTP	
GEA-H7-D26P-IP	Legend IP Dome, 26X	2827.00
- · · · · · - • · · ·	Day/Night, Pendant Mount	
	Housing, Gold Acrylic, Pal,	
	Ethernet, Coax/UTP	

OFA UZ BOOON IB	Language D.D. D. COV	05== 65
GEA-H7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2577.00
GEA-H7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2577.00
GEA-H7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2944.00
GEA-H7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2944.00
GEA-HE3-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2220.00
GEA-HE3-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	1945.00
GEA-HE3-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2220.00
GEA-HE3-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2733.00
GEA-HE3-D26P	Legend Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2457.00
GEA-HE3-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2733.00
GEA-HE3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2483.00

GEA-HE3-D26SP-IP	Legend IP Dome, 26X	2483.00
	Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	
GEA-HE3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2850.00
GEA-HE3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2850.00
GEA-HE4-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	1945.00
GEA-HE4-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2220.00
GEA-HE4-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	1945.00
GEA-HE4-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2220.00
GEA-HE4-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2733.00
GEA-HE4-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2733.00
GEA-HE4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2483.00
GEA-HE4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2483.00

GEA-HE4-D36N-IP	Lagand ID Dama, 26V	2050.00
GEA-HE4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, NTSC,	2850.00
	Ethernet, Coax/UTP	
GEA-HE4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2850.00
GEA-HE6-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Coax/UTP	2113.00
GEA-HE6-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2388.00
GEA-HE6-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Coax/UTP	2113.00
GEA-HE6-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2388.00
GEA-HE6-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2901.00
GEA-HE6-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2901.00
GEA-HE6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2651.00
GEA-HE6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2651.00
GEA-HE6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3018.00

054 1157 0 : 211	1 15 15151	
GEA-HE7-C18N	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	2155.00
GEA-HE7-C18N-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2430.00
GEA-HE7-C18P	Legend Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	2155.00
GEA-HE7-C18P-IP	Legend IP Dome, 18X Color, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2430.00
GEA-HE7-D26N-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2943.00
GEA-HE7-D26P-IP	Legend IP Dome, 26X Day/Night, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2943.00
GEA-HE7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2693.00
GEA-HE7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2693.00
GEA-HE7-D36N	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Coax/UTP	2784.00
GEA-HE7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3060.00
GEA-HE7-D36P	Legend Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Coax/UTP	2784.00

	li 1155 201	
GEA-HE7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Pendant Mount Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3060.00
GEA-R3-C18N	Legend Dome, 18X Color, Rugged Housing, Clear Acrylic, NTSC, Coax/UTP	1924.00
GEA-R3-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2199.00
GEA-R3-C18P	Legend Dome, 18X Color, Rugged Housing, Clear Acrylic, Pal, Coax/UTP	1924.00
GEA-R3-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2199.00
GEA-R3-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2712.00
GEA-R3-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2712.00
GEA-R3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2462.00
GEA-R3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2462.00
GEA-R3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2829.00
GEA-R3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Clear Acrylic, Pal, Ethernet, Coax/UTP	2829.00
GEA-R4-C18N	Legend Dome, 18X Color, Rugged Housing, Smoke Acrylic, NTSC, Coax/UTP	1924.00
GEA-R4-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2199.00
GEA-R4-C18P	Legend Dome, 18X Color, Rugged Housing, Smoke Acrylic, Pal, Coax/UTP	1924.00

OE 4 D 4 O 4 O D 1 D	1 100 4000	0400.00
GEA-R4-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2199.00
GEA-R4-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2712.00
GEA-R4-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2712.00
GEA-R4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2462.00
GEA-R4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2462.00
GEA-R4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2829.00
GEA-R4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2829.00
GEA-R6-C18N	Legend Dome, 18X Color, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2092.00
GEA-R6-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2367.00
GEA-R6-C18P	Legend Dome, 18X Color, Rugged Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2092.00
GEA-R6-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2367.00
GEA-R6-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2604.00
GEA-R6-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2880.00
GEA-R6-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2604.00

CEA De Doep ID	Lagand ID Dama 26V	2000 00
GEA-R6-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2880.00
GEA-R6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2354.00
GEA-R6-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2630.00
GEA-R6-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2354.00
GEA-R6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2630.00
GEA-R6-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2721.00
GEA-R6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2997.00
GEA-R6-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Chrome Mirrored Acrylic, Pal, Coax/UTP	2721.00
GEA-R6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2997.00
GEA-R7-C18N	Legend Dome, 18X Color, Rugged Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2134.00
GEA-R7-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2409.00
GEA-R7-C18P	Legend Dome, 18X Color, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2134.00
GEA-R7-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2409.00

OF A DZ DOCNI	Lawrend Davis - COV Dav (Nimb)	0040.00
GEA-R7-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2646.00
GEA-R7-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2922.00
GEA-R7-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2646.00
GEA-R7-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2922.00
GEA-R7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2396.00
GEA-R7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2672.00
GEA-R7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2396.00
GEA-R7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	2672.00
GEA-R7-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Gold Mirrored Acrylic, NTSC, Coax/UTP	2763.00
GEA-R7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3039.00
GEA-R7-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Gold Mirrored Acrylic, Pal, Coax/UTP	2763.00
GEA-R7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Gold Acrylic, Pal, Ethernet, Coax/UTP	3039.00
GEA-R8-C18N	Legend Dome, 18X Color, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP	1950.00

GEA-R8-C18N-IP	Legend IP Dome, 18X Color,	2225.00
	Rugged Housing, Clear Polycarbonate, NTSC,	
GEA-R8-C18P	Ethernet, Coax/UTP Legend Dome, 18X Color,	1950.00
GLA-RO-CTOP	Rugged Housing, Clear Polycarbonate, Pal, Coax/UTP	1930.00
GEA-R8-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2225.00
GEA-R8-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2738.00
GEA-R8-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2738.00
GEA-R8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2488.00
GEA-R8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2488.00
GEA-R8-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Clear Polycarbonate, NTSC, Coax/UTP	2579.00
GEA-R8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2855.00
GEA-R8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2855.00
GEA-R9-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2225.00
GEA-R9-C18P	Legend Dome, 18X Color, Rugged Housing, Smoke Polycarbonate, Pal, Coax/UTP	1950.00

OE A DO 040D ID	Laward ID Dawa 40V Oalar	0005.00
GEA-R9-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2225.00
GEA-R9-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2738.00
GEA-R9-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2837.00
GEA-R9-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2488.00
GEA-R9-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2488.00
GEA-R9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2855.00
GEA-R9-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2855.00
GEA-RE3-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2330.00
GEA-RE3-C18P	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Coax/UTP	2055.00
GEA-RE3-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2330.00
GEA-RE3-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2843.00
GEA-RE3-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2843.00

CEA DES DOCCNUD	Logand ID Dame 2007	0500.00
GEA-RE3-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2593.00
GEA-RE3-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2593.00
GEA-RE3-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, NTSC, Ethernet, Coax/UTP	2960.00
GEA-RE3-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Acrylic, Pal, Ethernet, Coax/UTP	2960.00
GEA-RE4-C18N	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Coax/UTP	2055.00
GEA-RE4-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2330.00
GEA-RE4-C18P	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Coax/UTP	2055.00
GEA-RE4-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2330.00
GEA-RE4-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2843.00
GEA-RE4-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2843.00
GEA-RE4-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2593.00

CEA DEA DOCCD ID	Larand ID Dama OCV	2502.00
GEA-RE4-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2593.00
GEA-RE4-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, NTSC, Ethernet, Coax/UTP	2960.00
GEA-RE4-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Acrylic, Pal, Ethernet, Coax/UTP	2960.00
GEA-RE6-C18N	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2223.00
GEA-RE6-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	2498.00
GEA-RE6-C18P	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	2223.00
GEA-RE6-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2498.00
GEA-RE6-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2735.00
GEA-RE6-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3011.00
GEA-RE6-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	2735.00
GEA-RE6-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3011.00
GEA-RE6-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2485.00

GEA-RE6-D26SN-IP	Legend IP Dome, 26X	2761.00
	Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	
GEA-RE6-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	2485.00
GEA-RE6-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	2761.00
GEA-RE6-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, NTSC, Coax/UTP	2852.00
GEA-RE6-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Acrylic, NTSC, Ethernet, Coax/UTP	3128.00
GEA-RE6-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Mirrored Acrylic, Pal, Coax/UTP	2852.00
GEA-RE6-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Chrome Acrylic, Pal, Ethernet, Coax/UTP	3128.00
GEA-RE7-C18N	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	2265.00
GEA-RE7-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2540.00
GEA-RE7-C18P	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2265.00
GEA-RE7-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2540.00

GEA-RE7-D26N	Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	2777.00
GEA-RE7-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3053.00
GEA-RE7-D26P	Legend Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2777.00
GEA-RE7-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3053.00
GEA-RE7-D26SN	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	2527.00
GEA-RE7-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	2803.00
GEA-RE7-D26SP	Legend Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2527.00
GEA-RE7-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	2803.00
GEA-RE7-D36N	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, NTSC, Coax/UTP	2894.00
GEA-RE7-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Acrylic, NTSC, Ethernet, Coax/UTP	3170.00

GEA-RE7-D36P	Legend Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Mirrored Acrylic, Pal, Coax/UTP	2894.00
GEA-RE7-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Gold Acrylic, Pal, Ethernet, Coax/UTP	3170.00
GEA-RE8-C18N	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Coax/UTP	2081.00
GEA-RE8-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2356.00
GEA-RE8-C18P	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Coax/UTP	2081.00
GEA-RE8-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2356.00
GEA-RE8-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2869.00
GEA-RE8-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2869.00
GEA-RE8-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2619.00
GEA-RE8-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2619.00
GEA-RE8-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, NTSC, Ethernet, Coax/UTP	2986.00

OF A DEC BOOD ID	L LID D COV	2000.00
GEA-RE8-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Clear Polycarbonate, Pal, Ethernet, Coax/UTP	2986.00
GEA-RE9-C18N-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2356.00
GEA-RE9-C18P	Legend Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Coax/UTP	2081.00
GEA-RE9-C18P-IP	Legend IP Dome, 18X Color, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2356.00
GEA-RE9-D26N-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2869.00
GEA-RE9-D26P-IP	Legend IP Dome, 26X Day/Night, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2869.00
GEA-RE9-D26SN-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2619.00
GEA-RE9-D26SP-IP	Legend IP Dome, 26X Day/Night w/Image Stabilizer, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2619.00
GEA-RE9-D36N-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, NTSC, Ethernet, Coax/UTP	2986.00
GEA-RE9-D36P-IP	Legend IP Dome, 36X day/Night WDR, Rugged Housing, Htr/Fan, Smoke Polycarbonate, Pal, Ethernet, Coax/UTP	2986.00
GEC-16PVPDTCHUB	16-CH UTP VDP Receiver Combiner, Powered	1535.00
GEC-16VARHUB-4	16-CH UTP Active Video Receiver w/AVC, AR4	1755.00
GEC-16VARHUB-6.5	16-CH UTP Active Video Receiver w/AVC, AR6	2495.00

GEC-16VDPBC	16-CH UTP VDP Receiver	870.00
	Combiner	
GEC-16VDPC	16-CH UTP VDP Mid-Span Combiner	185.00
GEC-16VPDCHUB	16-CH UTP VDP Mid-Span Combiner, Powered	885.00
GEC-16VPHUB	16-CH UTP Passive Video Balun Hub, 19", 1U RM	455.00
GEC-1AVR-AVC-4	UTP Active Video Receiver	125.00
GEC-1AVT	UTP Active Video Transmitter	150.00
GEC-32VARHUB-4	32-CH UTP Active Video Receiver w/AVC, AR4	3465.00
GEC-32VARHUB-6.5	32-CH UTP Active Video Receiver w/AVC, AR6	4795.00
GEC-32VPHUB	32-CH UTP Passive Video Balun Hub, 19", 1U RM	875.00
GEC-4VARHUB-4	4-CH UTP Active Video Receiver w/AVC, AR4	480.00
GEC-4VDPBC	4-CH UTP VDP Receiver Combiner	225.00
GEC-4VDPC	4-CH UTP VDP Mid-Span Combiner	65.00
GEC-4VPHUB	4-CH UTP Passive Video Balun Hub, 1U	125.00
GEC-8PVPDTCHUB	8-CH UTP VDP Receiver Combiner, Powered	810.00
GEC-8VARHUB-4	8-CH UTP Active Video Receiver w/AVC , AR4	945.00
GEC-8VARHUB-6.5	8-CH UTP Active Video Receiver w/AVC, AR6	1270.00
GEC-8VPDCHUB	8-CH UTP VDP Mid-Span Combiner, Powered	445.00
GEC-8VPHUB	8-CH UTP Passive Video Balun Hub, 19", 1U RM	285.00
GEC-DV-FELC	TruVision Extended Length Power & Data Interface Cable for 16X Flush Type, 10'	75.00
GEC-DV-SELC	TruVision Extended Length Power & Data Interface Cable for 16X Pendant/Surface Type, 10'	75.00
GEC-IP2B	UltraView IP Traditional Box Camera, MPEG-4, M-JPEG, PoE, 12VDC/24VAC, SD Reader	499.00
GEC-MP2	Megapixel IP Camera, NTSC, 2MP, MJPEG, Color, 9-12VDC, Poet, Video Surveillance Software (Non Archiving)	865.00
GEC-MP3-DN	Megapixel IP Camera, Day/Night, NTSC, 3MP, MJPEG, Color, 9-12VDC, Video Surveillance Software (Non Archiving)	1095.00

GEC-PVTC-FCSP	UTP Passive Video Balun,	29.00
	Female BNC, w/Surge	
	Protection	
GEC-PVTC-M	UTP Passive Video Balun,	16.00
GEC-PVIC-IVI		16.00
	Male BNC, Screwless Terminal	
GEC-PVTC-MC	UTP Passive Video Balun,	17.00
	Coax w/Male BNC	
GEC-PVTC-MCSP	UTP Passive Video Balun, 9"	26.00
	Coax w/Male BNC w/Surge	
	Protection	
OFO DVTO MOTOD		05.00
GEC-PVTC-MRTSP	UTP Passive Video Balun,	25.00
	Right Angle, Male BNC	
	w/Surge Protection	
GEC-PVTC-MSP	UTP Passive Video Balun,	29.00
	Male BNC w/Surge Protection	
	mane 2110 in our go i roisonon	
GEC-RPK	LITE De els Dese el 1/24 Occasiones	45.00
GEC-RPK	UTP Rack Panel Kit Supports	15.00
	Up to Three 4-port Hubs	
GEC-VCR	UTP Passive Video/Power	24.00
	Balun Combiner	
GEC-VCR12V	UTP Passive VDP Balun	58.00
GLO-VOIC12V	Combiner w/12 VDC Converter	30.00
	Combiner w/12 vDC Converter	
GEC-VIT	Hi-Res Coax Video Isolation	75.00
	Transformer	
GEC-VPDBC	UTP Passive VDP Balun	28.00
	Combiner	
GE-DS-242-POE	24-Port 10/100+2 GigE	850.00
06-00-242-1 06	TP/SFP Full PoE Managed	000.00
	<u> </u>	
	Switch	
GE-DS-82	8-Port 10/100+2 GigE TP/SFP	350.00
	Managed Switch	
GE-DS-82-POE	8-Port 10/100+2 GigE TP/SFP	445.00
	Full PoE Managed Switch	
GE-DSG-244	24-Port 10/100/1000 w/4	995.00
GE-D3G-244		995.00
	Shared SFP Managed Switch	
GE-DSG-8	8-Port 10/100/1000	245.00
	Unmanaged Switch	
GE-DSGH-5	5-Port 10/100/1000 Industrial	200.00
	Unmanaged Switch	
	Offinaliagea Owiteri	
OF D00!! 0	0 D-+ 40/400/4000 1 / 1 / 1	07= 05
GE-DSGH-8	8-Port 10/100/1000 Industrial	275.00
	Unmanaged Switch	
GE-DSH-73	7-Port 10/100+3 GigE TP/SFP	975.00
	Industrial Managed Switch	
OF DOLL 00	0 Dort 40/400 : 0 Oire TD/OFD	075.00
GE-DSH-82	8-Port 10/100+2 GigE TP/SFP	875.00
	Industrial Managed Switch	
GE-DSH-82-POE	8-Port 10/100+2 GigE TP/SFP	950.00
	Industrial Full PoE Managed	
	Switch	
i	OWITOH	

GE-DSSG-244	24-Port Fiber GigE SFP Slots w/8 Shared 10/100/1000Base- T Stackable Managed Switch	1200.00
GE-DSSG-244-POE	24-Port 10/100/1000+4 GigE SFP PoE Stackable Managed Switch	1250.00
GEL-15DV	TruVision LCD 15" Monitor, 1024 x 768, BNC, VGA, S- Video	390.00
GEL-17DV	TruVision LCD 17" Monitor, 1280 x 1024, BNC, VGA, S- Video	450.00
GEL-17DV-RK	Rack Mount Kit for TruVision LCD 17" Monitor, Silver	25.00
GEL-17SV	UltraView LCD 17" Monitor, 1280 x 1024, BNC, VGA, S- Video, DVI, Audio	670.00
GEL-17SV-RK	Rack Mount Kit for UltraView LCD 17" Monitor, Black	25.00
GEL-17VGA	TruVision LCD 17" Monitor, 1280 x 1024, VGA Only	225.00
GEL-19DV	TruVision LCD 19" Monitor, 1280 x 1024, BNC, VGA, S- Video	540.00
GEL-19DV-RK	Rack mount kit for TruVision LCD 19" Monitor, Silver	27.00
GEL-19SV	UltraView LCD 19" Monitor, 1280 x 1024, BNC, VGA, S- Video, DVI, Audio	790.00
GEL-19SV-RK	Rack Mount Kit for UltraView LCD 19" Monitor, Black	27.00
GEL-20SV	UltraView LCD 20" Monitor, 800 x 600, BNC, VGA, S- Video, DVI, Audio	930.00
GEL-26SV	UltraView LCD 26" Monitor, 1366 x 768, BNC, VGA, S- Video, DVI, Audio	1700.00
GEL-32SV	UltraView LCD 32" Monitor, 1366 x 768, BNC, VGA, S- Video, DVI, Audio	1900.00
GEL-42SV	UltraView LCD 42" Monitor, 1366 x 768, BNC, VGA, S- Video, DVI, Audio	2400.00
GEL-SV26-WM	Wall Mount Bracket for UltraView LCD 26" Monitor	75.00
GEL-SV3242-WM	Wall Mount Bracket for UltraView LCD 32" and 42" Monitors	100.00
GEL-SV-DESK	Desktop Leg Mount for UltraView LCD 26", 32" and 42" Monitors	80.00

OFL CWM	Mall Mayor Drocket for	24.00
GEL-SWM	Wall Mount Bracket for TruVision and UltraView	21.00
	Monitors Up to 20", 3-Way	
	Adjustable, 75mm X 75mm	
	VESA	
GM-100-17	High Security Contact	85.75
	Balanced Magnetic Contact	
	Designed Specifically for Safes. Mounting Plate is	
	Included for Almost Any Kind of	
	Safe. UL 634 and 681 Listings	
	Canal Co Canal Co Listings	
GOE-ADD-2D	goEntry 2-Door Add-On	547.95
GOE-ADD-2D2R	goEntry 2-Door Add-On With	739.73
GOE-ADD-2D-BRD	Readers goEntry 2-Door Interface	205.48
OOL-ADD-2D-BND	Module. Board Only.	203.40
GOE-ADD-2D-E	goEntry 2-Door Add-On For	547.95
GOE-ADD-IO	Emea goEntry I/O Expansion Add-On	575.34
IGOL-ADD-IO	goenity 1/0 expansion Add-On	373.34
GOE-ADD-IO-BRD	goEntry I/O Expansion Module	205.48
GOE-ADD-IO-E	goEntry I/O Expansion Add-On	575.34
	For Emea	
GOE-CP-KF-BK-25PK	goEntry Credential - Casi Prox	119.00
	Keyfobs Piano Black - 25 Pack	
GOE-CP-KF-GR-25PK	goEntry Credential - Casi Prox	119.00
	Keyfobs Piano goEntry Green -	
	25 Pack	
GOE-CP-KF-LG-25PK	goEntry Credential - Casi Prox Keyfobs Epoxy Slender -	90.50
	goEntry Logo - 25 Pack	
	goenity Logo - 201 ack	
GOEL1SSA-SYSTEM	goEntry System Support	125.00
	Agreement Level 1 for Call-In	
	Technical Support (Not	
GOE-MEDIAKT	Required for Upgrade) Spare goEntry Software Tool	17.00
	Kit	
GOE-MFC-ISO-50PK	goEntry Credential - Mifare Iso	80.75
	Cards No Magstripe Gloss/Gloss - 50 Pack	
GOE-MFC-ISOM-50PK	goEntry Credential - Mifare Iso	93.00
GOL WII O IOOWI JOI K	Cards 2750Oe Magstripe	33.00
	Gloss/Gloss - 50 Pack	
GOE-MFC-KF-BK-25PK	goEntry Credential - Mifare	124.00
GOE-IVIPO-KF-BK-25PK	Keyfobs Piano Black - 25 Pack	124.00
GOE-MFC-KF-GR-25PK	goEntry Credential - Mifare	124.00
	Keyfobs Piano goEntry Green -	
GOE-MFC-KF-LG-25PK	25 Pack goEntry Credential - Mifare	105.00
GOL-IVII G-KI -LG-ZOFK	Keyfobs Epoxy Slender -	105.00
	goEntry Logo - 25 Pack	

	T =	
GOE-PRX-CLAM-50PK	goEntry Credential - Hid Proxcard li Clamshell Design	110.25
	Cards - 50 Pack	
GOE-PRX-ISO-50PK	goEntry Credential - Hid Prox Iso Cards - 50 Pack	206.85
GOE-PRX-KF-50PK	goEntry Credential - Hid Prox Keyfobs - 50 Pack	222.00
GOE-RDR-LRN	goEntry Enrollment Reader	200.00
GOE-SYS-2D	goEntry 2-Door Base System	821.92
GOE-SYS-2D2R	goEntry 2-Door Base Sytem With Readers	995.00
GOE-SYS-2D-E	goEntry 2-Door Base System For Emea	821.92
GOE-SYS-BRD	goEntry System Controller	684.93
GS600-W	Inertia Shock Sensor, Mini, White	13.27
GS610-B	Inertia Shock Sensor, Brown, 10-15 VDC. Designed for Use w/Analyzer Modules. 6' Jacketed Cable	15.74
GS610-W	Inertia Shock Sensor, White, 10-15 VDC. Designed for Use w/Analyzer Modules. 6' Jacketed Cable	15.74
GS614-W	Single Zone Analyzer	34.77
GS615-W	Single Zone Analyzer, Terminal Reset	47.34
GT-2	Glass Break Tester	42.36
H28227124LNL26DLH	ASSA ABLOY, Harmony 8200 Series Mortise Lock, HID iClass reader UTC 5502 Format, 24VDC, Key override and no deadbolt, Fail Secure, Satin chrome, Left Hand	747.50
H28227124LNL26DLHR	ASSA ABLOY, Harmony 8200 Series Mortise Lock, HID iClass reader UTC 5502 Format, 24VDC, Key override and no deadbolt, Fail Secure, Satin chrome, Left Hand Reverse	747.50
H28227124LNL26DRH	ASSA ABLOY, Harmony 8200 Series Mortise Lock, HID iClass reader UTC 5502 Format, 24VDC, Key override and no deadbolt, Fail Secure, Satin chrome, Right Hand	747.50

H28227124LNL26DRHR	ASSA ABLOY, Harmony 8200	747.50
	Series Mortise Lock, HID iClass reader UTC 5502 Format, 24VDC, Key override and no deadbolt, Fail Secure, Satin chrome, Right Hand Reverse	
H2887624VETL32DLHR	ASSA ABLOY, IWP iClass Rim Exit Device L Lever Satin Chrome 24VDC Left Hand Reverse Fail Secure	1621.25
H2887624VETL32DRHR	ASSA ABLOY, IWP iClass Rim Exit Device L Lever Satin Chrome 24VDC Right Hand Reverse Fail Secure	1621.25
HCP12SA	Switching Power Supply, Board Only, High Current Switching Power Supply/Recharger. Use to Power Systems Requiring an External 12VDC Power Source. Maximum Output of 2AMPs. Board Only, 12VDC, 2A	41.57
HID-2102PGGSN	Iclass Card, Composite, 16K Bits With 16 Application Areas, Programmed Iclass. Specify Programming Information, Plain White With Gloss Finish, Plain White With Gloss Finish, Sequential Internal/Sequential Non- Matching	6.25
HID-6120	Iclass R40 Contactless Smart Card Reader: Us, European & Asian Back Box Mount - (Wiegand) Read-Only, Rohs Compliant	165.00
HID-6130	Iclass Rk40 Contactless Smart Card Reader: With Keypad - (Wiegand) Us, European & Asian Back Box Mount Read- Only, Rohs Compliant	306.00
HID-6136	Iclass Rpk40 Combination Tech Reader: Hid, Awid, Or Indala Prox, Iclass & Fip201 Us, European & Asian Back Box Mount - (Wiegand) Read Only, Rohs Compliant	348.00

LUB 04.45	1 5.450 1	
HID-6145	Iclass Rp15 Combination Tech Reader: Hid, Awid Or Indala Prox, Iclass & Fips201-Mullion Mount (Wiegand) Read Only, Rohs Compliant	188.00
HID-RP40-PIV	HID RP40 PIV Smart Card Reader, Black	191.25
HID-RPK40-PIV	HID RPK40 PIV Smart Card Reader w/Keypad, Black	347.50
HLG-240-48	48VDC High Temperature Industrial Power Supply	145.00
IDB-2102	Legend Flush Housing Clear Acrylic Dome	74.00
IDB-2103	Legend Flush Housing Smoke Acrylic Dome	74.00
IDB-2104	Legend Flush Housing Chrome Acrylic Dome	242.00
IDB-2122	Legend Flush Housing Clear Polycarbonate Dome	100.00
IDB-2123	Legend Flush Housing Smoke Polycarbonate Dome	100.00
IDB-2202	Legend Pendant Housing Clear Acrylic Dome	95.00
IDB-2203	Legend Pendant Housing Smoke Acrylic Dome	95.00
IDB-2205	Legend Pendant Housing Gold Acrylic Dome	305.00
IDB-2322	Legend Clear Polycarbonate Dome	100.00
IDB-2323	Legend Smoke Polycarbonate Dome	100.00
IDB-2402	Legend Rugged Housing Clear Acrylic Dome	126.00
IDB-2403	Legend Rugged Housing Smoke Acrylic Dome	126.00
IDB-2502	Legend Heavy Duty Housing Clear Acrylic Dome	126.00
IDB-2523	Legend Heavy Duty Housing Smoke Polycarbonate Dome	153.00
IDH-5200	Legend Housing w/Sun Shield for Pendant/Wall/Rugged Versions	65.00
IDH-5201	Legend Pendant Mount Housing, Coax/UTP	357.00
IDH-5202	Legend Pendant Mount Housing, Htr/Fan, Coax/UTP	473.00
IDH-6101	Legend IP Flush Mount Housing, Coax/UTP	294.00
IDH-6201	Legend IP Pendant Mount Housing, Coax/UTP	357.00

IDH-6202	Legend IP Pendant Mount	473.00
	Housing, Htr/Fan, Coax/UTP	
IDH-6301	Legend IP Plenum Rated Flush	329.00
	Mount Housing, Coax/UTP	
	3, 1111	
IDH-6501	Legend IP Heavy Duty	572.00
	Housing, Wall Mount,	
	Coax/UTP	
IDP-1113	Legend IP 18X Color PTZ	1653.00
	Camera, NTSC, Ethernet	
IDP-1114	Legend IP 18X Color PTZ	1653.00
	Camera, Pal, Ethernet	
IDP-1302	Legend 26X Day/Night PTZ	1890.00
	Camera, Pal	
IDP-1303	Legend IP 26X Day/Night PTZ	2165.00
	Camera, NTSC, Ethernet	
	, ,	
IDP-1311	Legend 26X Day/Night PTZ	1640.00
	Camera w/Image Stabilizer,	
	NTSC	
IDP-1312	Legend 26X Day/Night PTZ	1640.00
	Camera w/Image Stabilizer,	
	Pal	
IDP-1313	Legend IP 26X Day/Night PTZ	1915.00
10.0	Camera w/Image Stabilizer,	1010.00
	NTSC, Ethernet	
IDP-1314	Legend IP 26X Day/Night PTZ	1915.00
101-1014	Camera w/Image Stabilizer,	1313.00
	Pal, Ethernet	
IDP-1401	Legend, Pan/Tilt, 36X	2008.00
IDF-1401	Day/Night Camera, NTSC	2000.00
IDP-1403	Legend IP, Pan/Tilt, 36X	2283.00
IDF-1403	Day/Night Camera, NTSC,	2203.00
	Ethernet	
IDP-1404	Legend IP, Pan/Tilt, 36X	2283.00
IDF-1404	Day/Night Camera, PAL,	2203.00
	Ethernet	
IGC-1326LSSMV-37		2.08
19C-1326L33WV-37	Proxcard II Clamshell, standard artwork matte front/molded	2.00
	logo back, sequential match	
	internal and external, Vertical	
	slot, 37-bit.	
	Siot, 37-bit.	
IGC-1336LGGMN-26	Duoprox II, white gloss	5.16
IGC-1330LGGIVIN-20	front/white gloss back with	5.10
	magstripe, sequential match	
	internal and external, no slot,	
	26-bit, specify facility code and	
	start number number internal	
	and external id - min Quantity,	
	100	
	100	
100 40401 00521 07	December 1117 C. L. 1711	2
IGC-1346LSSMN-37	Proxkey II Keyfob, Hid logo	3.97
	front/standard back, sequential	
	match internal and external,	
	slot, 37-bit	

_		
IGC-1351LBSMN-35	Proxpass Active Vehicle Id Tag, standard beige front/Hid logo back, sequential matching internal and external, corporate 1000 / 35-bit	30.19
IGC-1351LBSMN-37	Proxpass Active Vehicle Id Tag, standard beige front/Hid logo back, sequential matching internal and external, 37-bit	30.19
IGC-1386LGGMV-26	Isoprox II, white gloss front/white gloss back, 35-bit format, specify corporate 1000 format code, matching internal and external, no slot	3.78
IGC-1386LGGSN-37	Isoprox II white gloss front/white gloss back, no slot punch, 37-bit format, sequential non-matching internal /external number. Specify format number, facility code, company code and card numbers. Minimum purchase quantity 100	4.56
IGC-1386LGSSN-37	Isoprox II white gloss front/standard artwork gloss back, no slot punch, 37-bit format, sequential nonmatching internal /external number. Specify format code, facility code, company code and card numbers.	4.56
IGC-1391LKSMN-26	Microprox Tag, black with Hid logo front/adhesive back, sequential match internal and external, 26-bit	2.84
IGC-1391LKSMN-35	Microprox Tag, black with Hid logo front/adhesive back, sequential match internal and external, corporate 1000 / 35 bit	3.02
IGC-2000PG1MN	iClass Contactless Smart Card (2K, iClass Sector Prog, white pvc gloss front and back with magstripe, sequential match internal and external, no slot)	5.09
IGC-2000PGGMN	iClass Contactless Smart Card (2K, iClass Sector Prog, white pvc gloss front and back, sequential match internal and external, no slot)	4.53

100 000 000 000 000 000 000	liou p o : · · o ·	
IGC-2020BGGMNN	iClass Prox Contactless Smart Card (2K, iClass Sector & Prox Prog, white pvc gloss front and back, iClass sequential match internal and external, no slot, no external Prox Id)	7.93
IGC-2060PKSMN	iClass Contactless Smart Tag (2K, iClass Sector Prog, Black With Hid Logo, sequential match internal and external, self adhesive back)	3.78
IGC-MSCSTDE	Standard magnetic stripe card encoded, non matching internal and external Id, Pvc, high coercivity, white gloss front/white gloss back, no slot punch.	1.71
IGP-105912-003	ELTRON, Adhesive Cleaning Roller, 5 Pack	36.75
IGP-1324GAN21	Quantity 1 Adhesive .020" PVC direct image white gloss overlay for ProxCard II clamshell cards, no slot. Per piece price.	0.98
IGP-1324GAN22	Quantity 1 Adhesive .020" PVC direct image white gloss overlay for ISOProx II cards, no slot. Per piece price.	0.98
IGP-800015-140	ELTRON, YMCKO 5 Panel Ribbon, 200 count	101.06
IGP-CJV-1	Professional Color Video Camera. Includes AC adapter and cables for connection to video capture board.	1837.50
IGP-SPUNCH-HND	Hand slot punch tool	115.50
IGR-04000103	Security Tool for Tamper Proof Screws on iClass readers	15.75
IGR-10SBPK-IGB	Short surface mount finish backplate for RMS10, industrial grade, black	15.75
IGR-10SBPK-IGW	Surface mount finish backplate for RMS10, industrial grade, off- white	15.75
IGR-12FRJ45-CBL	12 ft. cable, RJ45 to flying leads for optional external reader on IKE-00RD version	15.75
IGR-16KMD0L-IKE	Replacement 16 button keypad membrane for IKE, display window no LEDs	38.06

IGR-16KMD1L-IKE	Replacement 16 button keypad	38.06
TOTAL TOTAL TELEVISION	membrane for IKE, display	00.00
	window with LEDs	
IGR-5365CBP00	MiniProx proximity reader, 5"	166.69
	range, 5-16VDC, beige with	
	pigtail.	
IGR-6100R10	iClass R10 Smart Card	120.75
	Reader, Door Frame/ Mullion	
	Mount	
IGR-6120R40	iClass R40 Smart Card	215.25
	Reader, US Single Gang	
	Mount	
IGR-6130RK40	iClass RK40 Smart Card	325.00
	Reader with Keypad, US	
105 -1015	Single Gang Mount	
IGR-6131RWK400	iClass RWK400 Smart Card	468.56
	Reader/Writer with Keypad, US	
	Single Gang Mount	
IGR-KTPSH34S	ESSEX Stainless Steel Spy	76.13
1GK-K1F311343	Proof Housing for 12 Pad	70.13
	(3x4), non illuminated	
IGR-RMS10H-IGW	RMS10 Mag Stripe Reader,	283.50
TOR TAMOTOR TOW	ABA Track 2, short mullion	200.00
	mount, standard mount	
	bracket, industrial grade	
	housing, withheater, off-white	
IGR-RMS10S-IGB	RMS10 Mag Stripe Reader,	177.19
	ABA Track 2, short mullion	
	mount, standard mount	
	bracket, industrial grade	
	housing, black	
IGR-RMS10S-IGW	RMS10 Mag Stripe Reader,	177.19
	ABA Track 2, short mullion	
	mount, standard mount	
	bracket, industrial grade	
LOD DMOMA O EVE	housing, off-white	0.1.0.1
IGR-RMSMAG-EXT	Mag Stripe Extender for	64.31
	RMS10 (Allows up to 500' between reader and RRE)	
IGR-RPX2WB	Proximity2 Integrated Card	1050.00
IGK-KPAZWD	Reader with12-Key Keypad	1050.00
	And LCD Status Display,	
	Weatherized	
IGR-TPSSCRW-IKE	Tamper Proof security screws	7.88
TOR TI GOORW IRE	(12 Pack)	7.00
IKE-00RDIGW	IKE Keypad LCD Display	547.31
	Unit/Controller, Industrial	
	Grade, off-white	
IKE-1MAGIGW	IKE Keypad LCD Display	716.63
	Unit/Controller with Track 2	
	Mag Stripe Reader, Surface	
	mount finish back plate,	
	industrial grade, off-white	

I=	
Fargo DTC 550 and HDP 600 PolyGuard 1.0 mil Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules).	35.47
Backdrop, Light Blue, Wrinkle- Resistant Nylon Micro-Suede Material Measuring 34 X 28"	37.56
Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications	186.54
Backdrop, White, Wrinkle- Resistant Nylon Micro-Suede Material Measuring 34 X 28"	37.56
Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads	41.69
Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images	196.13
Thermal Printhead (configured for field replacement) for DTC 550	729.25
Fargo DTC 550 Ribbon, YMCKO: Full-color ribbon with resin black and clear overlay panel – 500 images	215.75
Fargo YMCKO Full-Color Ribbon with Resin Black and Clear Overlay Panel – 500 Images	190.00
Fargo Premium Black (K) Ribbon – 3000 Images	104.00
Fargo Standard Black (K) Ribbon – 3000 Images	26.00
Fargo YMCKOK Full-Color Ribbon with two Resin Black Panels and Clear Overlay Panel – 500 Images	216.00
Fargo DTC 550 Dual Side base model printer	4220.55
Fargo DTC 550 Dual Side printer with Smart Card Encoder	5717.22
Fargo DTC 550 Lamination Module	1877.88
	Overlaminate, Clear, 125 count. (Now compatible with DTC and HDP lamination modules). Backdrop, Light Blue, Wrinkle- Resistant Nylon Micro-Suede Material Measuring 34 X 28" Back Drop Stand Sturdy, Lightweight Easy to Assemble and Dismantle. Can be Used for Both Sitting or Standing Applications Backdrop, White, Wrinkle- Resistant Nylon Micro-Suede Material Measuring 34 X 28" Fargo DTC 550 Cleaning Kit – includes 2 Printhead Cleaning Pens, 10 Cleaning Cards, 10 Cleaning Pads Fargo DTC 550 Ribbon, YMCKOK: Full-color ribbon with two resin black panels and clear overlay panel – 400 images Thermal Printhead (configured for field replacement) for DTC 550 Fargo DTC 550 Ribbon, YMCKO: Full-color ribbon with resin black and clear overlay panel – 500 images Fargo YMCKO Full-Color Ribbon with Resin Black and Clear Overlay Panel – 500 Images Fargo Premium Black (K) Ribbon – 3000 Images Fargo Standard Black (K) Ribbon – 3000 Images Fargo YMCKOK Full-Color Ribbon with two Resin Black Panels and Clear Overlay Panel – 500 Images Fargo TTC 550 Dual Side printer with Smart Card Encoder Fargo DTC 550 Lamination

IMGPR-F550SS	Fargo DTC 550 Single Side	2906.03
IIVIGER-F00000	base model printer	2906.03
IMGPR-F550SSSC	Fargo DTC 550 Single Side Printer With Smart Card Encoder	4467.00
IMGPR-F550SSSM	Fargo DTC 550 Single side Printer with Smart Card and ISO Magstripe Encoder	5037.64
IMGPR-FRGO-49000	Fargo DTC 4500 Single-Sided Base Model USB and Ethernet Printer	2584.00
IMGPR-FRGO-49010	Fargo DTC 4500 Single-Sided Base Model Printer with ISO Magnetic Stripe Encoder	3068.00
IMGPR-FRGO-49100	Fargo DTC 4500 Dual-Sided Base Model USB and Ethernet Printer	3392.00
IMGPR-FRGO-49110	Fargo DTC 4500 Dual-Sided Base Model Printer with ISO Magnetic Stripe Encoder	3875.00
IMGPR-FRGO-49400	Fargo DTC 4500 Single-Sided Base Model USB and Ethernet Printer with Single-Sided Lamination	4603.00
IMGPR-FRGO-49410	Fargo DTC 4500 Single-Sided Base Model Printer with ISO Magnetic Stripe Encoder and Single-Sided Lamination	5087.00
IMGPR-FRGO-49500	Fargo DTC 4500 Dual-Sided Base Model USB and Ethernet Printer with Dual-Sided Lamination	5411.00
IMGPR-FRGO-49510	Fargo DTC 4500 Dual-Sided Base Model Printer with ISO Magnetic Stripe Encoder and Dual-Sided Lamination	5895.00
INFUPG-PPFCC	Informix License IDS v9 Upgrade per/server - Only Required if upgrading from Picture Perfect versions 1.5.X or older to Picture Perfect versions 2.X or higher	1064.00
IS-TS-0700-STAND-BFX	Fixed Touch Screen Stand, Black	39.50
IS-ZW-AM-1	Appliance Module, Z-Wave, Interactive Services	42.00
IS-ZW-DS-1	Dimmer Switch, Z-Wave, Interactive Services	45.00
IS-ZW-LM-1	Lamp Module, Z-Wave, Interactive Services	44.00
IS-ZW-OM-1	Outdoor Module, Z-Wave, Interactive Services	47.00

IS-ZW-RC-1	Remote Control, Z-Wave, Interactive Services	45.00
IS-ZW-TSTAT-100	Basic Thermostat, Z Wave, Interactive Services	55.00
IS-ZW-TSTAT-300	Advanced Thermostat, Z- Wave	114.00
IS-ZW-WR-1	Wall Receptacle, Z-Wave, Interactive Services	48.00
IS-ZW-WS-1	Wall Switch, Z-Wave, Interactive Services	44.00
KLC-PS-4	Power Supply, GEL-15DV, GEL-17DV, GEL-19DV Series	25.00
KLC-PS-8	Power Supply, GE:-20SV	55.00
KTB-1	Camera Mount, Plastic	5.00
KTB-2	Camera Mount, Metal	12.00
KTB-4CF	Camera Bracket, Metal w/Cable Feed Through	14.00
KTD-00-348	Rack-Mount Ears for KTD-348 Switcher Chassis, 2 Rack Units	28.00
KTD-01-348	Input Expansion Kit, Increases Video Inputs from 16 to 32	153.00
KTD-02-348	Output Expansion Kit, Increases Video Outputs from 4 to 8 (KTD-01-348 Required)	441.00
KTD-125	Weatherproof PTZ Receiver, Drives Medium or Heavy Duty 115VAC PTZ	483.00
KTD-125-24	Weatherproof PTZ Receiver, Drives Medium or Heavy Duty 24VAC PTZ	520.00
KTD-125P	KTD-125 with Preset Option, Allows Up to 10 Programmed Presets	515.00
KTD-125P-24	KTD-125-24 with Preset Option, Allows Up to 10 Programmed Presets	552.00
KTD-127	PTZ Receiver, Drives Light Duty 24VAC PTZ Requiring Less Than One Amp	300.00
KTD-134	Turnstile/Gate Receiver	315.00
KTD-135	Door Receiver	184.00
KTD-138	Auxiliary 4-Function Receiver	184.00
KTD-304R	Variable-Speed Controller Keypad, Same As KTD-404, Rack-Mount Design	788.00
KTD-304RA	Variable-Speed Controller Keypad, Same As KTD-404A, Rack-Mount Design	1040.00
KTD-312	RS232 Interface Module/Data Merger, Bi-Directional, RS422 Input and Output	263.00

L/TD 040		150.00
KTD-313	Data Converter, AD	158.00
	Manchester, Diamond Protocol	
	to Digiplex, 2-Way	
KTD-313-1	Code Converter, RS422	158.00
	Interface	
KTD-314	Code Converter, Pelco	132.00
	Coaxitron Extended Control	
	Protocol To Digiplex	
KTD-314-1	Code Converter, Digiplex to	132.00
	Pelco, Coaxitron Extended	
	Control Protocol	
KTD-336	Audio Converter, Transmits	301.00
	Audio via Viberoptic,	
	Microwave, Optical or	
	Broadband Channels	
KTD-336-1	Audio Interface Unit, Mod: 8	552.00
	POS Switch	
KTD-350	Relay Follow Card, 64 x 1	405.00
	Relay Output	
KTD-352	Relay Follow Chassis, Accepts	573.00
	One KTD-350	- 32
KTD-400	Multi-Speed Controller Keypad,	368.00
=	Controls 512 PTZ Sites, 64	
	Switched Monitors,	
	Multiplexers	
KTD-404	Variable-Speed Controller	683.00
1112 101	Keypad, Controls 512 PTZ	000.00
	Sites, 64 Switched Monitors,	
	Multiplexers	
KTD-405	Three-Axis Variable-Speed	683.00
1(1) 400	Controller Keypad. Controls	000.00
	2,048 PTZ Sites, 256 Switched	
	Monitors, Multiplexers,	
	DVMRe, DVR, VCR	
KTD-405-2D	Variable-Speed Desktop	385.00
I(1D- 1 03-2D	Keypad, 37 Key, 2-Axis	303.00
	Joystick, Calibur/Digiplex	
KTD-405A	Three-Axis Variable-Speed	935.00
N1D-400A	Controller Keypad. Controls	933.00
	2,048 PTZ Sites, 256 Switched	
	Monitors, Multiplexers,	
	DVMRe, DVR, VCR, 2 watt-	
	8ohm Audio Amplifier	
	ooriiii / taalo / tiiipiinoi	
KTD-410	RS232 ASCII to RS422	142.00
K1D-410		142.00
	Digiplex Converter, RS422	
VTD 444	Output Only	07.00
KTD-411	Download Software for	27.00
	Programming Digiplex IV	
	System from Computer	
KTD-415	Preset Alarm Interface Module,	184.00
	16 Alarm Contact Inputs,	
	Activates Presets 0-15 on	
	Receiver	
KTD-440	Master Switcher Chassis, Up to	1680.00
KTD-440	Master Switcher Chassis, Op to	
KTD-440	64 Video Inputs by 32 Monitor	

KTD-440G	Gathering Panel, Video Signal Manager	2100.00
KTD-440N	Monitor Expansion Chassis, Expands System by 32 Monitor Outputs	1785.00
KTD-440S	Remote Matrix Chassis	1680.00
KTD-441-1	Matrix Switcher, Slave, Cameras 64-127	1575.00
KTD-441-2	Matrix Switcher, Slave, Cameras 128-191	1575.00
KTD-441-3	Matrix Switcher, Slave, Cameras 192-255	1575.00
KTD-441-4	Matrix Switcher, Slave, Cameras 256-319	1575.00
KTD-441-5	Matrix Switcher, Slave, Cameras 320-383	1575.00
KTD-441-6	Matrix Switcher, Slave, Cameras 384-447	1575.00
KTD-441-7	Matrix Switcher, Slave, Cameras 448-511	1575.00
KTD-442	Expansion Chassis, Accepts Inputs from KTD-442 for Monitors 33-64	2100.00
KTD-443	Video Input Card, 64 x 16 Video Crosspoint Switch	1103.00
KTD-444	Monitor Output Card, Controls 4 Monitor Outputs	420.00
KTD-444-1	KIT,KTD-446,One KTD-444	604.00
KTD-446	Chassis Power Supply	184.00
KTD-447	CPU Card, Master Switcher Control Card	525.00
KTD-449	Monitor Expansion Cable to Connect Between the Master/Slave Chassis and the Monitor Expansion Chassis	200.00
KTD-460	Alarm Input Module, 16 Supervised Contacts	184.00
KTD-463	Alarm Input Chassis, Up to 16 KTD-460 Alarm Input Modules Can Be Connected	578.00
KTD-4M-128X16	128 x 16	7140.00
KTD-4M-128X24	128 x 24	10185.00
KTD-4M-128X32	128 x 32	11025.00
KTD-4M-128X4	128 x 4	5880.00
KTD-4M-128X8	128 x 8	6300.00
KTD-4M-192X12	192 x 12	11498.00
KTD-4M-192X16	192 x 16	11918.00
KTD-4M-192X20	192 x 20	15645.00
KTD-4M-192X24	192 x 24	16065.00
KTD-4M-192X32	192 x 32	16905.00
KTD-4M-192X4	192 x 4	10658.00
KTD-4M-192X8	192 x 8	11078.00

KTD-4M-320X32	320 x 32	24465.00
KTD-4M-64X12	64 x 12	4043.00
KTD-4M-64X16	64 x 16	4463.00
KTD-4M-64X32	64 x 32	7245.00
KTD-4M-64X4	64 x 4	3203.00
KTD-4M-64X8	64 x 8	3623.00
KTD-83	RS422 Data Signal Distributor, Provides 6 Separate RS422	158.00
	Outputs From Single Input	
KTD-83-16	RS422 Data Signal Distributor,	263.00
	Provides 16 Separate RS422 Outputs From Single Input	
KTD-86	DTMF Signal Merger, 6 DTMF Signals Merged and Amplified to One Common Output	174.00
KTD-87	RS422/RS232 Converter (selectable)	76.00
KTD-93	Auxiliary Device Driver, Remote View Control of One Multiplexer or VCR	142.00
KTL-2.5-10VA	2.5-10mm, f 1.4, Varifocal, DC Auto Iris Lens	63.00
KTL-2.5-10VM	2.5-10mm, f 1.4 Varifocal Manual Iris Lens	51.00
KTL-2.7-13.5VA	2.7-13.5mm, f 1.3, Varifocal, DC Auto Iris Lens	97.00
KTL-2.7-13.5VM	2.7-13.5mm, f 1.3, Varifocal Manual Iris Lens	78.00
KTL-2.8-8VA	2.8-8mm, f0.95, Varifocal Auto Iris Lens	104.00
KTL-2.8-8VM	2.8-8mm, f0.95, Varifocal Manual Iris Lens	61.00
KTL-2.8M	2.8mm, f 1.3, Manual Iris Lens	62.00
KTL-3.0-8.0VA	3-8mm, Varifocal, F1.0, IR Corrected, DC Auto Iris Lens	104.00
KTL-3.5-8VA	3.5-8mm, Varifocal, DC Auto Iris Lens	104.00
KTL-3.5-8VM	3.5-8mm, f 1.3, Varifocal Manual Iris Lens	61.00
KTL-4A	4mm, f 1.2, DC Auto Iris Lens	72.00
KTL-4M	4mm, f 1.2, Manual Iris Lens	48.00
KTL-5-50VA	5-50mm, Varifocal, DC Auto Iris Lens	164.00
KTL-5-50VM	5-50mm, f 1.8, Varifocal Manual Iris Lens	147.00
KTL-7-70VA	7-70mm, f 1.8, Varifocal, DC Auto Iris Lens	132.00
KTL-8A	8mm, f 1.2, DC Auto Iris Lens	68.00

KTL MD 42 FM	12 Fmm High Desclution Law	105.00
KTL-MP-12.5M	12.5mm, High Resolution, Low Distortion Megapixel 1/2" Lens,	185.00
	Fixed Focal Length, Manual Iris	
	Lens (Recommended	
	Accessory for IP Megapixel	
	Cameras)	
KTM-RK-15	Rack-Mount Kit for 15-inch	104.00
	Color Monitor	
KTM-RK-19	Rack-Mount Kit for 19-inch	104.00
	Color Monitor	
KTP-24	24 VAC/100 VA Outdoor Power	104.00
	Supply	
KTP-24-16-200	Indoor Power Supply, 16	142.00
	Fused 24 VAC Outputs, 200VA	
KTP-24-4I-200	Indoor Power Supply, 4	95.00
	Isolated and Fused 24 VAC	
	Outputs, 200VA	
KTP-24-4I-400	Indoor Power Supply, 4	163.00
	Isolated and Fused 24 VAC	
	Outputs, 400VA	
KTP-24-8	24 VAC Multiple-Output Power	167.00
	Supply, 8 Isolated Outputs, 24	
	VA Per Output	
KTP-24-8-100	Indoor Power Supply, 8 Fused	90.00
	24 VAC Outputs, 100VA	
KTP-24-8I-400	Indoor Power Supply, 8	163.00
1011 24 01 400	Isolated and Fused 24 VAC	100.00
	Outputs, 400VA	
KTP-24C	24 VAC/56VA Outdoor Power	104.00
1011	Supply	101.00
KTS-250	1 x 8 or 2 x 4 Video Distribution	174.00
1110 200	Amplifier	17 1.00
KTS-250-16	16-channel Distribution	665.00
	Amplifier, 4 Outputs per	
	Channel	
KTS-253	Time/Date/Title Generator,	347.00
	One Video Channel Output	
KTS-253-16	16-channel Master	1150.00
	Time/Date/Title Generator	
KTS-55	Alphanumeric Character	182.00
	Display Unit	
KTS-56	V-Phase Adjustment Tool,	79.00
	Portable, Powered by 9 Volt	
	Battery	
LABORHR	Labor, portal-to-portal,	2100.00
	including travel time, daily rate	
LABORHRSAT	Saturday, Price per hour.	250.00
LABORHRSUN	Sunday and Holiday. Price per	250.00
	hour.	
LABORHRWD	Monday thru Friday 8:00 AM -	200.00
	7:00 PM. Price per hour.	
LABORHRWN	Monday thru Friday 7:00 PM -	250.00
	8:00 AM. Price per hour.	
LL101B-M-R/XXXX	N/A - Video and Audio	447.50
	Monaural multiplexer, Rack	

M2KP-4DRKIT500B	M2000 4 Door Kit (1)	2120.62
M2KP-4DKKI1500B	M2000 4 Door Kit - (1) M2KPXNplus 110Vac, (4) M/R- J Boxes, (4) T500SW Readers black mullion mount (4) Back plates black for single-width USA elect box mounting	2129.62
M2KP-4DRKIT500G	M2000 4 DOOR KIT - (1) M2KPXNPLUS 110VAC, (4) M/R-J BOXES, (4) T500SW READERS GRAY MULLION MOUNT (4) BACK PLATES GRAY FOR SINGLE-WIDTH USA ELECT BOX MOUNTING	2129.62
M2KP-4DRKIT520B	M2000 4 Door Kit - (1) M2KPXNplus 110Vac, (4) M/R- J Boxes, (4) T520SW Readers black single-width USA elect box mount	2264.23
M2PBMPP	M2000 PXNplus, Picture Perfect , electronics kit, Serial & Ethernet 10/100Mb, PXNplus CPU + I/O board, (no cabinet)	1942.50
M2PBMSP	M2000 PXNplus, FC Wnx, Secure Perfect , electronics kit, Serial & Ethernet 10/100 Mb, PXNplus CPU + I/O board, (no cabinet)	1942.50
M2PBMSP-DN	M2000 PXNplus, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, electronics kit, Serial & Ethernet 10/100 Mb, PXNplus CPU + I/O board, Dual NIC, (no cabinet)	2192.50
M2PMPP1	M2000 PXNplus, Picture Perfect , Serial & 10/100 Mb Ethernet,110VAC, with standard M2000 enclosure	1995.00
M2PMPP2	M2000 PXNplus, Picture Perfect , Serial & 10/100 Mb Ethernet, 230VAC, with standard M2000 enclosure	1995.00
M2PMSP1	M2000 PXNplus, FC Wnx, Secure Perfect , Serial & 10/100 Mb Ethernet, 110VAC, with standard M2000 enclosure	1995.00
M2PMSP1-DN	M2000 PXNplus, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, Serial & 10/100 Mb Ethernet, Dual NIC, 110VAC, with standard M2000 enclosure	2245.00

140014000	MOOOO DYN I FO W	1005.00
M2PMSP2	M2000 PXNplus, FC Wnx, Secure Perfect , Serial & 10/100 Mb Ethernet, 230VAC, with standard M2000 enclosure	1995.00
M2PMSP2-DN	M2000 PXNplus, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, Serial & 10/100 Mb Ethernet, Dual NIC, 230VAC, with standard M2000 enclosure	2245.00
МЗРРМРР	M3000PXNplus, Picture Perfect , Serial & Ethernet 10/100Mb,110 / 230VAC, with standard M3000 enclosure	2362.50
M3PPMSP	M3000PXNplus, FC Wnx, Secure Perfect , Serial & Ethernet 10/100Mb, 110 / 230VAC, with standard M3000 enclosure	2362.50
M3PPMSP-DN	M3000PXNplus, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, Serial & Ethernet 10/100Mb, Dual NIC, 110 / 230VAC, with standard M3000 enclosure	2612.50
М5РВМРР	PXNplus CPU Card kit, Picture Perfect, Serial & Ethernet 10/100Mb. Upgrade M/5PX(N) or M/PX(N)-2000	1312.50
M5PBMSP	PXNplus CPU Card kit, FC Wnx, Secure Perfect, Serial & Ethernet 10/100Mb. Upgrade M/5PX(N) or M/PX(N)-2000	1312.50
M5PBMSP-DN	PXNplus CPU Card kit, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, Serial & Ethernet 10/100Mb, Dual NIC. Upgrade M/5PX(N) or M/PX(N)- 2000	1562.50
M5POMPP	M5 PXNplus, Picture Perfect OEM - Serial & Ethernet, 10/100Mb, does not include M5 enclosure	2047.50
M5POMSP	M5 PXNplus, FC Wnx, Secure Perfect OEM - Serial & Ethernet, 10/100Mb, does not include M5 enclosure	2047.50

MEDOMOD DN	ME DVNIsh - FO Was 7.0 - a	0007.50
M5POMSP-DN	M5 PXNplus, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, OEM - Serial & Ethernet, 10/100Mb, Dual NIC, does not include M5 enclosure	2297.50
M5PRMPP	M5 PXNplus, Picture Perfect - Serial & Ethernet, 10/100Mb, with standard M5 enclosure	2100.00
M5PRMSP	M5 PXNplus, FC Wnx, Secure Perfect - Serial & Ethernet, 10/100Mb, with standard M5 enclosure	2100.00
M5PRMSP-DN	M5 PXNplus, FC Wnx 7.6 or higher, Licensed for ACU Feature Support, Standard M5 Enclosure, Serial & Ethernet, 10/100Mb, Dual NIC	2350.00
MC100FX-TX-POE	Ethernet to Fiber (2MM) 10/100 w/PoE Injector Media Converter	175.00
MC201-1P/1FS	Fast Ethernet/PoE-AF to Fiber Media Converter SM - 15km	225.00
MC250-1T/1S	Fast Ethernet To SFP Industrial Media Converter (-40 To 75 Degree C)	200.00
MC250-4T/1CXT	4-Port Fast Ethernet to 1 Port Coax/ UTP Industrial Media Converter	250.00
MC250-4T/1FM	4-Port Fast Ethernet To 1-Port mm Fiber Industrial Media Converter - 2km (-40 To 75 Degree C)	275.00
MC250-4T/1FS	4-Port Fast Ethernet To 1-Port SM Fiber Industrial Media Converter - 15km (-40 To 75 Degree C)	325.00
MC250-4T/2S	4-Port Fast Ethernet To 2-Port SFP Fiber Industrial Media Converter (-40 To 75 Degree C)	175.00
MC251-4P/1CXT	4-Port Fast Ethernet/POE-AF To 1-Port COAX/UTP Industrial Media Converter (-40 To 75 Degree C)	325.00
MC251-4P/1S	4-Port Fast Ethernet/POE-AF To 1-Port SFP Industrial Media Converter (-40 To 75 Degree C)	325.00
MC352-1P/1S	GIGABIT Ethernet To SFP Industrial Media Converter With POE-AT (-40 To 75 Degree C)	375.00

MC355-1T/1S	Gigabit Ethernet to SFP Industrial Managed Media Converter (-30 to 75 Degrees	325.00
MC-4TX1FXMM-2KM	C) 4 Ethernet to 1 Fiber (2MM) 10/100 Industrial Media	220.00
	Converter - 2km	
MC-4TX1FXSM-15KM	4 Ethernet to 1 Fiber (2SM) 10/100 Industrial Media Converter - 15km	250.00
MC-4TX2FX	4 Ethernet to 2 Fiber (2MM) 10/100 Industrial Drop-and- Repeat Media Converter - 2km	280.00
MCE-COAX	Ethernet to Coax 10/100 Media Converter. Order in quantities of 2	150.00
MCR200-1T/1CX	Fast Ethernet to Coax Media Converter - 3km	150.00
MCR205-1T/1S	Fast Ethernet to SFP Managed Media Converter	150.00
MCR300-1T/1S	Fast Ethernet to SFP Managed Media Converter	200.00
MCR-R15	Rack for Media Convertors, 15 Open Slots	350.00
MCR-RPS	Redundant 130 Watt PSU for Media Converter Rack	175.00
MD2-1500	2" Mini-Dome High Resolution Color Camera w/24VAC Adapter, 3-Axis, 520 TVL, 12VDC	145.00
MFVMM1-RX	8 Bit Multi Mode Single Channel Video Receiver, Module	170.00
MFVMM1-TX	8 Bit Multi Mode Single Channel Video Transmitter, Module	170.00
MFVMMD101-RX	8 Bit Multi Mode Single Channel Video Receiver, Module	360.00
MFVMMD101-TX	8 Bit Multi Mode Single Channel Video Transmitter w/Duplex Data, Module	360.00
MFVSM1-RX	8 Bit Single Mode Video Receiver, Module	590.00
MFVSM1-TX	8 Bit Single Mode Video Transmitter, Module	590.00
MFVSMD101-RX	8 Bit Single Mode Video/Data Receiver, Module	650.00
MFVSMD101-TX	8 Bit Single Mode Video/Data Transmitter, Module	650.00
MFVSML1-RX	Digital 8-Bit Mini Video RX, 1 SM Fiber, LD - WM	500.00
MFVSML1-TX	Digital 8-Bit Mini Video TX, 1 SM Fiber, LD - WM	500.00

MFVSMLD101-RX	Digital 8-Bit Video TX / Data RX, 1 SM Fiber, LD - WM	775.00
MFVSMLD101-TX	Digital 8-Bit Video RX / Data TX, 1 SM Fiber, LD - WM	775.00
MM/ST/SC/1	MM/ST/SC/1, Fiber Optic Jumper, One ST and one SC Conn., 1M	36.25
MM/ST/SC/10	MM/ST/SC/10, Fiber Optic Jumper, One ST and one SC Conn., 10M	42.50
MM/ST/SC/3	MM/ST/SC/3, Fiber Optic Jumper, One ST and one SC Conn., 3M	40.00
MM/ST/ST/1	MM/ST/ST/1, Fiber Optic Jumper, Two ST Conn., 1M	36.25
MM/ST/ST/10	MM/ST/ST/10, Fiber Optic Jumper, Two ST Conn., 10M	42.50
MM/ST/ST/3	MM/ST/ST/3, Fiber Optic Jumper, Two ST Conn., 3M	40.00
MPI206	Accessory Relay Board, Universal form "C" Relay Board. Ideal for Sirens, Lights and LowVage Applications. Non-Maintained On/Off, Using a Selectable Positive Or Negative Trigger Source. 12VDC	18.56
MPI-266	Low Battery Cutoff Relay Module, Low-Cost Add-On Relay Module for 12VDC Battery-Powered Devices. Reduces the Likelihood of Battery Damage Due to Deep Discharge. Disconnects Load If Battery Falls Below 7.5Vs	21.01
MPI267	Power Disconnect Low Battery Cutoff Module, Drops Battery Out At 7.5Vs DC. Ac/DC Power Disconnect Switch On Board. Low Battery Disconnect Relay On Board	32.19
MS-POE	PoE 15.4W Mid-span Injector (IEEE 802.3af)	35.00
MSS-3010-00-04	Camera Housing, Cast Aluminum, Interior/Exterior	93.00
MSS-3010-NP-04	Camera Housing, Cast Aluminum, Interior/Exterior, No Paint	93.00
MSS-3011-00-00	3/4" Spacer for Aluminum Housing (Interior Only)	37.00
MSS-4003-00-00	MobileView III Programming/Status Keypad	210.00

MSS-4004-00-00	MobileView III Docking Station	820.00
MSS-4005-00-00	MobileView III Test Kit, LCD Monitor w/Keypad, Case	1289.00
MSS-4007-00-00	MobileView Microphone	199.00
MSS-4007-BK-00	MobileView Microphone - Black Cover	199.00
MSS-4008-00-00	MobileView Tag Alarm, 2 Status Lights - Red, Green	102.00
MSS-4008-WK-00	MobileView Tag Alarm w/Reset, 3 Status Lights - Red, Yellow, Green	312.00
MSS-4012-BK-01	Bezel with Glass and Gasket (Black-Gray Stone) PPG#- DU34268	60.00
MSS-4012-WT-01	Bezel with Glass and Gasket (White-Fleet Gray) PPG#- DU90101	60.00
MSS-4030-10-01	DVR Camera Cable, RG179, 10'	36.00
MSS-4030-11-01	DVR Camera Cable, RG179, 11'	42.00
MSS-4030-15-01	DVR Camera Cable, RG179, 15'	43.00
MSS-4030-20-01	DVR Camera Cable, RG179, 20'	48.00
MSS-4030-25-01	DVR Camera Cable, RG179, 25'	53.00
MSS-4030-30-01	DVR Camera Cable, RG179, 30'	59.00
MSS-4030-35-01	DVR Camera Cable, RG179, 35'	64.00
MSS-4030-40-01	DVR Camera Cable, RG179, 40'	69.00
MSS-4030-45-01	DVR Camera Cable, RG179, 45'	74.00
MSS-4030-50-01	DVR Camera Cable, RG179, 50'	80.00
MSS-4030-55-01	DVR Camera Cable, RG179, 55'	90.00
MSS-4034-00-00	Firewall Connector, RCPT, Bulkhead, 4 Pin, TBF14S-2PS	235.00
MSS-4034-08P-01	Firewall Camera Cable, Plug, 8'	53.00
MSS-4037-00-00	MobileView 4300 Series OEM Harness, Video & Power	123.00
MSS-4038-00-00	MobileView 4300 Series OEM Harness, IO & Impact	135.00
MSS-4040-05-00	Articulated Video Cable Deutch to BNC Connector 5'	50.00
MSS-4040-15-SS	Articulated Video Cable Deutch to Deutch Socket Connector 15'	48.00

	1	
MSS-4040-34-00	Articulated Video Cable Deutch to BNC Connector 34'	73.00
	to Bive definitioned on	
MSS-4040-45-00	Articulated Video Cable Deutch	126.00
	to BNC Connector 45'	
MSS-4300-00-00	MobileView III DVR, 24V	4830.00
MSS-4300-05-00	MobileView Select DVR, 24V	3360.00
MSS-4300-05-GH	MobileView Select DVR, 24V,	3570.00
W33-4300-03-GH	w/OEM Cable Installed	3370.00
MSS-4300-GH-01	MobileView III DVR, 24V,	5040.00
MSS-5000-02-00	w/OEM Cable Installed MobileView Central Station PC	1800.00
WGG 0000 02 00	INICOMO VIOW CONTROL CIGATON I C	1000.00
MSS-5014-00-00	Cable, Network, Ethernet, CAT 5, 10'	15.00
MSS-5113-10-01	Fixed Wireless Access Point,	1628.00
	802.11b/G Radio, w/SmartNet	
MSS-5113-20-01	Mobile Wireless Bridge,	1628.00
	802.11b/G Radio, w/Smartnet	
MSS-5113-21-00	Vehicle Antenna	77.00
MSS-5113-22-00	Vehicle PSU	325.00
MSS-5113-22-01	Power Injector Wire Harness	37.00
	w/Locking Plug, Fused 1A	
MSS-5113-23-00	Vehicle Mount Kit	105.00
MSS-5113-24-00	Vehicle RF Cable	104.00
MSS-5113-25-00	MobileView III Wireless Control Kit	55.00
MSS-7003-08-00	B/W Camera, 8.0mm Lens,	195.00
	Bracket, Surface Mounting Plate	
MSS-7003-08-00-P	Surface Mount Camera,	200.00
	8.0mm, B&W, Wedge Housing	
MSS-7003-29-00	B/W Camera, 2.9mm Lens,	195.00
	Bracket, Surface Mounting	
MSS-7003-29-00-P	Plate Surface Mount Camera,	200.00
	2.9mm, B&W, Wedge Housing	200.00
MSS-7003-40-00	B/W Camera, 4.0mm Lens,	195.00
	Bracket, Surface Mounting	
MSS-7003-40-00-P	Plate Surface Mount Camera,	200.00
WCC 7000 10 00 1	4.0mm, B&W, Wedge Housing	200.00
MSS-7003-60-00	B/W Camera, 6.0mm Lens,	195.00
	Bracket, Surface Mounting Plate	
MSS-7003-60-00-P	Surface Mount Camera,	200.00
	6.0mm, B&W, Wedge Housing	

MSS-7004-29-AN	B/W HiRes Camera, 2.9mm	195.00
IVISS-7004-29-AIN	Lens, Angled Housing	195.00
	Lens, Angled Flousing	
MSS-7004-29-AN-PB	Recessed Angled Camera,	200.00
	2.9mm, B&W, Black Bezel	
MSS-7004-29-AN-PW	Recessed Angled Camera,	200.00
	2.9mm, B&W, White Bezel	
MSS-7004-29-SQ	B/W HiRes Camera, 2.9mm	195.00
	Lens, Square Housing	
MOO 7004 00 00 DD	D	000.00
MSS-7004-29-SQ-PB	Recessed Square Camera, 2.9mm, B&W, Black Bezel	200.00
MSS-7004-29-SQ-PW	Recessed Square Camera,	200.00
10100-700 4 -29-0Q-1 W	2.9mm, B&W, White Bezel	200.00
MSS-7004-40-AN	B/W HiRes Camera, 4.0mm	195.00
	Lens, Angled Housing	
MSS-7004-40-AN-PB	Recessed Angled Camera,	200.00
	4.0mm, B&W, Black Bezel	
MSS-7004-40-AN-PW	Recessed Angled Camera,	200.00
1100 7004 40 00	4.0mm, B&W, White Bezel	105.00
MSS-7004-40-SQ	B/W HiRes Camera, 4.0mm	195.00
	Lens, Square Housing	
MSS-7004-40-SQ-PB	Recessed Square Camera,	200.00
MICC 7001 10 CQ 1 D	4.0mm, B&W, Black Bezel	200.00
MSS-7004-40-SQ-PW	Recessed Square Camera,	200.00
	4.0mm, B&W, White Bezel	
MSS-7004-60-AN	B/W HiRes Camera, 6.0mm	195.00
	Lens, Angled Housing	
MSS-7004-60-AN-PB	Recessed Angled Camera,	200.00
MOO 7004 00 AN DW	6.0mm, B&W, Black Bezel	200.00
MSS-7004-60-AN-PW	Recessed Angled Camera, 6.0mm, B&W, White Bezel	200.00
MSS-7006-00-IL	Illuminator, Infared	195.00
	· ·	
MSS-7006-29-DN	Day/Night Camera, 2.9mm, Angled Flush Mount Housing	473.00
	Angled Flush Mount Housing	
MSS-7007-00-BL-FF	Forward Facing Camera, Auto	499.00
	Iris Vari-Focal Lens,	100.00
	Mobileview, Black	
MSS-7007-00-FF	Forward Facing Camera, Auto	499.00
	Iris Vari-Focal Lens	
MSS-7008-36-VS	Mobileview, External	450.00
	Wedge,IP67	
	Camera,12VDC,White Housing	
	3.6 mm Fixed Lens,Street Side	
MSS-7008-VC	Mounting Outdoor ID67 Worden Verifood	E00.00
IVISS-7006-VC	Outdoor IP67 Wedge, Varifocal F=2.9-10mm/F=1.2, 12VDC,	500.00
	NTSC, Color, Curbside	
	25, 25,51, 24,55,40	
MSS-7008-VHC	Outdoor IP67 Wedge, Varifocal	500.00
	F=2.9-10mm/F=1.2, 12VDC,	
	NTSC, Color, Curbside	
	w/Heater	

MSS-7008-VHS	Outdoor IP67 Wedge, Varifocal F=2.9-10mm/F=1.2, 12VDC, NTSC, Color, Streetside w/Heater	500.00
MSS-7008-VS	Outdoor IP67 Wedge, Varifocal F=2.9-10mm/F=1.2, 12VDC, NTSC, Color, Streetside	500.00
MSS-7100-00-02	Impact Sensor, No Connector	129.00
MSS-8001-12-00	Color Camera, 12.0mm Lens, Bracket, Surface Mounting Plate	263.00
MSS-8001-12-00-P	Surface Mount Camera, 12.0mm, Color, Wedge Housing	265.00
MSS-8001-29-00	Color Camera, 2.9mm Lens, Bracket, Surface Mounting Plate	263.00
MSS-8001-29-00-P	Surface Mount Camera, 2.9mm, Color, Wedge Housing	265.00
MSS-8001-29-WR	Wide Dynamic Range Color Camera, 2.9mm Lens, Bracket, Surface Mounting Plate	325.00
MSS-8001-29-WR-P	WDR, Surface Mount Camera, 2.9mm, Color, Wedge Housing	350.00
MSS-8001-40-00	Color Camera, 4.0mm Lens, Bracket, Surface Mounting Plate	263.00
MSS-8001-40-00-P	Surface Mount Camera, 4.0mm, Color, Wedge Housing	265.00
MSS-8001-40-WR	Wide Dynamic Range Color Camera, 4.0mm Lens, Bracket, Surface Mounting Plate	325.00
MSS-8001-40-WR-P	WDR, Surface Mount Camera, 4.0mm, Color, Wedge Housing	350.00
MSS-8001-60-00	Color Camera, 6.0mm Lens, Bracket, Surface Mounting Plate	263.00
MSS-8001-60-00-P	Surface Mount Camera, 6.0mm, Color, Wedge Housing	265.00
MSS-8001-60-WR-P	WDR, Surface Mount Camera, 6.0mm, Color, Wedge Housing	350.00
MSS-8001-80-00	Color Camera, 8.0mm Lens, Bracket, Surface Mounting Plate	263.00
MSS-8001-80-00-P	Surface Mount Camera, 8.0mm, Color, Wedge Housing	265.00

MOO OOOO OO ANI	0-1 0 0 0 1	000.00
MSS-8002-29-AN	Color Camera, 2.9mm Lens,	268.00
	Angled Flush Mount Housing	
MSS-8002-29-AN-PB	Recessed Angled Camera,	265.00
	2.9mm, Color, Black Bezel	_00.00
MSS-8002-29-AN-PW	Recessed Angled Camera,	265.00
	2.9mm, Color, White Bezel	
MSS-8002-40-AN	Color Camera, 4.0mm Lens,	268.00
	Angled Flush Mount Housing	
MSS-8002-40-AN-PB	Recessed Angled Camera,	265.00
	4.0mm, Color, Black Bezel	
MSS-8002-40-AN-PW	Recessed Angled Camera,	265.00
	4.0mm, Color, White Bezel	
MSS-8002-40-SQ	Color Camera, 4.0mm Lens,	268.00
	Square Flush Mount Housing	
MSS-8002-40-SQ-PB	Recessed Square Camera,	265.00
	4.0mm, Color, Black Bezel	
MSS-8002-40-SQ-PW	Recessed Square Camera,	265.00
	4.0mm, Color, White Bezel	
MSS-8002-60-SQ	Color Camera, 6.0mm Lens,	268.00
	Square Flush Mount Housing	
MSS-8002-60-SQ-PB	Recessed Square Camera,	265.00
WOO 0002 00 OQ 1 B	6.0mm, Color, Black Bezel	200.00
MSS-8002-60-SQ-PW	Recessed Square Camera,	265.00
	6.0mm, Color, White Bezel	
MSS-8003-60-00	Color Board Camera, 6mm	142.00
	Lens - Sub PN = 1032491B	
MSS-CONVERTER	MobileView 4300 Series	210.00
	Voltage Converter, DC-DC, 12-	
	24V, 5A	
MSS-DECAL	MobileView, Window Decal	6.00
MSS-INSTALL	MobileView 4300 Series	80.00
	Retrofit Install Kit	
MV-12	12-inch B/W Monitor (Dual Input)	139.00
MVC-14S	14-inch Color Monitor, Audio	270.00
	·	_, _,
MVC-15HS	15-inch High-Resolution Color	311.00
	Monitor, Audio	
MVC-17HS	17-inch High-Resolution Color	336.00
MV/C 40LID	Monitor	704.00
MVC-19HR	19-inch High-Resolution Color Monitor, On-Screen Display,	761.00
	Rack Mountable	
MVC-7100-29-W	Mini-Dome Camera, 2.9mm	300.00
WW C-7 100-29-VV	Lens, White, No IR	300.00
MVC-7100-29-WI	Mini-Dome Camera, 2.9mm	350.00
	Lens, White, w/IR	555.50
MVC-7100-36-W	Mini-Dome Camera, 3.6mm	300.00
	Lens, White, No IR	222.00
MVC-7100-36-WI	Mini-Dome Camera, 3.6mm	350.00
	Lens, White, w/IR	
MVC-7100-60-W	Mini-Dome Camera, 6.0mm	300.00
	Lens, White, No IR	

MVC-7100-60-WI	Mini-Dome Camera, 6.0mm Lens, White, w/IR	350.00
MVC-7122-W	22 Degree Angle Base Plate	40.00
MVC-7200-29-W	Mini-Dome Camera, 2.9mm Lens, White, w/Wide Dynamic	450.00
MVC-7200-36-W	Mini-Dome Camera, 3.6mm Lens, White, w/Wide Dynamic	450.00
MVC-7200-60-W	Mini-Dome Camera, 6.0mm Lens, White, w/Wide Dynamic	450.00
MVP-1002-00-20	PENTA Caddy, 2TB, Spare	1700.00
MVP-1002-08-00	PENTA Spare Caddy	1100.00
MVP-1002-08-KY	PENTA Sapre (X10) Caddy Key	80.00
MVP-3301-10-00	PENTA GPS Antenna with 32 foot Cable	125.00
MVP-4004-08-00	PENTA Docking Station	820.00
MVP-4005-KT-00	PENTA Connectors and Fuse Kit	45.00
MVP-4037-08-J1	PENTA J1 Power Harness	15.00
MVP-4037-08-J2	PENTA J2 Audio & Status Harness	35.00
MVP-4037-08-J3	PENTA J3 Digital Input Harness	45.00
MVP-4037-08-J4	PENTA J4 8 Channel Camera Power Harness	35.00
MVP-4037-08-J5	PENTA J5 Analog & Relay Harness	45.00
MVP-4037-08-J6	PENTA J6 8 Channel Video Input Harness	100.00
MVP-4037-16-J4	PENTA J4 16 Channel Camera Power Harness	45.00
MVP-4037-16-J6	PENTA J6 16 Channel Video Input Harness	130.00
MVP-4039-00-00	PENTA Harness Connection Kit	40.00
MVP-4500-08-00	PENTA 8 Channel with Harness Set and Connection Kit	5850.00
MVP-4500-08-01	PENTA 8 Channel with no Harness or Kits	5700.00
MVP-4500-08-20	PENTA 8-Channel, 2TB w/Harness & Connection Kit	6450.00
MVP-4500-08-21	PENTA 8-Channel, 2TB, No Harness or Connection Kit	6300.00
MVP-4500-08-NC	PENTA 8-Channel DVR Only (No Caddy, Harness or Kit)	4600.00
MVP-4500-16-00	PENTA 16 Channel with Harness Set and Connection Kit	6540.00
MVP-4500-16-01	PENTA 16 Channel with no Harness or Kits	6350.00

NN/D 4500 40 00	IDENTA 40 OL LOTO	74.40.00
MVP-4500-16-20	PENTA 16-Channel, 2TB	7140.00
	w/Harness & Connection Kit	
MVP-4500-16-21	PENTA 16-Channel, 2TB, No	6950.00
	Harness or Connection Kit	
MVP-4500-16-NC	PENTA 16-Channel DVR Only	5250.00
	(No Caddy, Harness or Kit)	
MVP-ENCL-08-00	PENTA Locking Enclosure	795.00
MVP-USB-08-BL	PENTA USB Image Drive,	75.00
	Software Upgrade	
MVP-USB-08-RD	PENTA USB Image Drive,	75.00
	Factory Restore	
MVQ-1002-25-00	MobileView 4, 250GB Spare Drive	625.00
MVQ-1002-50-00	MobileView 4, 500GB Spare	1100.00
	Drive	
MVQ-1708-00-02	MobileView 4 Interface Module,	300.00
	J1708 (2 Wire)	
MVQ-1708-00-02	MobileView 4 Interface Module, J1708 (2 Wire)	300.00
MVQ-3301-00-01	MobileView 4 GPS Antenna,	350.00
WW Q-3301-00-01	Includes Vehicle Location	330.00
	License Fee	
MVQ-4005-03-00	Splice Kit for MobileView 3	45.00
	Channel Monitor	
MVQ-4005-08-00	MobileView 4 Installation Kit -	58.00
	One per vehicle (8 Camera)	
MVQ-4005-12-00	MobileView 4 Installation Kit -	75.00
4 1000 12 00	One per vehicle (12 Camera)	10.00
MVQ-4005-L1-00	MobileView Laptop Test Kit	2500.00
	with Maintenance Plug	
MVQ-4005-MP-00	MobileView 4 DVR	20.00
N. 10 1007 00 00	Maintenance Plug	4.45.00
MVQ-4037-08-00	MobileView 4, OEM Harness, 8CH, BNC & Power	145.00
	och, bive & Fower	
MVQ-4037-12-00	MobileView 4, OEM Harness,	170.00
	12CH, BNC & Power	
MVO 4020 00 00	Mahila Vianu 4 OFM Harraga	115.00
MVQ-4038-08-00	MobileView 4, OEM Harness, 8CH, I/O	145.00
MVQ-4038-12-00	MobileView 4, OEM Harness,	170.00
	12CH, I/O	
MVQ-4400-25-00	MobileView 4 Digital Video	5250.00
	Recorder (250GB)	
MVQ-4400-25-08-OEM	MobileView 4 Digital Video	5515.00
	Recorder (250GB) 8 Camera	
MV/O 4400 FO 00	OEM Harness	F000 00
MVQ-4400-50-00	MobileView 4 Digital Video Recorder (500GB)	5600.00
MVQ-4400-50-08-OEM	MobileView 4 Digital Video	5865.00
1VI V SK T-TOU OU-UU-ULIVI	Recorder (500GB) - 8CH OEM	3003.00
	(30002) 3011 32111	

MVQ-7100-00-03	MobileView 4 Accelerometer with 6' Serial Cable	260.00
MVQ-7201-00-00	MobileView 5.6" LCD Monitor, 3 Channel, Switched Output	875.00
MVQ-7201-00-01	Accessories Kit for MobileView 3 Channel Monitor	45.00
MVQ-9006-00-00	MobileView 4 Video Manager, Maintenance Plug, Manual	995.00
MVQ-9007-00-00	MobileView 4 Fleet Manger, Video Manager, Maintenance Plug, Manual	4995.00
MVQ-CONV-12-24	MobileView Series Voltage Converter, DC-DC, 12-24V, 10A	380.00
MVQ-CONV-37-24	MobileView Series Voltage Converter, DC-DC, 37-24V, 10A	1495.00
MVQ-ENCL-RL-00	MobileView 4 Rail Enclosure	795.00
N805134	Egress Switch Kit	28.40
N890043	Wiegand Black Turnstile Head Reader: Red LED. Allow 4 - 6 Weeks Lead Time for Ordering	328.49
N890135	Wiegand Black Swipe Card Reader: Red/Green LED. Maintenance Free,Vandal and Weather Resistant. Self- Contained Electronics	184.57
N890176	Insertion Head Mounting Plate, Brass Finish. Allow 4 - 6 Weeks Lead Time for Ordering	35.50
N890182	Key Head Mounting Plate, Chrome Finish. Allow 4 - 6 Weeks Lead Time for Ordering	21.86
N890190	Swipe Head Mounting Plate: Allow 4 - 6 weeks lead time for ordering	17.76
ND50-BR-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Brown, Bulk Pack	176.96
ND50-OW-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Off- White, Bulk Pack	176.96
ND50-WH-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, White, Bulk Pack	176.96
ND5-BE-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Beige	22.66

ND5-BR-MINI	Nice Duc Self-Adhesive Wiring Duct, Mini Size, Brown	23.96
ND5-BR-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Brown	22.66
ND5-OW-MINI	Nice Duc Self-Adhesive Wiring Duct, Mini Size, Off-White	23.96
ND5-OW-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, Off-White	22.66
ND5-WH-MINI	Nice Duc Self-Adhesive Wiring Duct, Mini Size, White	23.96
ND5-WH-STD-2P	Nice Duc Self-Adhesive Wiring Duct, Standard Size, White	22.66
NS2051-4P/1T	5-Port Fast Ethernet Industrial UNManaged Switch With 4- Port POE-AF (-40 To 75 Degree C)	275.00
NS2503-24P/2C	24-Port Fast Ethernet POE- 24AF/11AT Managed Switch With 2 GIGABIT TP/SFP Combo Uplink Ports (360W POE Budget)	1100.00
NS2503-8P/2C	8-Port Fast Ethernet POE-AT Managed Switch With 2 GIGABIT TP/SFP Combo Uplink Ports (150W POE Budget)	525.00
NS3550-24T/4S	24-Port GIGABIT Ethernet Industrial Managed Switch With 4 Shared SFP (-40 To 75 Degree C)	1500.00
NS3601-24P/4S	24-Port GIGABIT Ethernet POE-AF Managed Stackable Switch With 4 Shared SFP Ports (380W)	1350.00
NS-CBL-200	Network Switch Stacking Cable - 200cm	30.00
NS-CBL-50	Network Switch Stacking Cable - 50cm	20.00
NX-002	X-Pand-a-Can for NX-4	16.34
NX-003	X-Pand-a-Can for NX-6, NX-8 and NX-8E	17.29
NX-003-C	UL Commercial Intrusion Enclosure	74.76
NX-003-CB	Comm Metal Enclosure (for NX- 8/8E), w/Cam Lock, No Tamper, Includes Stand-Offs	81.59
NX-005	Tamper Switch and Bracket	3.73
NX-005-C	Tamper Switch and Bracket for Commercial Cabinet	3.73

NX-007	Set Of 5 Panic Button Cover- Up Labels for NX-148E Keypad	9.80
NX-108E	8-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White	42.39
NX-116E	16-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White	45.18
NX-1192E	192-Zone LCD Keypad w/Door Euro Design. Swing-Down Door Conceals Controls. 6.2" W X 5.2" H X 1.3" D, White	86.00
NX-1192E-CC	192-Zone LCD Keypad w/Door and Coil Cord	91.73
NX-1208E	8-Zone LED Keypad w/Door and Night Feature 4.5" W X 5.0" H X 0.9" D. Swing-Out Door Conceals Controls. Away/Stay/Night Modes. Currently Only Compatible w/NX-8E, White	43.64
NX-124E	24-Zone LED Keypad Original Design. 6.5" W X 4.0" H X 1.3" D, White	48.20
NX-124E-CC	24-Zone LED Keypad w/Coil Cord	54.00
NX-1308E	8-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White	45.18
NX-1316E	16-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White	48.20
NX-1316E-CC	16-Zone LED Keypad w/Fold- Down Door and Coil Cord	54.00
NX-1324E	24-Zone LED Keypad w/Door Traditional Design. 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White	50.99
NX-1324E-CC	24-Zone LED Keypad w/Fold- Down Door and Coil Cord	56.79
NX-1448E	Fixed English Keypad w/Fold- Down Door Euro Design. 192- Zones. 6.2" W X 5.2" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White	52.64

NX-148E	192-Zone LCD Keypad w/Door 6.2" W X 5.3" H X 1.3" D. Swing-Down Removable Door Conceals Controls, White	94.65
NX-148E-CC	192-Zone LCD Keypad w/Fold- Down Door and Coil Cord	100.45
NX-148E-CF	48 Zone Commercial Fire Keypad (UL)	48.80
NX-148E-RF	192-Zone Prog LCD Keypad w/Int 48-Zone Wireless Receiver	96.53
NX-1508E	8-Zone LED Slimline Keypad w/Door Slimline Design. 3.1" W X 5.8" H X 1.3" D. Swing-Down Removable Door Conceals Controls. Includes Trim Piece, White	44.17
NX-1516E	16-Zone LED Slimline Keypad w/Door Slimline Design. 3.1" W X 5.8" H X 1.3" D. Swing-Down Removable Door Conceals Controls. Includes Trim Piece, White	47.24
NX-1700E	Smart Reader. The NX-1700E is a cost-effective prox card reader/door control module that expands the capabilities of NetworX control. Up to 15 readers can be connected to a NX-8 and 8E, up to 3 on NX-6, up to 2,500 feet away. Uses prox cards/keyfobs	137.81
NV 47055	Consul Cond	5.54
NX-1705E NX-1706E	Smart Card Smart Fob	5.51 5.51
NX-1710E	Single Door Control Module. Enables NetworX panels to interface with Wiegand readers. The NX-1710E supports up to two readers and one door. Panels support a max of 8 modules. Features include: event log, scheduling, flash memory, & on-board relay	104.74
NX-200	Zone Doubling Resistor Kit Allows Doubling of the Panel'S On-Board Hardwire Capacity. Includes 100 3.74 K and 100 6.98 K Ohm Resistors	9.09

NX-208E	Two-Wire Smoke Sensor	68.57
100 ZOOL	Expander Module the NX-208E is a Microprocessor Controlled 2-Wire Smoke Expander for the NX-6, NX-8, NX-8E, NX-8-CF and NX-8E-CF Control Panels. One NX-208E Module Can Be Added to the NX Control Panel w/a Maximum-Zone Count of 8-Zone	00.07
NX-216	16-Zone Expander Module, NX Panels Microprocessor Controlled 8-16-Zone Hardwire Expander Module for NX Panels. Maximum-Zone Count of 48. Can Be Mounted Up to 2500' From the Control Panel	34.71
NX-216E	16-Zone Expander Module, NX- 8E Microprocessor Controlled 8-16-Zone Hardwire Expander Module for the NX-8E. Maximum-Zone Count of 192. Can Be Mounted Up to 2500' From the Control Panel	61.78
NX-2192E	the Pinpoint Interface Card Attaches to the NX-8E Control Panel. Supports Up to 192 Addressable Devices On a Two-Mile Loop. Supports Two Class B Loops and One Class A Loop	55.07
NX-320E	Smart Power Supply and Bus Extender Remote Power Supply. 3 Programmable Outputs and 1 Dedicated Bell Output. Allows a Longer Data Bus Wire Run and Gives More Power to the Panel (Panel Limits Apply)	56.91
NX-4	NX-4 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	27.92
NX-400	Wireless Kit 1: Includes (1) NX- 408E Wireless Expansion Module, (2) SAW Door/Window Sensors and (1) SAW Pet Immune PIR Motion Sensor	156.60

NX-401	Wireless Kit 2: (1) NX-408E Wireless Expansion Module, (2) SAW Door/Window Sensors and (1) 4-Button SAW Keychain Touchpad	120.32
NX-405	Wireless Kit 3: Includes (1) NX- 416E Wireless Expansion Module and (5) SAW Door/Window Sensors	199.90
NX-450	SAW Door/Window Sensor. Protects Anything That Opens and Closes. Includes Terminal Block, White	32.71
NX-451	SAW Door/Window Sensor, Brown	32.71
NX-452	Slim Line Door/Window Sensor. Use In Applications Where Space is Limited, Such as Narrow Casements and Window Frames, White	40.88
NX-453	Slim Line Door/Window Sensor, Brown	40.88
NX-454	Micro Door/Window Sensor. Protects Anything That Opens and Closes. Small Size and Low Profile Offer Maximum Flexibility In Installations Where Space is Limited, White	35.97
NX-455	Micro Door/Window Sensor, Brown	35.97
NX-458	Recessed Micro Door/Window Sensor. Protects Doors and Windows Where the Sensor Must Be Concealed. Must Be Returned to GE Security for Battery Replacement, White	39.27
NX-460	SAW Sensor Spacer, White, 20-Pack	6.02
NX-461	SAW Sensor Spacer, Brown, 20-Pack	6.02
NX-462-25PKG	SAW Sensor Magnet Spacer, White, 25-Pack	6.02
NX-464-10PKG	SAW Door/Window Sensor Terminal Block. Terminal Block Included w/Sensor, 10-Pack	9.57

NX-470	SAW 4-Button Keychain Touchpad Provides Portable Control of the Security System. LED Confirms RF Transmission. Recessed Buttons Help Prevent False Alarms. Light Control Capability. Includes Battery	26.00
NX-474	Crystal Micro Wristwatch Panic Button. A Wireless Device Used for Activating Medical Alarms. Can Be Worn On the Wrist Like a Watch, Clipped On a Belt, Used as a Pendant or Mounted On the Wall. Water-Resistant to 3 Feet. Battery Included	41.55
NX-475	Water-Resistant Pendant Panic Sensor. Allows a Person to Wear a Sensor That Can Activate a Panic Alarm. Can Be Worn Around Neck or Can Be Clipped to a Belt Or Purse. Recessed Panic Button Prevents False Alarms	40.35
NX-480	Indoor SAW PIR Motion Sensor Provides Passive Infrared Detection Inside an Enclosed Structure. Two Sensitivity Settings. Small and Unobtrusive. 35' X 40' Coverage Area. Masking Kit Included. Optional Pet Alley Lens Available	86.24
NX-481	Indoor SAW PIR Pet Immune Motion Sensor Provides Passive Infrared Detection Inside an Enclosed Structure. Two Sensitivity Settings. Small and Unobtrusive. False Alarm Immunity for Pets Having a Combined Weight of Up to 40 Pounds. 35' X 40' Coverage Area	79.59
NX-482	AP750W Wireless PIR Motion Sensor Passive Infrared Detection Inside an Enclosed Structure. Coverage Area and Sensitivity Modes Are Field- Selectable. 33' Or 50' Coverage Area. Cover- Activated Tamper	92.48

NX-485	PIR Pet Alley Lens/Mask Kit for	9.04
11/2-400	NX-480, 3-Pack	9.04
NX-487	Adjustable Dual Technology Sound Sensor Responds to Frequencies Generated By Breaking Glass. 360° Room Coverage, Up to 25' Away. Adjustable Flex Sensitivity	103.92
NX-488	ShatterPro Wireless Crystal Glassbreak Sensor. Responds to Frequencies Generated By Breaking Glass. 360° Room Coverage, Up to 20' Away. Pattern Recognition Technology Ignores Most False Alarm Sounds	77.93
NX-497	Crystal Carbon Monoxide Gas Sensor. Detects hazardous levels of carbon monoxide gas. When gas is detected, an alarm signal is sent to the panel, an internal siren sounds & a red light comes on. Green light indicates detector is functioning properly.	98.19
NX-4-FP	NX-4 Fastpack w/NX-1308E Keypad Fastpack Includes NX- 4 Panel, NX-1308E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	103.85
NX-4-FP-1	NX-4 Fastpack w/NX-108E Keypad Fastpack Includes NX- 4 Panel, NX-108E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	101.64

NV 4 55 40	IND. 4 E 4 1 /NV 4500E	447.40
NX-4-FP-12	NX-4 Fastpack w/NX-1508E Keypad Fastpack Includes NX- 4 Panel, NX-1508E Slimline LED Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	117.48
NX-4-FP-LM	NX-4 Fastpack w/NX-1308E Keypad Less Motion Sensor Fastpack Includes NX-4 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	87.61
NX-4-KIT	NX-4 Kit w/NX-108E Keypad and Transformer Kit Includes NX-4 Panel, NX-108E LED Keypad and 16.5VAC, 40VA Transformer	71.36
NX-4-KIT-12	NX-4 Kit w/NX-1508E Keypad and Transformer Kit Includes NX-4 Panel, NX-1508E Slimline LED Keypad and 16.5VAC, 40VA Transformer	72.60
NX-4-KIT-4	NX-4 Kit w/NX-1308E Keypad and Transformer Kit Includes NX-4 Panel, NX-1308E LED Keypad and 16.5VAC, 40VA Transformer	73.56
NX-4-KIT-4-LX	NX-4 Kit w/NX-1308E Keypad Less Transformer Kit Includes NX-4 Panel, NX-1308E LED Keypad. Transformer Not Included	70.26
NX-4-KIT-7	NX-4 Kit w/NX-148E Keypad and Transformer Kit Includes NX-4 Panel, NX-148E LCD Keypad and 16.5VAC, 40VA Transformer	121.13
NX-4-KIT-7-RF	NX-4 Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer	126.64
NX-4-KIT-8	NX-4 Kit w/NX-1448E Keypad and Transformer Kit Includes NX-4 Panel, NX-1448E Fixed English Keypad and 16.5VAC, 40VA Transformer	82.22

NX-4-KIT-APT	NX-4 Kit w/Apartment Software Kit Includes NX-4 Panel w/Apartment Software, NX- 108E LED Keypad and 16.5VAC, 40VA Transformer	76.94
NX-4-KIT-LX	NX-4 Kit w/NX-108E Keypad Less Transformer Kit Includes NX-4 Panel and NX-108E LED Keypad. Transformer Not Included	68.00
NX-501E	Mag Mount Antenna for the NX-591E-GSM	28.67
NX-507E	Seven Relay Expander Module 7 Relay Outputs, 1 Open Collector Output and 8 X10 Outputs	60.97
NX-508E	8-Zone Output Module 8 Open Collector Outputs and 8 X10 Outputs. Built-In Parallel Interface for Local Printouts	58.07
NX-534E	Two-WayVoice Module Allows A Central Station Operator to Monitor the Customer'S Premises for Listen-In Purposes or for Basic Two- WayVoice Communication. Includes Speaker and Microphone	50.99
NX-534-WH	NX-534 Wiring Harness w/12" Leads for NX-534	2.00
NX-540E	"Operator II" Telephone Interface Module Converts Any Touch-Tone Telephone to a System Keypad and Allows System Functions to Be AccessedVia Telephone On Premises or Off-Site. ProvidesVoice Prompts	73.73
NX-548E	NetworX NX-548E Receiver	50.68
NX-569	NX-548E Receiver Enclosure Kit	7.10
NX-582E	AES Long Range Radio Interface Module Microprocessor-Controlled AES Radio Interface. Allows Any or All Events to Be ReportedViaVArious AES Radio Modes	36.59
NX-582-WIRINGHARNESS	Wiring Harness for AES Interface 12' Long	18.57

NX-584E	Home Automation Interface Module w/RS-232 Provides a Standard RS-232 Bi-Directional DB-9 Connector for Connection to a Home Automation Host System. Programmable Levels of Security. Selectable Baud Rate and Communication Protocol	55.00
NX-586E	Quiklink Direct Connect. Allows a connection from a serial port on a computer to a NetworX bus & provides a faster download of the NetworX system, compared to using a modem. Also has the capability to store 4 panel accounts into its memory	48.31
NX-587E	Virtual Keypad Module the NX- 587EVirtual Keypad Allows Any Remote System to Use RS- 232 to Communicate w/a NetworX Control Panel	60.64
NX-588E	Direct Link Programming, Flash Tool	60.00
NX-590NE	NX-590E Plus TCP/IP Internet Module	217.80
NX-591E-GSM	NetworX Wireless GSM Module	210.00
NX-592E-GSM	NetworX Wireless Alarm.com GSM Module	187.00
NX-592E-GSM-AT	NetworX Wireless Alarm.com GSM Module for ATT Network	187.00
NX-592E-GSM-TM	NetworX Wireless Alarm.com GSM Module for TMobile Network	180.00
NX-592E-GSM-ZWAVE-AT	NetworX Wireless Alarm.com GSM Module, Z-Wave for ATT Network	219.00
NX-592E-GSM-ZWAVE-TM	NetworX Wireless Alarm.com GSM Module, Z-Wave for TMobile Network	212.00
NX-6	NX-6 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	41.87

10/0/0	1.07 a =	
NX-616-FP	NX-6 Fastpack w/NX-1316E Keypad and Accessories. Fastpack Includes NX-6 Panel, NX-1316E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	125.65
NX-648-KIT	NX-6 Kit w/NX-148E Keypad and Transformer Includes NX-6 Panel, NX-148E LCD Keypad, 16.5VAC, 40VA Transformer	136.83
NX-650N	Crystal Standard Door/Window Sensor, White	35.97
NX-651N	Crystal Standard Door/Window Sensor, Brown	35.97
NX-656	Glass Guard Crystal Sensor. Mounts Directly On Glass. 5' Sensitivity Radius. Adheres to Glass Being Protected. Built-In Terminal Strip, White	57.72
NX-658	Crystal Freeze Sensor. Detects Furnace Failure By Signaling the Panel When Air Temperature Falls Below 45° F. Monitors Up to 900 Sq. Ft, White	45.69
NX-660-20PKG	Crystal Sensor Spacer, White, 20-Pack	6.02
NX-667	Crystal Shock Sensor, White. Sensor has 3 main functions: detect the vibrations made by an intruder trying to break a window/door; detect a window/door opening; detect tamper situations. Includes internal shock detector & cover tamper	54.87
NX-668	Crystal Shock Sensor, Brown	65.84
NX-695	SAW Water Sensor. Detects Water Leaks In Homes and Businesses. Consists of A Detector and a Transmitter	48.10
NX-6-BO-FG	NX-6 Board Only	37.86

NX-6-FP	NX-6 Fastpack w/NX-1308E Keypad Includes NX-6 Panel,	115.02
	NX-1308E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	
NX-6-FP-1	NX-6 Fastpack w/NX-108E Keypad Includes NX-6 Panel, NX-108E LED Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	112.46
NX-6-FP-12	NX-6 Fastpack w/NX-1508E Keypad Fastpack Includes NX-6 Panel, NX-1508E Slimline LED Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	131.44
NX-6-FP-13	NX-6 Fastpack w/NX-1516E Keypad Fastpack Includes NX- 6 Panel, NX-1516E Slimline LED Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	134.38
NX-6-FP-4-LM	NX-6 Fastpack w/NX-1308E Keypad Less Motion Sensor Includes NX-6 Panel, NX- 1308E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	107.69
NX-6-FP-4-LM-LC	NX-6 Fastpack w/NX-1308E LED Keypad, Battery, RJ Cord and Block, Speaker	100.62

NX-6-FP-7	NX-6 Fastpack w/NX-148E Keypad Includes NX-6 Panel, NX-148E LCD Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	179.97
NX-6-FP-7-RF	NX-6 Fastpack w/NX-148E-RF LCD Keypad, T-0001	185.48
NX-6-FP-8	Transformer, PI6000 PIR, B- 1245 Battery NX-6 Fastpack w/NX-1448E	126.79
	Keypad Includes NX-6 Panel, NX-1448E Fixed English Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	
NX-6-FP-8-AP100	NX-6 Fastpack w/AP100PI PIR. Includes NX-6 Panel, NX- 1448E Fixed English Keypad, T-001 Transformer, AP100PI PIR, B-1245 Battery, 5-0001 Speaker RJ Block and Cord	126.79
NX-6-FP-8-LM	NX-6 Fastpack w/NX-1448E Keypad, Less Motion Sensor Includes NX-6 Panel, NX- 1448E Fixed English Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	112.55
NX-6-FP-9	NX-6 Fastpack w/NX-1192E Keypad Includes NX-6 Panel, NX-1192E LCD Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	171.64

NX-6-FP-9-LM	NX-6 Fastpack w/NX-1192E Keypad, Less Motion Sensor Includes NX-6 Panel, NX- 1192E LCD Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	155.11
NX-6-FP-LM	NX-6 Fastpack w/NX-1308E Keypad Less Motion Sensor Includes NX-6 Panel, NX-108E LED Keypad, 16.5VAC, 40VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	104.97
NX-6-KIT	NX-6 Kit w/NX-108E Keypad Includes NX-6 Panel, NX-108E LED Keypad and 16.5VAC, 40VA Transformer	86.53
NX-6-KIT-12	NX-6 Kit w/NX-1508E Keypad and Transformer Includes NX-6 Panel, NX-1508E Slimline LED Keypad and 16.5VAC, 40VA Transformer	86.56
NX-6-KIT-12-LX	NX-6 Kit w/NX-1508E Keypad, Less Transformer. Includes NX- 6 Panel and NX-1508E Slimline LED Keypad. Transformer Not Included	82.01
NX-6-KIT-4	NX-6 Kit w/NX-1308E Keypad and Transformer Includes NX-6 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer	87.52
NX-6-KIT-4-LX	NX-6 Kit w/NX-1308E Keypad, Less Transformer Includes NX- 6 Panel, NX-1308E LED Keypad. Transformer Not Included	82.01
NX-6-KIT-7-RF	NX-6-Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer	142.34
NX-6-KIT-7-RF-LX	NX-6 Kit w/NX-148E-RF Keypad No Transformer	136.83

NX-6-KIT-8	NX-6 Kit w/NX-1448E Keypad and Transformer Includes NX-6 Panel, NX-1448E Fixed English Keypad and 16.5VAC, 40VA Transformer	99.26
NX-6-KIT-8-LX	NX-6 Kit w/NX-1448E Keypad Less Transformer Includes NX- 6 Panel, NX-1448E Fixed English Keypad. Transformer Not Included	93.74
NX-6-KIT-9	NX-6 Kit w/NX-1192E Keypad and Transformer Includes NX-6 Panel, NX-1192E LCD Keypad and 16.5VAC, 40VA Transformer	126.77
NX-6-KIT-APT	NX-6 Kit w/NX-108E Keypad and Apartment Software Includes NX-6 Panel w/Apartment Software, NX- 108E LED Keypad and 16.5VAC, 40VA Transformer	86.53
NX-6-KIT-LX	NX-6 Kit w/NX-108E Keypad Less Transformer Includes NX- 6 Panel and NX-108E LED Keypad. Transformer Not Included	83.18
NX-700	RF Sniffer Installation Tool Used to Determine if a Wireless Sensor is Transmitting	36.07
NX-701	Quik Bridge Supervised 1- Channel Receiver Enables the Use of Up to 2 Wireless Sensors (2 Per Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors	25.31
NX-702	Quik Bridge Non-Supervised 2- Channel Receiver Enables the Use of Up to 4 Wireless Sensors (2 Per Channel) and/or Keychain Touchpads. Compatible w/SAW and Crystal Sensors	27.95
NX-707	Repeater Kit 319.5, w/Crystal Transmitter	187.37

NX-8	NX-8 Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	66.89
NX-816-FP	NX-8 Fastpack w/NX-1316E Keypad. Includes NX-8 Panel, NX-1316E LED Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	154.47
NX-816-KIT	NX-8 Kit w/NX-116E Keypad and Transformer Kit Includes NX-8 Panel, NX-116E LED Keypad, 16.5VAC, 40VA Transformer	114.45
NX-824-KIT	NX-8 Kit w/NX-124E Keypad and Transformer Kit Includes NX-8 Panel, NX-124E LED Keypad, 16.5VAC, 40VA Transformer	117.13
NX-848E-KIT	NX-8E Kit w/NX-148E Keypad and Transformer Kit Includes NX-8E Panel, NX-148E LCD Keypad, 16.5VAC, 50VA Transformer	193.40
NX-848-FP	NX-8 Fastpack w/NX-148E Keypad. Includes NX-8 Panel, NX-148E LCD Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	184.11
NX-848-KIT	NX-8 Kit w/NX-148E Keypad and Transformer Kit Includes NX-8 Panel, NX-148E LCD Keypad, 16.5VAC, 40VA Transformer	153.53
NX-848-KIT-LX	NX-8 Kit w/NX-148E Keypad, Less Transformer. Kit Includes NX-8 Panel, NX-148E LCD Keypad. Transformer Not Included	148.02
NX-8-BO-FG	Board Only	63.09

NV 0 0D	Invocation is	
NX-8-CB	NX-8 Control Panel, Commercial BurglaryVersion Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	124.51
NX-8E	NX-8E Control Panel Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	101.24
NX-8E-BO-FG	NX-8E Board Only	96.78
NX-8E-CB	NX-8E Control Panel, Commercial BurglaryVersion Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	162.29
NX-8E-CB-KIT-7	NX-8E Kit w/NX-8E-BO-FG, NX- 003-CB Enclosure, NX-148E LCD Keypad, T-0001 Transformer	234.27
NX-8E-CB-KIT-VZ3	NX-8E-CB Kit w/CDMA Modem, NX-148E-RF, NX- 590NE, NX-216E, NX-507E,16 Panics, 2 XFMRS	1698.00
NX-8E-FP-7	NX-8E Fastpack w/NX-148E Keypad Fastpack Includes NX- 8E Panel, NX-148E LCD Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 50VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	239.34
NX-8E-FP-7-AP100	NX-8E Fastpack w/AP100Pl PIR. Includes NX-8 Panel, NX- 148E Fixed English Keypad, T- 001 Transformer, AP100Pl PIR, B-1245 Battery, 5-0001 Speaker RJ Block and Cord	239.34
NX-8E-FP-7-LM	NX-8E Fastpack with NX-148E Keypad, less Motion Sensor. Fastpack includes NX-8E panel, NX-148E LCD keypad, hardwire Pet PIR Motion, 16.5 VAC, 50 VA transformer, 12 V 4 Ah backup battery, 15 Watt interior speaker, RJ block and cord	219.49

NX-8E-FP-7-RF	NX-8E Fastpack w/NX-148E-	244.85
	RF LCD Keypad, T-0001 Transformer,Pl6000 PIR, B- 1245 Battery, 5-0001 Speaker, RJ Block and Cord	21.1133
NX-8E-FP-8	NX-8E Fastpack w/NX-1448E Keypad Fastpack Includes NX- 8E Panel, NX-1448E Fixed English Keypad, Hardwire Pet- Immune Motion Sensor, 16.5VAC, 50VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	185.07
NX-8E-FP-9	NX-8E Fastpack w/NX-1192E Keypad Fastpack Includes NX- 8E Panel, NX-1192E LCD Keypad, Hardwire Pet-Immune Motion Sensor, 16.5VAC, 50VA Transformer, 12V 4AH Backup Battery, 15 Watt Interior Speaker, RJ Block and Cord	231.02
NX-8E-KIT-11	NX-8E Kit w/NX-1248E Keypad and Transformer Kit Includes NX-8E Panel, NX-1248E LCD Keypad, 16.5VAC, 50VA Transformer	214.68
NX-8E-KIT-7-RF	NX-8E Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer	198.91
NX-8E-KIT-8	NX-8E Kit w/NX-1448E Keypad and Transformer Kit Includes NX-8E Panel, NX-1448E Fixed English Keypad, 16.5VAC, 50VA Transformer	155.23
NX-8E-KIT-9	NX-8E Kit w/NX-1192E Keypad and Transformer Kit Includes NX-8E Panel, NX-1192E LCD Keypad, 16.5VAC, 50VA Transformer	186.13
NX-8E-KIT-9-LX	NX-8E Kit w/NX-1192E Keypad, Less Transformer Kit Includes NX-8E Panel and NX- 1192E LCD Keypad. Transformer Not Included	182.83

NX-8-FP	NX-8 Fastpack w/NX-1308E Keypad. Includes NX-8 Panel, NX-1308E LED Keypad,	154.47
	Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	
NX-8-FP-5	NX-8 Fastpack w/NX-1316E Keypad. Includes NX-8 Panel, NX-1316E LED Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	154.47
NX-8-FP-7-RF	NX-8 Fastpack w/NX-148E-RF LCD Keypad, T-0001 Transformer, Pl6000 PIR, B- 1245 Battery, 5-0001 Speaker, RJ Block and Cord	189.62
NX-8-FP-8	NX-8 Fastpack w/NX-1448E Keypad Includes NX-8 Panel, NX-1448E Fixed English Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	155.23
NX-8-FP-8-AP100	NX-8 Fastpack w/AP100PI PIR. Includes NX-8 Panel, NX- 1448E Fixed English Keypad, T-001 Transformer, AP100PI PIR, B-1245 Battery, 5-0001 Speaker RJ Block and Cord	155.23
NX-8-FP-8-LM	NX-8 Fastpack w/NX-1448E Keypad, Less Motion Sensor Includes NX-8 Panel, NX- 1448E Fixed English Keypad, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord. Motion Sensor Not Included	131.73
NX-8-FP-9	NX-8 Fastpack w/NX-1192E Keypad Includes NX-8 Panel, NX-1192E Fixed English Keypad, Hardwire Pet-Immune Motion Sensor, Transformer, Backup Battery, Interior Speaker, RJ Block and Cord	175.78

I	1.07-2	
NX-8-IC	NX-8 Control Panel, Canada Approved Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	71.46
NX-8-IC-FC	NX-8 Control Panel, French Canadian. Includes Owner's Manual and Installation Instructions. Keypad and Transformer Sold Separately	70.56
NX-8-KIT	NX-8 Kit w/NX-108E Keypad and Transformer. Kit Includes NX-8 Panel, NX-108E LED Keypad, 16.5VAC, 40VA Transformer	111.55
NX-8-KIT-12	NX-8 Kit w/NX-1508E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1508E Slimline LED Keypad, 16.5VAC, 40VA Transformer	111.57
NX-8-KIT-2-LX	NX-8 Kit w/NX-116E Keypad Less Transformer. Kit Includes NX-8 Panel and NX-116E LED Keypad. Transformer Not Included	112.25
NX-8-KIT-4	NX-8 Kit w/NX-1308E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1308E LED Keypad, 16.5VAC, 40VA Transformer	120.76
NX-8-KIT-4-LX	NX-8 Kit w/NX-1308E Keypad, Less Transformer. Kit Includes NX-8 Panel and NX-1308E LED Keypad. Transformer Not Included	144.06
NX-8-KIT-5	NX-8 Kit w/NX-1316E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1316E LED Keypad, 16.5VAC, 40VA Transformer	124.58
NX-8-KIT-7-RF	NX-8 Kit w/NX-148E-RF LCD Keypad, T-0001 Transformer	159.04
NX-8-KIT-7-RF-LX	NX-8 Kit-w/NX-148E-RF Keypad and No Transformer	153.53

	T	
NX-8-KIT-8	NX-8 Kit w/NX-1448E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1448E Fixed English Keypad, 16.5VAC, 40VA Transformer	125.72
NX-8-KIT-8-LX	NX-8 Kit w/NX-1448E Keypad, Less Transformer. Kit Includes NX-8 Panel, NX-1448E Fixed English Keypad. Transformer Not Included	122.41
NX-8-KIT-9	NX-8 Kit w/NX-1192E Keypad and Transformer. Kit Includes NX-8 Panel, NX-1192E LCD Keypad, 16.5VAC, 40VA Transformer	151.78
NX-8-KIT-LX	NX-8 Kit w/NX-108E Keypad Less Transformer. Kit Includes NX-8 Panel and NX-108E LED Keypad. Transformer Not Included	108.20
OH2000E-UPGRADE	OH2000E Upgrade for OH2000 (Factory Installed)	1102.50
OH-NETREC-100	OH Network Receiver License Software, 100	272.99
OH-NETREC-1000	OH Network Receiver License Software, 1000	545.99
OH-NETREC-D	OH Network Receiver Desktop	4961.25
OH-NETREC-SOFTWARE	OH Network Receiver License Software, 10000	3307.50
OM-DEMO	Demo Package	161.50
OM-E-10VWCT	10 Clients Cottus Viewer	1079.50
OM-E-1AAC	Client/User Connection	19.55
OM-E-1ACS	1 Access Control Interface	195.50
OM-E-1C	1 Camera Connection	212.50
OM-E-1CST	1 Additional Directory License For Windows Clustering Support	1156.00
OM-E-1DSF	1 Direct Show Connection	62.05
OM-E-1DV	1 DVR Camera Input	110.50
OM-E-1FC	1 Failover Camera Connection (Camera Connection Not Included)	19.55
OM-E-1FEC	1 Federated Camera	19.55
OM-E-1FED	1 Federated Directory	195.50
OM-E-1FES	Client/User Connection	391.00
OM-E-1FOD	1 Failover Directory Server	773.50
OM-E-1FOV	1 Virtual Matrix Failover (Includes Virtual Matrix)	1156.00
OM-E-1GPOS	1 Generic POS Checklane Connection (5)	119.00
OM-E-1GTW	1 Media Gateway Streaming License	195.50

OM-E-1HMI	1 Hardware Matrix Connection	1156.00
OM-E-1IOS	1 Iomniscient Plugin Camera (Need To Order DSF Separately) (1)	76.50
OM-E-1KEY	1 Keyboard Connection	195.50
OM-E-1MDE	1 Metadata Engine	1156.00
OM-E-1MPOS	1 Micros POS Checklane	119.00
OW E TWI OO	Connection (5)	113.00
OM-E-1OGW	1 Omnicast Gateway	773.50
OM-E-1OV	1 Object Video Plugin Camera	76.50
	(Need To Order DSF	
	Separately)	
OM-E-1OVR	1 OV Ready Camera	76.50
	Connection (5)	
OM-E-1PACS	1 ACS Prcs Plugin (Requires	11483.50
OM-E-1PGPOS	OM-E-1MDE) (5) 1 Generic POS Plugin	195.50
OW-L-11 GI OS	(Requires OM-E-1MDE) (5)	193.30
OM-E-1PHRS	1 Hirsch Velocity Plugin	3833.50
	(Requires OM-E-1MDE) (1)	
OM-E-1PIOM	1 Iomniscient Plugin (Requires	195.50
	OM-E-1MDE) (1)	
OM-E-1PLEN	1 Lenel Onguard Plugin	3833.50
OM E 4 DMDOO	(Requires OM-E-1MDE)	0000 50
OM-E-1PMPOS	1 Micros POS Plugin (Requires OM-E-1MDE) (5)	3833.50
OM-E-1POBV	1 Object Video Plugin	195.50
OM E 11 OBV	(Requires OM-E-1MDE)	100.00
OM-E-1PPFT	1 GE Picture Perfect Plugin	3833.50
	(Requires OM-E-1MDE) (1)	
OM-E-1PRBH	1 RBH Axiomv Plugin	3833.50
OM E 4001100	(Requires OM-E-1MDE)	2002 50
OM-E-1PSHCC	1 Software House C-Cure 9000 Plugin (Requires OM-E-1MDE)	3833.50
	(5)	
OM-E-1PSWM	1 Micropoint Plugin (Requires	3833.50
	OM-E-1MDE) (2)	
OM-E-1PVRX	1 Verex Monitor XI Plugin	3833.50
	(Requires OM-E-1MDE)	
OM-E-1RSA	1 Auxiliary Archiver	773.50
OM-E-1S	1 SDK Connection	195.50
OM-E-1STU	1 Omnicast Archiver (4.5 And	7658.50
OM-E-1U	Under) Client/User Connection	105 50
		195.50
OM-E-1VLEN	1 Lenel Video Translator	5746.00
OM-E-1VM	1 Virtual Matrix	773.50
OM-E-1VSHCC	1 Software House C-Cure 9000 Video Plugin (5)	5746.00
OM-E-5VWCT	5 Clients Cottus Viewer	697.00
OM-E-ACD	Active Directory Integration	1462.00
OM-E-AVW	Barco Transform A Video Wall	5414.50
	Plugin	
OM-E-BASE	Omnicast Enterprise Software	3102.50
OM-E-CB	Camera Blocking	1538.50

OM-E-CZE-44	Support for Czech	NC
OM-E-DUT-44	Support for Dutch	NC
OM-E-GER-44	Support for German	NC
OM-E-HVW	Barco Transform H Video Wall Plugin	1623.50
OM-E-ITA-44	Support for Italian	NC
OM-E-JAP-44	Support for Japanese	NC
OM-E-POR-44	Support for Portuguese	NC
OM-E-PRLV	Remote Live Viewer	773.50
OM-E-SLO-44	Support for Slovak	NC
OM-E-SNMP	1 SNMP Traps Plugin	773.50
OM-E-SPA-44	Support for Spanish	NC
OM-E-VIRT	Support For Virtualization	1156.00
OM-P-1C	1 Camera Connection	195.50
OM-P-1DV	1 DVR Camera Input	110.50
OM-P-1GTW	1 Media Gateway Streaming License	195.50
OM-P-1K	1 Keyboard Connection	195.50
OM-P-1OGW	1 Omnicast Gateway	773.50
OM-P-1S	1 SDK Connection	195.50
OM-P-1U	1 Client/User Connection	195.50
OM-P-1VM	1 Virtual Matrix	773.50
OM-P-ACD	1 Omnicast Archiver (4.5 And Under)	1462.00
OM-P-BASE	Omnicast Professional Software	960.50
OM-P-CB	Camera Blocking	1538.50
OM-P-CZE-44	Support for Czech	NC
OM-P-DUT-44	Support for Dutch	NC
OM-P-GER-44	Support for German	NC
OM-P-ITA-44	Support for Italian	NC
OM-P-JAP-44	Support for Japanese	NC
OM-P-LA	Local Archiving	467.50
OM-P-OFFAR	Offline Archiving (Back-Up And Restore)	391.00
OM-P-POR-44	Support for Portuguese	NC
OM-P-SLO-44	Support for Slovak	NC
OM-P-SPA-44	Support for Spanish	NC
OM-P-VIRT	Support For Virtualization	1156.00
OM-S-1C	1 Camera Connection	127.50
OM-S-BASE	Omnicast Standard Software	501.50
OM-SDK	Software Development Kit Package	3833.50
OM-S-SMA-1Y	Basic Omnicast SMA With 1 Year Term	459.00
OM-S-SMA-2Y	Basic Omnicast SMA With A 2 Year Term	841.50
OM-S-SMA-3Y	Basic Omnicast SMA With 3 Year Term	1147.50

OM-S-SMA-5Y	Basic Omnicast SMA With 5 Year Term	1606.50
OM-UPGR	Upgrade From Version 3.X	Call for Quote
OM-UPGR-44	Upgrade From Version 3.X to 4.3	Call for Quote
OM-UPGRM	Upgrade From Version 4.X	Call for Quote
P-0003	Pre-Assembly for NX-8E Cable	16.46
PC-16CXDI-PER	16-port Digi C/X serial adapter, PCI bus, RS232 concentrator DB25	2296.88
PC-CRYREP-SWR	Crystal Reports Professional	780.94
PC-NCIC5C-PER	Host to ACU RS232/RS485 Communications Converter with transient surge protection (Includes power supply, RS485 terminator and DB9/DB25 cable)	275.63
PCPER-16PORTSERVER	16-Port RS232, Digi Portserver Ts 16 Mei; Requires Cable Adapters P/N Pcper- Db9Adapter Or Pcper- Db25Adapter	1743.00
PCPER-19FPMON	DELL 19" DVI/RGB Flat Panel	447.44
PCPER-2GBMEM	2GB Memory Module for Dell Power Edge 29XX Servers (Required to be Installed in Pairs)	557.81
PCPER-5PKTAPES	Extra Backup Tapes for DAT 72, 36/72GB (5 Pack)	144.38
PCPER-8PORTSERVER	8-Port RS232, Digi Portserver Ts 8 Mei; Requires Cable Adapters P/N Pcper- Db9Adapter Or Pcper- Db25Adapter	1250.00
PCPER-DB25ADAPTER	4-Pack Db25M Cable Adapters For Digi Portserver Ts 8/16 Mei	40.00
PCPER-DB9ADAPTER	4-Pack Db9M Cable Adapters For Digi Portserver Ts 8/16 Mei	40.00
PCPER-DUALMON	Black Dual-Monitor Desk Stand	250.00
PCPER-EXTDAT72	Dell PV100T, 36/72GB, External DAT72 SCSI Single Tape Drive, w/5-Pack Tape Media, 3-Year On-Site NBD Warranty (for External SCSI Tape Drive Ready Servers)	1275.65

DODED EVEDATION	Dall DV444T 20/720D	4040.00
PCPER-EXTDAT72R	Dell PV114T, 36/72GB, External DAT72 SCSI Rack Mount Single Tape Drive, w/5- Pack Tape Media, 3-Year On- Site NBD Warranty (for External Scsi Tape Drive Ready Servers)	1916.69
PCPER-NICCARD	Additional network card for Redundant servers - NetXtreme™ II 5708 Single Port Ethernet PCI-Express™ Network Interface Card	94.50
PCPER-PORTBRACKET	Serial Port Mounting Bracket	36.00
PCPER-QUADMON	Black Quad-Monitor Desk Stand	378.21
PCPER-RAPIDRAILS	Dell Rapid Rails for Dell Rack for Dell Tape Drive PV 114T	295.00
PCPER-VERSARAILS	Dell Versa Rails for 3rd Party Rack for Dell Tape Drive PV 114T	395.00
PCSERV-300TR1	Dell PET300 Raid1 Tower Server, Single Quad Core XEON 2.XGHz, 4GB RAM, 2X160GB SATA HD Raid1, Single Power Supply, DVD+/- RW, Dual Port 1GB NIC, Ext SCSI Tape Drive Ready, No Tape Drive, No Modem, No Monitor, No OS/DB, 3-Year On- Site NBD Warranty	2863.00
PCSERV-310TR1	Dell Poweredge T310 Tower Server, Intel Xeon Quad Core X3430/2.40GHZ, 4GB RAM, Two 250GB SATA HD RAID1, 16X DVD+/-RW, Dual Port Gigabit NIC, Redundant Power Supply, No Tape Drive, No Modem, No Monitor, No Operating System/Database, 3- Year On-Site Next Bus	1898.00
PCSERV-510RR1	Dell Poweredge R510 Rack Server, Intel Xeon Quad Core E5504/2.0GHZ, 4GB RAM, Two 250GB SATA HD RAID 1, 8X DVD+/-RW, Dual Port Gigabit NIC, Redundant Power Supply, No Tape Drive, No Modem, No Monitor, No Operating System/Database, 3- Year On-Site Next Busin	2598.00

PCSERV-610TR10	Dell Poweredge T610 Tower Svr,2Xxeon Quad Core E5504/2.0Ghz,4Gb Ram,4X73Gb Raid10 Sas Hot Plug Hd,Redundant Psu,Dvd+/- Rw,Dual Port Gigabit Nic,Int/Ext Scsi Tape Drive Ready,No Tape Drive/Modem/Monitor/Os/Db,3 Yr Onsite Nbd Warranty	4143.00
PCSERV-610TR10-L	Dell Poweredge T610 Tower Server, 2Xeon Quad Core E5504, 4GB RAM, 4X73GB Raid10 SAS Hot Plug Hard Drive, Redundant PSU, DVD+/- RW, 2X1GB NIC, Int/Ext SCSI Tape Drive Ready, Red Hat Linux, No Tape Drive/Modem/Monitor/Databas e, 3 Year Onsite Next Business D	5887.98
PCSERV-710RR10	Dell Poweredge R710 Rack Svr,2X Xeon Quad Core E5504/2.0Ghz,4Gb Ram,4X73Gb Raid10 Sas Hot Plug Hd,Redundant Psu,Dvd+/- Rw,Dual Port Gigabit Nic,Int/Ext Scsi Tape Drive Ready,No Tape Drive/Modem/Monitor/Os/Db,3 Yr Onsite Nbd Warranty	4697.00
PCSERV-710RR10-L	Dell Poweredge R710 Rack Server, 2Xeon Quad Core E5504, 4GB RAM, 4X73GB Raid10 SAS Hot Plug Hard Drive, Redundant PSU, DVD+/- RW, 2X1GB NIC, Int/Ext SCSI Tape Drive Ready, Red Hat Linux, No Tape Drive/Modem/Monitor/Databas e, 3 Year Onsite Next Business Day	6302.88
PCSVC-PRELOADEEGE	Windows 2003 / SQL 2005 Server software preload and application configuration service per server (For Facility Commander Wnx Enterprise/Global, Secure Perfect Enterprise/Global, Diamond II)	546.00

PCSVC-PRELOADPP	Picture Perfect Server software preload and application configuration service per server	682.50
PCSVC-PRELOADPRO	Windows XP Professional Server software preload and application configuration service per server (For Facility Commander Wnx Pro, Secure Perfect Pro, Sapphire Pro)	273.00
PCSW-SQLADDCAL	SQL Server 2005 Standard Edition, single additional device CAL	207.69
PCSW-SQLSRV10CAL2008	Microsoft SQL Server 2008 Standard Edition SFTW, Includes 10 Client Access Licenses (10 Device CAL)	2309.00
PCSW-WIN5ADDCAL2008	Microsoft Windows Server 2008 Standard Edition CAL, Additional 5 Client Access License Pack (5 Device CAL Pack)	199.00
PCSW-WINSRV5CAL2008	Microsoft Windows Server 2008 Standard Edition SFTW, Includes 5 Client Access Licenses (5 Device CAL)	971.00
PCWKST-3500TR1	Dell Precision T3500 Tower Workstation, Intel Xeon Quad Core W3520/2.66GHZ, 4GB RAM, Two 250GB SATA HD RAID 1, Two NVIDIA Quadro FX580 for Quad Monitor Support (DVI+DP), DVD+/-RW, Gigabit NIC, Windows XP Professional, No Monitor, 3- Year On-Site Next Busin	1898.00
PCWKST-390SF	Dell Optiplex 390 Small Form Workstation, Intel® Core™ I3 2120 Processor (3.3Ghz, 3M), 4GB RAM, 250GB SATA HD, Dual Monitor Support (2 DVI), 8X Slimline DVD+/-RW, Gigabit NIC, Windows 7 Pro 32Bit, VGA/DVI, 3-Year On- Site Next Business Day Warranty	1250.00

PCWKST-5500RR1	Dell Precision R5500 Rack Mount Workstation, Dual Quad Core Intel Xeon Processor E5603, 1.6Ghz, 4M L3, 4.8GT/S, 4Gb RAM, 2 X 250Gb Raid 1 Sata HD, 1.0Gb Nvidia Quadro 600, Dual Monitor, 1 DP & 1 DVI, 8X Slimline DVD+/- RW, Gigabit NIC Card, Windows 7 Profe	3550.00
PCWKST-990MT	Dell Optiplex 990MT Minitower Workstation, Intelcore I5 2400 Processor (3.1Ghz,6M), 4GB RAM, 2 X 250GB SATA HD Raid 1, Dual 512MB AMD Radeon HD 6350 (2 DVI), 16X DVD+/-RW, Gigabit NIC, Windows 7 Pro 32Bit, No Monitor, 3-Year On-Site Next Business Day Warr	1500.00
POE201-EX	Fast Ethernet PoE-AF Extender	125.00
POE201-MS/4	4-Port Fast Ethernet/POE-AF Mid-Span Injector	125.00
POE302-MS	Gigabit PoE-AT Mid-Span Injector	80.00
POE302-SP	Gigabit PoE-AT Splitter	75.00
PP45AIX-EHOST15	Picture Perfect 4.5 - AIX, Multi- Server Enterprise host base license package with (1) client license and (15) subhost license. Operating system NOT included.	15750.00
PP45AIX-EHOST30	Picture Perfect 4.5 - AIX, Multi- Server Enterprise host base license package with (1) client license and (30) subhost license. Operating system NOT included.	31500.00
PP45AIX-ENTSUBH	Picture Perfect 4.5 - AIX, Multi- Server Enterprise subhost base license package with (1) client license and (32) reader capacity. Operating system NOT included.	6562.50
PP45AIX-ENTUPGR	Picture Perfect 4.5 Upgrade - AIX Multiserver Enterprise Net Host & Subhost covered by active System Support Agreement. Informix Database Upgrade required for upgrades from 1.5 or 1.7. Operating system NOT included.	NC

PP45AIX-SINHOST	Picture Perfect 4.5 - AIX Single Server Base License with (1) slient license and (32) reader capacity. Operating system NOT included.	6562.50
PP45AIX-SINUPGR	Picture Perfect 4.5 Upgrade - AIX Single Server covered under active System Support Agreement. Informix Database upgrade required if upgrading from 1.5 or 1.7.	NC
PP45ALL-MEDIAKT	PP4.5 Linux System Media Kit - Replacement media kit only, No licensing included, not intended for upgrades.Includes Picture Perfect 4.5 and Facility Commander 2.2.2	39.38
PP45AXUP-EHOST15	Picture Perfect 4.5 Server Upgrade - per AIX Host, for Multi-Server Enterprise systems licensed for (15) subhosts, NOT covered under an active System Support Agreement. Additional AIX operating system and/or Informix Database upgrades may be required.	6300.00
PP45AXUP-EHOST30	Picture Perfect 4.5 Server Upgrade - AIX Nethost for Multi- Server Enterprise system licensed for (30) subhost, not covered by active System Support Agreement. Requires purchase of System Support Agreement on same PO. Requires Informix Database upgrade for	10080.00
PP45AXUP-ENTSUBH	Picture Perfect 4.5 Server Upgrade - per AIX Subhost, for Multi-Server Enterprise per subhosts not covered by active System Support Agreement. Requires purchase of System Support Agreement on same PO. Informix Database upgrade required for upgrades from 1	2625.00

PP45AXUP-SINHOST	Picture Perfect 4.5 Server	2625.00
	Upgrade - AIX per single server not covered by active System Support Agreement. Requires purchase of System Support Agreement on same PO. Iinformix Database upgrade required if upgrading from 1.5 or 1.7.	
PP45LIN-EHOST15	Picture Perfect 4.5 - Linux, Multi-Server Enterprise host base license package with (1) client license and (15) subhost license. Linux operating system NOT included. Informix included.	15750.00
PP45LIN-EHOST30	Picture Perfect 4.5 - Linux, Multi-Server Enterprise host base license package with (1) client license and (30) subhost license. Linux operating system NOT included Includes Informix.	31500.00
PP45LIN-ENTSUBH	Picture Perfect 4.5 - Linux, Multi-Server Enterprise subhost base license package with (1) client license and (32) reader capacity. Linux operating system NOT included	6562.50
PP45LIN-ENTUPGR	PP4.5 Upgrade - for Linux, Multi-Server Enterprise Host & Subhost licensed systems covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	NC
PP45LINOPT-VIDEOPKG	PP4.5 Video Option Package - Per licensed PP server, Adds Facility Commander(Linux) and interface, 1 media server (Linux or Windows), 32 camera capacity, 3 cmd and control clients, 1 web client, and digital license.	4500.00
PP45LIN-SINHOST	Picture Perfect 4.5 - Linux, Single Server base license package with (1) client license and (32) reader capacity. Linux operating system NOT included	6562.50

PP45LIN-SINUPGR	PP4.5 Upgrade - for Linux,	NC
	Single Server licensed systems covered under an active System Support Agreement. Additional Linux OS and/or	
	Informix DB upgrades may be required.	
PP45LITE-PWPKUPG	PP4.5 Lite Power Pack Software Upgrade - Adds 2 additional concurrent clients for a total of 3 Clients, 1 Photo ID Imaging lic to be enabled on any of the 3 clients, increase capacity from 32 to 64 readers max., CCTV & Intrusion Interface, No Other Option	1968.75
PP45LITE-SINHOST	Picture Perfect 4.5 Lite - Linux, Single Server base license package with (1) concurrent client license and (32) reader capacity.	4593.75
PP45LITEUP-PWPKUPG	PP4.5 Lite Power Pack Software Upgrade NOT Covered under an active System Support Agreement - Adds 2 additional concurrent clients for a total of 3 Clients, 1 Photo ID Imaging lic to be enabled on any of the 3 clients, increase capacity from 32 to 64 rea	787.50
PP45LITEUP-SINHOST	Picture Perfect 4.5 Lite Upgrade NOT Covered under an active System Support Agreement- Linux, Single Server base license package with (1) concurrent client license and (32) reader capacity. No Warranty. Does not include SSA. SSA coverage going forward	1837.50
PP45LITE-VIDEOPKG	Includes PP4.5 Lite Power Pack Software Upgrade and PP 4.5 V Video Opt package resulting in 64 readers, 32 cameras, 3 PP clients (1 imaging), 2 Cmd and Control clients, 1 web client, CCTV, Intrusion license for PP and digital license for Facility Commande	12811.25

PP45LXUP-EHOST15	PP4.5 Server Upgrade - per Linux Host, for Multi-Server Enterprise systems licensed for (15) subhosts, NOT covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	6300.00
PP45LXUP-EHOST30	PP4.5 Server Upgrade - per Linux Host, for Multi-Server Enterprise systems licensed for (130) subhosts, NOT covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	10080.00
PP45LXUP-ENTSUBH	PP4.5 Server Upgrade - per Linux Subhost, for Multi-Server Enterprise licensed systems NOT covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	2625.00
PP45LXUP-SINHOST	PP4.5 Server Upgrade - for Linux, per Single Server licensed system NOT Covered under an active System Support Agreement. Additional Linux OS and/or Informix DB upgrades may be required.	2625.00
PP45RDR-0064LIC	PP4.5 Reader Capacity License - up to 64 readers for newly licensed system	1155.00
PP45WINOPT-VIDEOPKG	PP4.5 Video Option Package - Per licensed PP server, Adds Facility Commander(Windows) and interface, 1 media server (Windows), 32 camera capacity, 3 cmd and control clients, 1 web client, and digital license.	4500.00
PP46AIX-EHOST15	Picture Perfect 4.6 - AIX, Multi- Server Enterprise Host Base License Package With (1) Client Licnese And (15) Subhost License. Operating System Not Included.	15750.00

PP46-AIXEHOST30	Picture Perfect 4.6- AIX, Multi Server Enterprise Host Base License Package With (1) Client License And (15) Subhost License. Operating Sysem Not Included.	31500.00
PP46AIX-ENTSUBH	Picture Perfect 4.6 - AIX, Multi- Server Enterprise Subhost Base License Package With (1) Client Licnese And 32 Reader Capacity. Operating System Not Included.	6562.50
PP46AIX-ENTUPGR	Picture Perfect 4.6 Upgrade - AIX Multiserver Enterprise Subhost Covered By Active System Support Agreement. Operating System Not Included.	NC
PP46AIX-SINHOST	Picture Perfect 4.6 - AIX Single Server Base License Includes (1) Client License And (32) Reader Capacity. Operating System Not Included.	6562.50
PP46AIX-SINUPGR	Picture Perfect 4.6 Upgrade - AIX Single Server Covered Under Active System Support Agreement. Does Not Include Operating System	NC
PP46AIX-SUBUPGR	Picture Perfect 4.6 Upgrade - Per AIX Enterprise Subhost Covered By Active System Support Agreement. Operating System Not Included.	NC
PP46ALL-MEDIAKT	Picture Perfect 4.6 System Media Kit - Replacement Media Kit Only, No Licensing Included, Not Intended For Upgrades. Includes Picture Perfect 4.6 And Facility Commander 2.2.3	39.38
PP46AXUP-EHOST15	Picture Perfect 4.6 Server Upgrade-AIX Nethost For Multiserver Enterprise System Licensed For (15) Subhost, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO. Does Not Include Operating System.	6300.00

DD40AVUD EUCOTOO	Distance Dente et 4 0 0	10000 00
PP46AXUP-EHOST30	Picture Perfect 4.6 Server Upgrade-AIX Nethost For Multiserver Enterprise System Licensed For (30) Subhost, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO. Does Not Inlcude AIX.	10080.00
PP46AXUP-ENTSUBH	Picture Perfect 4.6 Server Upgrade - Per AIX Enterprise Subhost Not Covered By Active SSA. SSA Purchase Required On Same PO. Does Not Include AIX.	2625.00
PP46AXUP-SINHOST	Picture Perfect 4.6 Server Upgrade - AIX Per Single Server Not Covered By Active System Support Agreement. Requires Purchase Of System Support Agreement On Same PO. Does Not Include Operating System.	2625.00
PP46LIN-EHOST15	Picture Perfect 4.6 - Linux, Multiserver Enterprise Host Base License Package With (1) Client License And (15) Subhost License. Operating Systen Not Included.	15750.00
PP46LIN-EHOST30	Picture Perfect 4.6 - Linux, Multiserver Enterprise Host Base License Package With (1) Client And (30) Subhost Licenses. Operating System Not Included.	31500.00
PP46LIN-ENTSUBH	Picture Perfect 4.6 - Linux, Multiserver Enterprise Subhost Base Licnese With (1) Client And (32) Reader Capacity. Operating System Not Included.	6562.50
PP46LIN-ENTUPGR	Picture Perfect 4.6 Upgrade - Linux, Multiserver Enterprise Host Licensed System Covered Under Active System Support Agreeement. Operating System Not Included.	NC

PP46LINOPT-VIDEOPKG	Picture Perfect 4.6 Video Option Package - Linux, Per Licensed Picture Perfect Server. Includes Licenses For Facility Commnader (Linux), 1 Media Server(Linux Or Windows), 32 Camera Capacity, 3 Command & Control Clients, 1 Web Clinet And Digital License.	4500.00
PP46LIN-SINHOST	Picture Perfect 4.6 - Linux, Single Server Base License With (1) Client And 32 Reader Capacity Licenses. Operating System Not Included.	6562.50
PP46LIN-SINUPGR	Picture Perfect 4.6 Upgrade For Linux, Single Server Covered Under An Active System Support Agreement. Operating System Not Included.	NC
PP46LIN-SUBUPGR	Picture Perfect 4.6 Upgrade - Per Linux Enterprise Subhost Covered By Active System Support Agreement. Operating System Not Included.	NC
PP46LITE-PWPKUPG	Picture Perfect 4.6 Lite Power Pack Upgrade - Adds 2 Additional Concurrent Clients For A Total Of 3 Clients With Enablement Of 1 Imaging License On Any Of The 3 Clients, Increase Capacity To 64 Readers Max, CCTV & Intrusion Interface, No Other Option.	1968.75
PP46LITE-SINHOST	Picture Perfect 4.6 Lite - Linux, Single Server Base License Package With (1) Concurrent Clinet And 32 Reader Capacity.	4593.75
PP46LITEUP-PWPKUPG	Picture Perfect 4.6 Lite Power Pack Software Upgrade Not Covered Under Active System Support Agreement. Requires Purchase Of SSA On Same PO.	787.50
PP46LITEUP-SINHOST	Picture Perfect 4.6 Lite Upgrade Not Covered Under Active System Support Agreement - Linux. Requires Purchase Of SSA On Same PO.	1837.50

PP46LITE-VIDEOPKG	Includes Picture Perfect 4.6	12811.25
	Lite Power Pack Upgrade And PP 4.6 Video Option Package: 64 Readers, 32 Cameras, 3 PP Clients (1 Imaging), 2 Command & Control Cllients, 1 Web Client, CCTV, Instrusion License For Picture Perfect And Digital License For FCC.	
PP46LXUP-EHOST15	Picture Perfect 4.6 Server	6300.00
	Upgrade - Per Linux Host For Enterprise Systems Licensed For (15) Subhosts, Not Covered Under An Active System Supicture Perfectort Agreement. Requires Purchase Of SSA On Same PO. Operating System Not Included.	
PP46LXUP-EHOST30	Picture Perfect 4.6 Server Upgrade - Per Linux Host, For Enterprise Systems Licensed For (30) Subhosts, Not Covered Under An Active System Support Agreement.SSA Purchase Required On Same PO. Operating System Not Included.	10080.00
PP46LXUP-ENTSUBH	Picture Perfect 4.6 Server Upgrade - Per Linux Subhost For Enterprise System Not Covered Under Active System Support Agreement. Requires SSA Purchase On Same PO. Operating System Not Included	2625.00
PP46LXUP-SINHOST	Picture Perfect 4.6 Server Upgrade - Per Linux Host Not Covered By Active SSA. Requires Purchase Of SSA On Same PO. Operating System Not Incluced.	2625.00
PP46WINOPT-VIDEOPKG	Picture Perfect Video Option Package For 4.6. Per Licensed Server. Adds Facilty Commander (Windows) And Interface, 1 Media Server (Windows), 32 Camaera Capacity, 3 Command & Control Clients, 1 Web Clent, And Digital License.	4500.00

PPL1SSA-0016LIC	PP L1SSA Reader Capacity License - 1 to 16 readers per	65.63
	server	
PPL1SSA-0032LIC	PP L1SSA Reader Capacity License - 1 to 32 readers per	131.25
	server	
PPL1SSA-0064LIC	PP L1SSA Reader Capacity	231.00
	License - 1 to 64 readers per	
	server	
PPL1SSA-010USER	PP Client 10+ L1SSA - for 10	2362.50
	to 24, additional concurrent	
	user licenses, browser based	
	JAVA thin client w/ SSL	
PPL1SSA-0128LIC	PP L1SSA Reader Capacity	590.50
11 1 1 1 3 3 A - 0 1 2 0 L 1 C	License - 1 to 128 readers per	390.30
	server	
PPL1SSA-0256LIC	PP L1SSA Reader Capacity	1377.60
	License - 1 to 256 readers per	
	server	
PPL1SSA-025USER	PP Client 25+ L1SSA - for 25	5250.00
	to 49, additional concurrent	
	user licenses, browser based	
	JAVA thin client w/ SSL	
PPL1SSA-050USER	PP Client 50+ L1SSA - for 50	9187.50
I I LIOOA-00000ER	to 99, additional concurrent	3107.50
	user licenses, browser based	
	JAVA thin client w/ SSL	
PPL1SSA-0512LIC	PP L1SSA Reader Capacity	2952.00
	License - 1 to 512 readers per server	
PPL1SSA-100USER	PP Client 100+ L1SSA - for	15750.00
I I LISSA-1000SLK	100 to 199 additional	13730.00
	concurrent user licenses,	
	browser based JAVA thin client	
	w/ SSL	
PPL1SSA-1024LIC	PP L1SSA Reader Capacity	4575.00
	License - 1 to 1,024 readers	
	per server	
PPL1SSA-200USER	PP Client 200+ L1SSA - for	24950.00
	200 or more additional	
	concurrent user licenses, browser based JAVA thin client	
	w/ SSL	
PPL1SSA-2048LIC	PP L1SSA Reader Capacity	6199.00
11 2100/(2010210	License - 1 to 2,048 readers	0100.00
	per server	
PPL1SSA-4096LIC	PP L1SSA Reader Capacity	9377.50
	License - 1 to 4,096 readers	
	per server	
PPL1SSA-APIINTF	PP L1SSA API - Electronic	630.00
	Interface (EIF) Option	

DDI 400A CADOF40	DDI 400A CADMA Deport	040.75
PPL1SSA-CARG512	PPL1SSA CARMA - Report Server Software for Picture	918.75
	Perfect Linux or AIX systems	
	licensed greater than 512	
	reader capacity.	
PPL1SSA-CARL512	PPL1SSA CARMA - Report	672.81
	Server Software for Picture	
	Perfect Linux or AIX systems	
	licensed up to 512 reader	
	capacity.	
PPL1SSA-CCTVINT	PP L1SSA CCTV Control	315.00
DDI 4004 0110	System Interface Option	2075.00
PPL1SSA-CUC	PP SSA - Certified User Call In	9375.00
	- Requires L I or L II SSA in place	
PPL1SSA-DSL	PP SSA - Duplicate Server	3125.00
I I LIOON DOL	License coverage Requires	0120.00
	L I or L II SSA in place	
	· I	
PPL1SSA-EHOST15	Picture Perfect Multi-Server	3150.00
	Enterprise Host L1SSA - per	
	host base license package with	
	(1) client license and (15)	
	subhost license.	
PPL1SSA-EHOST30	Picture Perfect Multi-Server	6300.00
	Enterprise Host L1SSA - per	
	host base license package with (1) client licenseand (30)	
	subhost license.	
	Subflost ficerise.	
PPL1SSA-ENTSUBH	Picture Perfect Multi-Server	1312.50
	Enterprise Subhost L1SSA -	
	per subhost base license	
	package with (1) client license	
	and (0) reader capacity.	
DDI 400A FIDEINIT	DD 1400A Fire Outland	315.00
PPL1SSA-FIREINT	PP L1SSA Fire System Monitoring Interface Option	315.00
PPL1SSA-GUARDTR	PP L1SSA Guard Tour Option	315.00
TTETOOA-GOARDTR	11 E130A Guard Tour Option	313.00
PPL1SSA-HVACBAS	PP L1SSA HVAC & Building	315.00
	Automation System Interface	
	Option	
PPL1SSA-ICSAUTO	PP L1SSA Central Station	630.00
	Automation Platform Interface	
	Option	
PPL1SSA-ICSRECV	PP L1SSA Intrusion Central	630.00
	Station Receiver Interface	
PPL1SSA-INTRCOM	Option PP L1SSA Intercom System	315.00
ILL 1994-IN LKOOM	Interface Option	315.00
PPL1SSA-LINLITE	Picture Perfect Lite L1SSA -	918.75
II I LIGOTELINLIIL	per server base license	910.73
	package, including system with	
	Power Pack Software Upgrade.	
	1	

PPL1SSA-LITEVIDEO	PP L1SSA Lite Video Pkg .	2562.25
PPL1SSA-PERPHID	PP Imaging Client L1SSA - per single concurrent user license with integrated Photo ID badging - browser based JAVA thin client w/ SSL	649.69
PPL1SSA-PERUSER	PP Client L1SSA - per single additional concurrent user license, browser based JAVA thin client w/ SSL	255.94
PPL1SSA-PWPK	PP Lite Power Pack Software - Adds 2 additional concurrent clients for a total of 3 Clients, 1 Photo ID Imaging lic to be enabled on any of the 3 clients, increase capacity from 32 to 64 readers max., CCTV & Intrusion Interface, No Other Option.	393.75
PPL1SSA-REDSYST	PP L1SSA Redundant System Option - includes coverage for 2nd server licensed options & capacities	2493.75
PPL1SSA-SINHOST	Picture Perfect Single Server L1SSA - per server base license package with (1) client license and (0) reader capacity.	1312.50
PPL1SSA-VIDEO	PPL1SSA Video Option	900.00
PPL2SSA-0256	Picture Perfect L2 Extended After Hours Support - up to 256 Reader/Camera capacity, requires active Level 1 SSA	1875.00
PPL2SSA-1024	Picture Perfect L2 Extended After Hours Support - up to 1024 Reader/Camera capacity, requires active Level 1 SSA	3750.00
PPL2SSA-2048	Picture Perfect L2 Extended After Hours Support - up to 2048 Reader/Camera capacity, requires active Level 1 SSA	5625.00
PPL2SSA-4096	Picture Perfect L2 Extended After Hours Support - up to 4096 Reader/Camera capacity, requires active Level 1 SSA	9375.00

PPL2SSA-ENTSYST	PP Multi-Server Enterprise L2 Extended After Hours Support - per Multi Server Enterprise System Site, requires active Level 1 SSA	5040.00
PPL2SSA-SIN0128	PP Single Server L2 Extended After Hours Support - per Single Server System < 128 Readers, requires active Level 1 SSA	1260.00
PPL2SSA-SIN4096	PP Single Server L2 Extended After Hours Support - per Single Server System > 128 Readers, requires active Level 1 SSA	2520.00
PPL3SSA-CUSTOMQ	Picture Perfect multi-system site wide coverage, assigned support team, annual visits, and priority call - Custom Quote	Call for Quote
PPOPT-APIINTF	Picture Perfect API Option License For 4.5 Or 4.6 - Per Licensed Server. XML Based API	3150.00
PPOPT-CCTVINT	Picture Perfect CCTV Control System Interface Option For P4.5 Or 4.6. Per Licensesd Server. Reqiures 1 Serial Port Per CCTV Matrix/Switcher. Support For AD 2150,Burle Allegiant TC8500-TC8901 Services,Allplex TC8298,Grundig,Javelin JO- 326,Kalatel KTD-312,	1575.00
PPOPT-FIREINT	Picture Perfect CCTV Control System Interface Option For P4.5 Or 4.6. Per Licensesd Server. Reqiures 1 Serial Port Per CCTV Matrix/Switcher. Support For AD 2150,Burle Allegiant TC8500-TC8901 Services,Allplex TC8298,Grundig,Javelin JO- 326,Kalatel KTD-312,	1575.00
PPOPT-GUARDTR	Picture Perfect Guard Tour Option For 4.5 Or 4.6. Per Licensed Server.	1575.00
PPOPT-HVACBAS	Picture Perfect HVAC & Building Automation Sysem Interface Option For 4.5 Or 4.6. Per Licensed Server. Requires 1 Serial Port Per Interface. Supports Siebel CBAs.	1575.00

PPOPT-ICSAUTO	Picture Perfect Central Station Automation Platform Interface For 4.5 Or 4.6. Per Licensed Server. Requires 1 Serial Port Per Interface. Supports ABM & MAS Automation Platforms.	3150.00
PPOPT-ICSRECV	Picture Perfect Intrusion Central Station Receiver Interface Option For 4.5 Or 4.6. Per Licensed Server. Requires 1 Serial Port Per Receiver. Supports Osborne Hoffman Receivers, DMP SCS- 1 And Universal Intrusion Interface.	3150.00
PPOPT-INTRCOM	Picture Perfect Interrcom System Interface Option For 4.5 Or 4.6. Per Licensed Server. Requires 1 Serial Port Per Intercom Exchange. Supports Commend, Stentofon 9600'S & Touchline 52/8 And 120/12.	1575.00
PPOPT-REDSYST	Picture Perfect Redundant Sysem Option For 4.5 Or 4.6. One Copy Links (2) Single Server Sysems And Enables Duplicate Licensing On Secondary Server. Requires Purchase Of Primary Server License. Operating System Not Included.	12468.75
PPOPTUP-APIINTF	Picture Perfect Eif Api Upgrade For 4.5 Or 4.6. Not Covered Under Active SSA. Requires Purchase Of SSA On Same PO	1260.00
PPOPTUP-CCTVINT	Picture Perfect CCTV Interface Optin Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO	630.00
PPOPTUP-FIREINT	Picture Perfect Fire System Interface Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	630.00

PPOPTUP-GUARDTR	Picture Perfect Guard Tour Option Upgrade Not Covered By Active SSA. Requres Purchase Of SSA On Same PO.	630.00
PPOPTUP-HVACBAS	Picture Perfect HVAC & Building Automation Interface Option Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO	630.00
PPOPTUP-ICSAUTO	Picture Perfect Central Station Automation Interface Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	1260.00
PPOPTUP-ICSRECV	Picture Perfect Intrusion Central Station Interface Option Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO	1260.00
PPOPTUP-INTRCOM	Picture Perfect Intercom Interface Option Upgrade Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	630.00
PPOPTUP-REDSYST	Picture Perfect Redundant System Option Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	4987.50
PPRDR-0064INC	Picture Perfect 32 To 64 Reader Capacity Increase For 4.5 Or 4.6 For Previously Licensed System.	1443.75
PPRDR-0064LIC	Picture Perfect Reader Capacity Up To 64 Readers For 4.5 Or 4.6 For Newly Licensed System.	1155.00
PPRDR-0128INC	Picture Perfect 64 To 128 Reader Capacity Increase For 4.5 Or 4.6 For Previously Licensed System.	2165.63
PPRDR-0128LIC	Picture Perfect Reader Capacity Up To 128 Readers For 4.5 Or 4.6 For Newly Licensed System.	2952.50

	lau a coma a a l	
PPRDR-0256INC	Picture Perfect 128 To 256 Reader Capacity Increase For 4.5 Or 4.6 For Previously Licensed System.	4331.25
PPRDR-0256LIC	Picture Perfect Reader Capacity Up To 256 Readers For 4.5 Or 4.6 For Newly Licensed System.	6888.00
PPRDR-0512INC	Picture Perfect 256 To 512 Reader Capacity Increase For 4.5 Or 4.6 For Previously Licensed System.	4331.25
PPRDR-0512LIC	Picture Perfect Reader Capacity Up To 512 Readers For 4.5 Or 4.6 For Newly Licensed System.	14760.00
PPRDR-1024INC	Picture Perfect 512 To 1024 Reader Capacity Increase For 4.5 Or 4.6 For Previously Licensed System.	15744.00
PPRDR-1024LIC	Picture Perfect Reader Capacity Up To 1024 Readers For 4.5 Or 4.6 For Newly Licensed System.	22875.00
PPRDR-2048INC	Picture Perfect 1024 To 2048 Reader Capacity Increase For 4.5 Or 4.6 For Previously Licensed System	15743.00
PPRDR-2048LIC	Picture Perfect Reader Capacity Up To 2048 Readers For 4.5 Or 4.6 For Newly Licensed System.	30995.00
PPRDR-4096INC	Picture Perfect 2048 To 4096 Reader Capacity Increase For 4.5 Or 4.6 For Previously Licensed System.	23628.00
PPRDR-4096LIC	Picture Perfect Reader Capacity Up To 4096Readers For 4.5 Or 4.6 For Newly Licensed System	46887.50
PPRDUP-0064LIC	Picture Perfect Reader Capacity Version Upgrade For 4.5 Or 4.6 - Per Server , Up To 64 Readers, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	462.00

	T	T
PPRDUP-0128LIC	Picture Perfect Reader Capacity Version Upgrade For 4.5 Or 4.6 - Per Server , Up To 128 Readers, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	1181.00
PPRDUP-0256LIC	Picture Perfect Reader Capacity Version Upgrade For 4.5 Or 4.6 - Per Server , Up To 256 Readers, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	2755.20
PPRDUP-0512LIC	Picture Perfect Reader Capacity Version Upgrade For 4.5 Or 4.6 - Per Server , Up To 512 Readers, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	5904.00
PPRDUP-1024LIC	Picture Perfect Reader Capacity Version Upgrade For 4.5 Or 4.6 - Per Server , Up To 1024 Readers, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	9150.00
PPRDUP-2048LIC	Picture Perfect Reader Capacity Version Upgrade For 4.5 Or 4.6 - Per Server , Up To 2048 Readers, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	12398.00
PPRDUP-4096LIC	Picture Perfect Reader Capacity Version Upgrade For 4.5 Or 4.6 - Per Server , Up To 4096 Readers, Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	18755.00
PP-REDUPGR	Picture Perfect Redundant Sysem Option Upgrade For 4.5 Or 4.6 Covered By Active SSA. Operating System Not Included.	NC
PPUSER-001CLNT	Picture Perfect Single Concurrent User License For 4.5 Or 4.6.	1279.69
PPUSER-010CLNT	Picture Perfect 10-Pack Concurrent User License For 4.5 Or 4.6.	11812.50
PPUSER-025CLNT	Picture Perfect 25-Pack Concurrent User License For 4.5 Or 4.6.	26250.00

PPUSER-050CLNT	Picture Perfect 50-Pack Concurrent User License For	45937.50
PPUSER-100CLNT	4.5 Or 4.6. Picture Perfect 100-Pack Concurrent User License For 4.5 Or 4.6.	78750.00
PPUSER-PHOTOID	Picture Perfect Single Imaging Client License For 4.5 Or 4.6.	3248.44
PPUSUP-001CLNT	Picture Perfect Single Client Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	511.88
PPUSUP-010CLNT	Picture Perfect 10-Pack Concurrent User License Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	4725.00
PPUSUP-025CLNT	Picture Perfect 25-Pack Concurrent User License Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	10500.00
PPUSUP-050CLNT	Picture Perfect 50-Pack Concurrent User License Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	18375.00
PPUSUP-100CLNT	Picture Perfect 100-Pack Concurrent User License Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	31500.00
PPUSUP-PHOTOID	Picture Perfect Imaging Client User License Upgrade For 4.5 Or 4.6 Not Covered By Active SSA. Requires Purchase Of SSA On Same PO.	1299.38
PROSERV-IGSD2CONV	Sapphire Pro or Diamond I Database Conversion to Diamond II v2.3 format for FCWnx upgrade readiness.	1995.00
PROSERV-WINDBCONV	Windows Platform Single DB Conversion - DB submitted for conversion & test validation prior to software version upgrade. For SecPerf v3-v6, Diamond-II v2.3, or FCWnx to current FCWnx version release.	1995.00

PROSERV-WINDBMERGE	Windows Platform Multi DB	4995.00
T NOOLINY-WINDDWILINGE	Merge Conversion - DB submitted for merge/conversion & test validation prior to system migration upgrade. Up to 3DB common platform merge to 1DB. For multi Pro or Ent migrations to a single Ent or Global system.	4555.00
PROSERV-WINDEPCOM	Windows Platform Deployment & Comissioning Service - Onsite assist with system sftw install & config for basic system start-up and operational hand-off. Quoted per day, up to 10Hr work day, T&L portal to portal charges apply separately.	2100.00
PS1101M-SA	24VAC Power Supply, 350Ma, Stand Alone	20.00
PS12VDC1.5A-U	12VDC@1.5A External Power Supply	20.00
PS-18VAC-SA	18VAC Plug-In Transformer, Stand Alone	15.00
PS24VAC.6-US	120V/60HZ, 24VACCT@0.6A w/U.S. Plug	20.00
PS48VDC.38A-US	48VDC@380mA Wall-Mount Power Supply - Compatible w/UI Plugs Used in North America, Japan and Parts of China, SA	15.00
PS48VDC65W-US	48V DC 65W Power Supply	28.00
PS56VDC65W-US	56VDC, 65W Power Supply	28.00
PS5VDC2A-US	5VDC@2A Wall-Mount Power Supply - Compatible w/Ul Plugs Used in North America, Japan and Parts of China, SA	15.00
PS-R3-115-07	115VAC Power Supply for R3 Rack, UL Approved	300.00
PS-R3-230-07	230VAC Power Supply for R3 Rack, UL Approved	300.00
PS-R3-48	48VDC Power Supply for R3 Rack	660.00
PS-SWIT-12V3A-SA	12VDC Power Supply, 1000Ma Out, Stand Alone, 3A Out, C-6 Plug, International	30.00
R1075-N	Mini-Max Recessed Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	2.85

DAOZEDNI ADDICC	Deceased Steel Deer Centest	161.00
R1076DN-10PKG	Recessed Steel Door Contact, 1" Diameter, DPDT, Rare Earth Magnet., White. 10-Pack	161.98
R1078-M	Mini-Max Recessed Steel Door Contact w/Wire Leads, 1" Diameter, Brown, 1/2" Gap	6.96
	Size	
R1078-N	Mini-Max Recessed Steel Door Contact w/Wire Leads, 1" Diameter, White, 1/2" Gap Size	6.96
R1078N-10PKG	Recessed Steel Door Contact, 1" Diameter, Rare Earth Magnet., White. 10-Pack	69.57
R1125-N	Mini-Max Recessed Stubby Press Fit Contact w/Wire Leads, 3/8" Diameter, White, 1/2" Gap Size	1.50
R1125T-N	Recessed Mini-Max Stubby Press Fit Terminal Contact, White, 1/2" Gap Size	3.72
R1125TN-10PKG	Recessed Stubby Contact, 3/8" Diameter, Terminals, Rare Earth Magnet, White. 10-Pack	37.16
R1125TW-N	Recessed Mini-Max Stubby Press Fit Terminal Wide Gap Contact, White, 7/8" Gap Size	4.35
R1125TWN-10PKG	Recessed Stubby Contact, 3/8" Diameter, Wide Gap, Terminals, Rare Earth Magnet, White. 10-Pack	43.44
R1125W-N	Mini-Max Recessed Stubby Press Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 7/8" Gap Size	3.95
R1125WN-10PKG	Recessed Stubby Contact, 3/8" Diameter, Wide Gap, Rare Earth Magnet, White. 10-Pack	39.47
R1225N-10PKG	Mini-Max Recessed Stubby Press Fit Contact w/Leads, 3/8" Diameter, White, 1/2" Gap Size, 10-Pack	32.20
R1275W-N	Mini-Max Recessed Wing Fit Wide Gap Contact w/Wire Leads, 3/8" Diameter, White, 7/8" Gap Size	3.72
R1275WN-10PKG	Recessed Mini-Max Wing Fit, 3/8" Diameter, Wide Gap, Rare Earth Magnet, White. 10-Pack	37.16

R3	19" Rack Mount Card Cage, 14 Slots, 115VAC Input	530.00
R3-230	19" Rack Mount Card Cage, 14 Slots, 230VAC Input	530.00
R3-24	19" Rack Mount Card Cage, 14 Slots, 24VDC Input	1055.00
R3-BP	1" Blank Panel for R3 Card Cage	20.00
R3-CH	19" Rack Mount Card Cage, No Power Supply	365.00
R3-CH-ASSY	Card Cage w/Back Plane	395.00
R3-CH-SA	19" Rack Mount Card Cage, No Power Supply, Stand Alone	395.00
R5	Rack Mount w/Sync	530.00
R5812NT	ShatterPro 3 Glassbreak Sensor (Round Housing) form A. 3' - 35' Adjustable Range	27.99
R5815NT	ShatterPro 3 Glassbreak Sensor w/Tamper (Round Housing) form C. Tamper Switch. 3' - 35' Adjustable Range	38.86
RCR-50	Range-Controlled Radar PIR Motion Sensor form C, Tamper, 50' Range (20', 30', 40' and 50' Options). Form C Relay w/Tamper. Radar-Only Mode	44.05
RCR-A	Range-Controlled Radar PIR Motion Sensor form A form A Relay. 9,18,27, 35' Selectable Range. Radar-Only mode	35.23
RCR-C	Range-Controlled Radar PIR Motion Sensor form C form C Relay w/Tamper. 35' Range. Radar-Only mode	41.84
RCR-PET	Range-Controlled Radar PIR Motion Sensor w/Pet Immunity form A, Pet Immunity to 80 lbs. Form A Relay. Selectable Range to 35'. LED Indicator	31.62
RCR-REX-B	Request To Exit Dual Tech Sensor, Black	68.08
RCR-REX-G	Request To Exit Dual Tech Sensor, Grey	68.08
RCR-REX-W	Request To Exit Dual Tech Sensor, White	68.08
RCR-WP-B	Single Gang Wall Plate 2 1/4" X 8 3/4", Black	3.26
RCR-WP-G	Single Gang Wall Plate 2 1/4" X 8 3/4", Grey	3.26
RCR-WP-W	Single Gang Wall Plate 2 1/4"X8 3/4", White	3.26

REDINSTALL	Redundant System Installation Service (required). Travel	10500.00
	expenses NOT included	
RIM16-E00	RIM, 16 Alarm input interface, with back plate, no enclosure	345.19
RIM16-E00-U	RIM, 16 Alarm Input Interface (ICM), No Enclosure	418.7
RIM16-E1L	RIM, 16 Alarm input interface with key locked enclosure	393.7
RIM16-E1L-U	RIM, 16 Alarm Input Interface (ICM) with Key Locked Enclosure	468.7
RRE01-E00	RRE1, 1 Reader interface, with back plate, no enclosure	312.38
RRE01-E00-U	RRE1, 1 Reader Interface (SDC), No Enclosure	293.7
RRE01-E1L	RRE1, 1 Reader interface with key locked enclosure	360.94
RRE01-E1L-U	RRE1, READER INTERFACE (SDC) W/KEY LOCKED ENCLOSURE	343.7
RRE02-E00	RRE2, Reader interface, with back plate, no enclosure	509.2
RRE02-E00-U	RRE2, 2 Reader Interface (DDC), No Enclosure	437.5
RRE02-E1L	RRE2, 2 Reader interface with key locked enclosure	557.8
RRE02-E1L-U	RRE2, Reader Interface (DDC), with Key Locked Enclosure	487.5
RRE04-E00	RRE4, 4 Reader interface, with back plate, no enclosure	640.50
RRE04-E00-U	RRE4, 4 Reader Interface (DDCX2), No Enclosure	862.50
RRE04-E1L	RRE4, 4 Reader interface with key locked enclosure	689.00
RRE04-E1L-U	RRE, 4, Reader Interface (DDCX2) with Key Locked Enclosure	912.50
RRM16-E00	RRM, 16 Relay output interface, with back plate, no enclosure	393.7
RRM16-E00-U	RRM, 16 Relay Output Interface (OCM), No Enclosure	418.7
RRM16-E1L	RRM, 16 Relay output interface with key locked enclosure	443.63
RRM16-E1L-U	RRM, 16 Relay Output Interface (OCM) with Key Locked Enclosure	468.7

RS-5APwr	5 Amp 24VDC, 110/220VAC, UPS ready power supply for	229.69
S20-1SLC/A-20	RS panels SFP-Port Fast 1 Fiber Mini GBIC Module SM TX1310Nm -	135.00
S20-1SLC/B-20	20km SFP-Port Fast 1 Fiber Mini	135.00
	GBIC Module SM TX1550Nm - 20km	
S20-2MLC-2	SFP-Port Fast 2 Fiber Mini GBIC Module MM 1310Nm - 2km	75.00
S20-2SLC-20	SFP-Port Fast 2 Fiber Mini GBIC Module SM 1310Nm - 20km	95.00
S25-2MLC-2	SFP-Port Fast 2 Fiber Mini GBIC Module High Temp MM 1310Nm - 2km	110.00
S25-2SLC-20	SFP-Port Fast 2 Fiber Mini GBIC Module High Temp SM 1310Nm - 20km	130.00
S30-1SLC/A-10	SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 10km TX 1310Nm	175.00
S30-1SLC/A-20	SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 20km TX 1310Nm	205.00
S30-1SLC/A-60	SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 60km TX 1310Nm	470.00
S30-1SLC/B-10	SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 10km TX1550Nm	175.00
S30-1SLC/B-20	SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 20km TX1550Nm	205.00
S30-1SLC/B-60	SFP-Port Gigabit 1 Fiber Mini GBIC Module SM - 60km TX1550Nm	470.00
S30-2MLC	SFP-Port Gigabit 2 Fiber Mini GBIC Module MM 850Nm - 550m	65.00
S30-2MLC-2	SFP-Port Gigabit 2 Fiber Mini GBIC Module MM 1310Nm - 2km	95.00
S30-2SLC-10	SFP-Port Gigabit 2 Fiber Mini GBIC Module SM 1310Nm - 10km	125.00
S30-2SLC-30	SFP-Port Gigabit 2 Fiber Mini GBIC Module SM 1310Nm - 30km	240.00
S30-2SLC-70	SFP-Port Gigabit 2 Fiber Mini GBIC Module SM 1310Nm - 70km	470.00
S30-RJ	SFP-Port Gigabit Mini GBIC Module Copper RJ45	115.00

S35-2MLC	SFP-Port Gigabit 2 Fiber Mini GBIC Module MM High Temp 850Nm - 550m	110.00
S35-2SLC-10	SFP-Port Gigabit 2 Fiber Mini GBIC Module SM High Temp 1310Nm - 10km	170.00
S35-2SLC-30	SFP-Port Gigabit 2 Fiber Mini GBIC Module SM High Temp 1310Nm - 30km	280.00
S35-2SLC-70	SFP-Port Gigabit 2 Fiber Mini GBIC Module SM High Temp 1310Nm - 70km	510.00
S700VR-EST	MM - CCTV Video Rx, Can	171.88
S700VR-RST	MM - CCTV Video Rx, Rack	171.88
S700VT-EST	MM - CCTV Video Tx, Can	156.25
S700VT-MST	MM - CCTV Video Tx, Mini Can	140.63
S700VT-RST	MM - CCTV Video Tx, Rack	156.25
S700VT-TST	MM - CCTV Video Tx, Tubular	125.00
S701V2R-RST	MM - Video, Hi-Performance, Rx, Rack, 2-Fiber	408.75
S701V2T-RST	MM - Video, Hi-Performance, Tx, Rack, 2-Fiber	347.50
S701VR-EST	MM - Video, Hi-Performance, Rx, Can	210.00
S701VR-RST	MM - Video, Hi-Performance, Rx, Rack	210.00
S701VT-EST	MM - Video, Hi-Performance, Tx, Can	175.00
S701VT-RST	MM - Video, Hi-Performance, Tx, Rack	175.00
S702VR-EST	MM - CCTV Video, Rx, Can, 2- Fiber	343.75
S702VR-RST	MM - CCTV Video, Rx, Rack, 2- Fiber	312.50
S702VT-EST	MM - CCTV Video, Tx, Can, 2- Fiber	281.25
S702VT-RST	MM - CCTV Video, Tx, Rack, 2- Fiber	281.25
S703VR-EST	MM - 2-CH Video, Rx, Can	531.25
S703VR-ESTL	MM - 2-CH Video, Rx, Can	687.50
S703VR-RST	MM - 2-CH Video, Rx, Rack	531.25
S703VR-RSTL	MM - 2-CH Video, Rx, Rack	687.50
S703VT-EST	MM - 2-CH Video, Tx, Can	531.25
S703VT-ESTL	MM - 2-CH Video, Tx, Can	687.50
S703VT-RST	MM - 2-CH Video, Tx, Rack	531.25
S703VT-RSTL	MM - 2-CH Video, Tx, Rack	687.50
S704VR-RST	MM - 4-CH Video Rx, Rack	1100.00
070 0/7 507	MM - 4-CH Video Tx, Can	1100.00
S704VT-EST	IVIIVI + OIT VIGCO TX, Oalt	

S705VR-ESTL	MM - Video, Broadcast-Grade,	528.13
3703VK-E31L	Digitally Processed, Rx, Can	520.13
	Digitally Flocessed, KX, Call	
S708VR-ESTL	MM - 8-CH Video, Digitally	2500.00
	Processed, Rx, Can	
S708VR-RSTL	MM - 8-CH Video, Digitally	2500.00
	Processed, Rx, Rack	
S708VT-ESTL	MM - 8-CH Video, Digitally	3125.00
	Processed, Tx, Can	
S708VT-RSTL	MM - 8-CH Video, Digitally	3125.00
	Processed, Tx, Rack	
S710D-RST2	MM - MPD Data, Tcvr, Rack, 2-	156.25
0.105 1.012	Fiber	100.20
S711D-EST2	MM - MPD Data, Hi-	221.88
07110 2012	Performance, Tcvr, Can, 2-	221.00
	Fiber	
C711DD ECT1	MM - MPD Data, Hi-	456.25
S711DR-EST1	· · · · · · · · · · · · · · · · · · ·	430.23
074400 0074	Performance, Rx, Can	450.05
S711DR-RST1	MM - MPD Data, Hi-	456.25
	Performance, Rx, Rack	
S711D-RST2	MM - MPD Data, Hi-	221.88
	Performance, Tcvr, Rack, 2-	
	Fiber	
S711DT-EST1	MM - MPD Data, Hi-	456.25
	Performance, Tx, Can	
S711DT-RST1	MM - MPD Data, Hi-	456.25
	Performance, Tx, Rack	
S711F2FR-RST1	MM - CASI F/2F Data, Rx,	550.00
	Rack	
S711F2F-RST2	MM - CASI F/2F Data, Tcvr,	315.63
	Rack, 2-Fiber	0.0.00
S711F2FT-RST1	MM - CASI F/2F Data, Tx,	550.00
0711121111011	Rack	000.00
S712D-EST2	MM - MPD Data Repeater,	987.50
37 12D-L312	Can, 2-Fiber	907.50
S712D-EST4	MM - MPD Data Repeater,	496.88
3/120-5314	Can, 4-Fiber	490.00
CZ40D DCT0	·	007.50
S712D-RST2	MM - MPD Data Repeater,	987.50
07400 0074	Rack, 2-Fiber	100.00
S712D-RST4	MM - MPD Data Repeater,	496.88
	Rack, 4-Fiber	
S713D-EST2	MM - 10Base-T Ethernet, Tcvr,	315.00
	Can, 2-Fiber	
S714D-RST2	MM - 100Base-T Ethernet,	396.88
	Tcvr, Rack, 2-Fiber	
S714D-RST2L	MM - 100Base-T Ethernet,	562.50
	Tcvr, Rack, 2-Fiber	
S714DT-RST1	MM - 100Base-T Ethernet, Tx,	637.50
	Rack	
S715DR-RST1	MM - 2-Way 2-CH Data, Rx,	747.50
	Rack	, ,
S715D-RST2L	MM - 2-Way 2-CH Data, Tcvr,	547.50
J. 102 110122	Rack, 2-Fiber	317.50
S717DR-RST1	MM - Digital Current Loop, Rx,	600.00
ווטאיזטוו	Rack	000.00
S717D-RST2	MM - Digital Current Loop,	400.00
אונטיילטונ		400.00
	Tcvr, Rack, 2-Fiber	

CZ4ZDT DCT4	MANA Digital Company Loop To	000.00
S717DT-RST1	MM - Digital Current Loop, Tx,	600.00
S730DVR-EST1	MM - Video & 2-Way MPD	778.13
	Data, Digitally Processed, Rx,	
	Can	
S730DVR-EST2	MM - Video & 2-Way MPD	609.38
O750DVIX E012	Data, Digitally Processed, Rx,	000.00
	Can, 2-Fiber	
S730DVR-RST1	MM - Video & 2-Way MPD	778.13
3/30DVK-K311		110.13
	Data, Digitally Processed, Rx,	
0-	Rack	
S730DVR-RST2	MM - Video & 2-Way MPD	609.38
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
S730DVR-RST2L	MM - Video & 2-Way MPD	778.13
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
S730DVT-EST2	MM - Video & 2-Way MPD	609.38
	Data, Digitally Processed, Tx,	
	Can, 2-Fiber	
S730DVT-EST2L	MM - Video & 2-Way MPD	778.13
3730DV1-L312L	Data, Digitally Processed, Tx,	770.13
07000\(T.D.070	Can, 2-Fiber	222.22
S730DVT-RST2	MM - Video & 2-Way MPD	609.38
	Data, Digitally Processed, Tx,	
	Rack, 2-Fiber	
S731DV-PKG	MM - Video and Return MPD	959.00
	Data. Tx/Rx, 2 Power Supplies,	
	Kit	
S731DVR-EST1	MM - Video & Reverse MPD	481.25
	Data, Digitally Processed, Rx,	
	Can	
S731DVR-EST2	MM - Video & Reverse MPD	368.75
0.0.2	Data, Digitally Processed, Rx,	3333
	Can, 2-Fiber	
S731DVR-RST1	MM - Video & Reverse MPD	481.25
3/31DVK-K311	Data, Digitally Processed, Rx,	401.23
	Rack	
0704D\/D D0T0		000.75
S731DVR-RST2	MM - Video & Reverse MPD	368.75
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
S731DVT-EST1	MM - Video & Reverse MPD	481.25
	Data, Digitally Processed, Tx,	
	Can	
S731DVT-EST2	MM - Video & Reverse MPD	368.75
	Data, Digitally Processed, Tx,	
	Can, 2-Fiber	
S731DVT-KST1	MM - Video & Reverse MPD	475.00
	Data, Digitally Processed, Tx,	3.30
	Board	
S731DVT-RST1	MM - Video & Reverse MPD	481.25
וופא-ויעטוניט		401.25
	Data, Digitally Processed, Tx,	
0-01515-0-	Rack	
S731DVT-RST2	MM - Video & Reverse MPD	368.75
	Data, Digitally Processed, Tx,	
	Rack, 2-Fiber	

S732DV-PKG	MM - Video & 2-Way MPD	995.50
3/32DV-FKG	Data, Tx/Rx, 2 Power Supplies,	995.50
	Kit	
S732DVR-EST1	MM - Video & 2-Way MPD	515.63
	Data, Digitally Processed, Rx,	
	Can	
S732DVR-EST2	MM - Video & 2-Way MPD	400.00
	Data, Digitally Processed, Rx,	
	Can, 2-Fiber	
S732DVR-RST1	MM - Video & 2-Way MPD	515.63
O702BVK KOTT	Data, Digitally Processed, Rx,	010.00
	Rack	
070001/0 0070		400.00
S732DVR-RST2	MM - Video & 2-Way MPD	400.00
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
S732DVT-EST1	MM - Video & 2-Way MPD	515.63
	Data, Digitally Processed, Tx,	
	Can	
S732DVT-EST2	MM - Video & 2-Way MPD	400.00
0702511 2012	Data, Digitally Processed, Tx,	100.00
	Rack, 2-Fiber	
OTOOD) IT DOT!	·	475.00
S732DVT-PST1	MM - Video & 2-Way MPD	475.00
	Data, Digitally Processed, Tx,	
	Board	
S732DVT-RST1	MM - Video & 2-Way MPD	515.63
	Data, Digitally Processed, Tx,	
	Rack	
S732DVT-RST1L	MM - Video & 2-Way MPD	1766.00
O702BV1 ROTTE	Data, Digitally Processed, Tx,	1700.00
	Rack	
0700D\/D D0T4		0.47.50
S733DVR-RST1	MM - Video & 2-Way 2-CH	947.50
	MPD Data, Digitally Processed,	
	Rx, Rack	
S733DVR-RST2L	MM - Video & 2-Way 2-CH	947.50
	MPD Data, Digitally Processed,	
	Rx, Rack, 2-Fiber	
S733DVT-RST2L	MM - Video & 2-Way 2-CH	947.50
0733DV1-1(012L	MPD Data, Digitally Processed,	347.30
	Tx, Rack, 2-Fiber	
	TX, Rack, 2-Fiber	
S734DVR-RST1	MM - 4-CH Video & 2-Way	1871.88
	MPD Data, Digitally Processed,	
	Rx, Rack	
S734DVT-EST1	MM - 4-CH Video & 2-Way	2121.88
	MPD Data, Digitally Processed,	
	Tx, Can	
S734DVT-RST1	MM - 4-CH Video & 2-Way	2121.88
3/34DVI-R311		2121.00
	MPD Data, Digitally Processed,	
	Tx, Rack	
S735DVR-RST	MM - 8-CH Video & 2-Way	3281.25
	MPD Data, Digitally Processed,	
	Rx, Rack	
S735DVT-RST	MM - 8-CH Video & 2-Way	3906.25
2.30201	MPD Data, Digitally Processed,	3000.20
	Tx, Rack	
	IA, INGON	

0	[100 10 0111 1	
S736DVR-RST	MM - 12-CH Video & 2-Way	5437.50
	MPD Data, Digitally Processed,	
	Rx, Rack	
S736DVT-RST	MM - 12-CH Video & 2-Way	6062.50
	MPD Data, Digitally Processed,	
	Tx, Rack	
0707D\ (D, D, O, T	· · ·	0010.50
S737DVR-RST	MM - 16-CH Video & 2-Way	6312.50
	MPD Data, Digitally Processed,	
	Rx, Rack	
S737DVT-RST	MM - 16-CH Video & 2-Way	7437.50
	MPD Data, Digitally Processed,	
	Tx, Rack	
070001/01/0		222.52
S739DV-PKG	MM - Video and 2-Way Up-The-	982.50
	Coax Data, Tx/Rx, 2 Power	
	Supplies, Kit	
S739DVR-EST1	MM - Video with Up-The-Coax	493.75
0700D VIX 2011	Data, Rx, Can	100.70
070001/0 5070		007.50
S739DVR-EST2	MM - Video with Up-The-Coax	337.50
	Data, Rx, Can, 2-Fiber	
S739DVR-RST1	MM - Video with Up-The-Coax	493.75
	Data, Rx, Rack	
S739DVR-RST2	MM - Video with Up-The-Coax	337.50
3739DVIN-N312	•	337.30
	Data, Rx, Rack, 2-Fiber	
S739DVT-EST1	MM - Video with Up-The-Coax	493.75
	Data, Tx, Can	
S739DVT-EST2	MM - Video with Up-The-Coax	337.50
3739DV1-L312	•	337.30
	Data, Tx, Can, 2-Fiber	
S739DVT-RST1	MM - Video with Up-The-Coax	493.75
	Data, Tx, Rack	
S739DVT-RST2	MM - Video with Up-The-Coax	337.50
	Data, Tx, Rack, 2-Fiber	
S751DAR-RST1	MM - 2-Way Audio & MPD	697.50
3/31DAK-K311		097.50
	Data, Digitally Processed, Rx,	
	Rack	
S751DAR-RST2L	MM - 2-Way Audio & MPD	547.50
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
CZEADAT DOTOL		E 47 E 0
S751DAT-RST2L	MM - 2-Way Audio & MPD	547.50
	Data, Digitally Processed, Tx,	
	Rack, 2-Fiber	
S754DAR-RST2L	MM - 2-Way, 2-CH Audio &	647.50
	MPD Data, Digitally Processed,	
	Rx, Rack, 2-Fiber	
	TX, Tack, 2-1 iber	
S754DAT-RST2L	MM - 2-Way, 2-CH Audio &	647.50
	MPD Data, Digitally Processed,	
	Tx, Rack, 2-Fiber	
	1	
S761DAVR-RST2L	MM - Video, 2-Way Audio &	810.00
OTOTOAVN-NOTZE		010.00
	MPD Data, Digitally Processed,	
	Rx, Rack, 2-Fiber	
	1	
	MM - Video, 2-Way Audio &	810.00
S761DAVT-RST2I		0.000
S761DAVT-RST2L		
S761DAVT-RST2L	MPD Data, Digitally Processed,	
S761DAVT-RST2L		

C764DAVD DCTOL	IMM Video 8 2 Wey 2 CH	972.50
S764DAVR-RST2L	MM - Video & 2-Way 2-CH Audio & MPD Data, Digitally	872.50
	Processed, Rx, Rack, 2-Fiber	
	Processed, RX, Rack, 2-Fiber	
S764DAVT-RST2L	MM - Video & 2-Way 2-CH	872.50
OTO-DAVI ROTZE	Audio & MPD Data, Digitally	012.00
	Processed, Tx, Rack, 2-Fiber	
	1 1000000d, 1X, 1XdoX, 2 1 1501	
S768DAVR-RST2L	MM - 2-Way Video, 2-CH	935.00
	Audio & MPD Data, Digitally	
	Processed, Rx, Rack, 2-Fiber	
S768DAVT-RST2L	MM - 2-Way Video, 2-CH	935.00
3700DAV1-N312L	Audio & MPD Data, Digitally	933.00
	Processed, Tx, Rack, 2-Fiber	
	Trocessed, TX, Itack, 2-1 iber	
S7703VR-EST	SM - 2-CH Video, Rx, Can	781.25
S7703VR-RFC	SM - 2-CH Video, Rx, Rack	781.25
S7703VT-EFC	SM - 2-CH Video, Tx, Can	781.25
S7703VT-EST	SM - 2-CH Video, Tx, Can	781.25
S7704VR-RST	SM - 4-CH Video, Rx, Rack	1750.00
S7704VT-RST	SM - 4-CH Video, Tx, Rack	1750.00
S7705VR-EST	SM - Video, Broadcast-Grade,	684.38
	Digitally Processed, Rx, Can	
S7705VR-RFC	SM - Video, Broadcast-Grade,	684.38
	Digitally Processed, Rx, Rack	
S7706VR-EFC	SM - Video, Hi-Performance,	556.25
07700711 27 0	Digitally Processed, Rx, Can	000.20
S7706VR-EST	SM - Video, Hi-Performance,	556.25
	Digitally Processed, Rx, Can	
S7706VR-RFC	CM Video Hi Derformance	556.25
3//00VK-KFC	SM - Video, Hi-Performance, Digitally Processed, Rx, Rack	330.23
	Digitally 1 Todessed, TX, Ttack	
S7706VR-RST	SM - Video, Hi-Performance,	556.25
	Digitally Processed, Rx, Rack	
S7706VT-EFC	SM - Video, Hi-Performance,	556.25
	Digitally Processed, Tx, Can	
S7706VT-EST	SM - Video, Hi-Performance,	556.25
0170011 201	Digitally Processed, Tx, Can	000.20
	[
S7706VT-RFC	SM - Video, Hi-Performance,	556.25
	Digitally Processed, Tx, Rack	
077001/7 7 7 7		<u></u>
S7706VT-RST	SM - Video, Hi-Performance,	556.25
	Digitally Processed, Tx, Rack	
S7707VR-EFC	SM - 4-CH Video, Digitally	1559.38
OTTOT VIX-ET O	Processed, Rx, Can	1009.00
S7707VR-EST	SM - 4-CH Video, Digitally	1559.38
	Processed, Rx, Can	

S7707VR-RFC	SM - 4-CH Video, Digitally Processed, Rx, Rack	1559.38
S7707VR-RST	SM - 4-CH Video, Digitally Processed, Rx, Rack	1559.38
S7707VT-EFC	SM - 4-CH Video, Digitally Processed, Tx, Can	1559.38
S7707VT-EST	SM - 4-CH Video, Digitally Processed, Tx, Can	1559.38
S7707VT-RFC	SM - 4-CH Video, Digitally Processed, Tx, Rack	1559.38
S7707VT-RST	SM - 4-CH Video, Digitally Processed, Tx, Rack	1559.38
S7708VR-RFC	SM - 8-CH Video, Digitally Processed, Rx, Rack	2621.88
S7708VR-RST	SM - 8-CH Video, Digitally Processed, Rx, Rack	2621.88
S7708VT-RFC	SM - 8-CH Video, Digitally Processed, Tx, Rack	2621.88
S7708VT-RST	SM - 8-CH Video, Digitally Processed, Tx, Rack	2621.88
S7711D-EST2	SM - MPD Data, Hi- Performance, Tcvr, Can, 2- Fiber	556.25
S7711DR-EST1	SM - MPD Data, Hi- Performance, Rx, Can	1206.25
S7711DR-RFC1	SM - MPD Data, Hi- Performance, Rx, Rack	1206.25
S7711DR-RST1	SM - MPD Data, Hi- Performance, Rx, Rack	1206.25
S7711D-RST2	SM - MPD Data, Hi- Performance, Tcvr, Rack, 2- Fiber	556.25
S7711DT-EFC1	SM - MPD Data, Hi- Performance, Tx, Can	2412.50
S7711DT-EST1	SM - MPD Data, Hi- Performance, Tx, Can	1206.25
S7711DT-RST1	SM - MPD Data, Hi- Performance, Tx, Rack	1206.25
S7711F2FR-RST1	SM - CASI F/2F Data, Rx, Rack	1300.00
S7711F2F-RST2	SM - CASI F/2F Data, Tcvr, Rack, 2-Fiber	650.00
S7712D-EST2	SM - MPD Data Repeater, Can, 2-Fiber	1337.50
S7712D-EST4	SM - MPD Data Repeater, Can, 4-Fiber	825.00
S7712D-RST2	SM - MPD Data Repeater, Rack, 2-Fiber	1337.50
S7712D-RST4	SM - MPD Data Repeater, Rack, 4-Fiber	825.00
S7714D-EFC2	SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber	537.50
S7714D-ESC2	SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber	931.25
S7714D-EST2	SM - 100Base-T Ethernet, Tcvr, Can, 2-Fiber	537.50
S7714DR-EST1	SM - 100Base-T Ethernet, Rx, Can	825.00

S7714D-RFC2	SM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber	537.50
S7714DR-RSC1	SM - 100Base-T Ethernet, Rx,	825.00
S7714DR-RST1	SM - 100Base-T Ethernet, Rx,	825.00
S7714D-RSC2	SM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber	931.25
S7714D-RST2	SM - 100Base-T Ethernet, Tcvr, Rack, 2-Fiber	537.50
S7714DT-ESC1	SM - 100Base-T Ethernet, Tx, Can	825.00
S7714DT-EST1	SM - 100Base-T Ethernet, Tx, Can	825.00
S7714DT-RST1	SM - 100Base-T Ethernet, Tx, Rack	825.00
S7715D-RFC2	SM - 2-Way 2-CH MPD Data, Tcvr, Rack, 2-Fiber	847.50
S7715DR-RST1	SM - 2-Way 2-CH MPD Data, Rx, Rack	947.50
S7715D-RST2	SM - 2-Way 2-CH MPD Data, Tcvr, Rack, 2-Fiber	847.50
S7715DT-RST1	SM - 2-Way 2-CH MPD Data, Tx, Rack	947.50
S7717DR-RST1	SM - Digital Current Loop, Rx, Rack	1200.00
S7717D-RST2	SM - Digital Current Loop, Tcvr, Rack, 2-Fiber	650.00
S7730DVR-EFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	1531.25
S7730DVR-EFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1218.75
S7730DVR-EST1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can	1531.25
S7730DVR-EST2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Can, 2-Fiber	1218.75
S7730DVR-RFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	1531.25
S7730DVR-RFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1218.75
S7730DVR-RST1	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack	1531.25
S7730DVR-RST2	SM - Video & 2-Way MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	1218.75
S7730DVT-EFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	1531.25
S7730DVT-EFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1218.75

S7730DVT-EST1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can	1531.25
S7730DVT-EST2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Can, 2-Fiber	1218.75
S7730DVT-RFC1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	1531.25
S7730DVT-RFC2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1218.75
S7730DVT-RST1	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack	1531.25
S7730DVT-RST2	SM - Video & 2-Way MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1218.75
S7731DVR-EFC1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Can	1312.50
S7731DVR-EST1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Can	1312.50
S7731DVR-EST2	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Can, 2-Fiber	937.50
S7731DVR-RFC1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack	1312.50
S7731DVR-RFC2	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	937.50
S7731DVR-RST1	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack	1312.50
S7731DVR-RST2	SM - Video & Reverse MPD Data, Digitally Processed, Rx, Rack, 2-Fiber	937.50
S7731DVT-EFC1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can	1312.50
S7731DVT-EFC2	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can, 2-Fiber	937.50
S7731DVT-EST1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can	1312.50
S7731DVT-EST2	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Can, 2-Fiber	937.50
S7731DVT-RST1	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack	1312.50
S7731DVT-RST2	SM - Video & Reverse MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	937.50

07700B\/B_FF0.4	1014 NO. 1400	1075.00
S7732DVR-EFC1	SM - Video & 2-Way MPD	1375.00
	Data, Digitally Processed, Rx,	
	Can	
S7732DVR-EST1	SM - Video & 2-Way MPD	1375.00
	Data, Digitally Processed, Rx,	
	Can	
S7732DVR-EST2	SM - Video & 2-Way MPD	1000.00
	Data, Digitally Processed, Rx,	1000.00
	Can, 2-Fiber	
S7732DVR-RFC1	SM - Video & 2-Way MPD	1075.00
57732DVR-RFC1	,	1375.00
	Data, Digitally Processed, Rx,	
	Rack	
S7732DVR-RST1	SM - Video & 2-Way MPD	1375.00
	Data, Digitally Processed, Rx,	
	Rack	
S7732DVR-RST2	SM - Video & 2-Way MPD	1000.00
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
S7732DVT-EFC1	SM - Video & 2-Way MPD	1375.00
37732DVT-EFCT		1375.00
	Data, Digitally Processed, Tx,	
	Can	
S7732DVT-EST1	SM - Video & 2-Way MPD	1375.00
	Data, Digitally Processed, Tx,	
	Can	
S7732DVT-EST2	SM - Video & 2-Way MPD	1000.00
	Data, Digitally Processed, Tx,	
	Can, 2-Fiber	
S7732DVT-PST1	SM - Video & 2-Way MPD	1287.50
077025711011	Data, Digitally Processed, Tx,	1207.00
	Board	
07700D\/T DE04		1075.00
S7732DVT-RFC1	SM - Video & 2-Way MPD	1375.00
	Data, Digitally Processed, Tx,	
	Rack	
S7732DVT-RST1	SM - Video & 2-Way MPD	1375.00
	Data, Digitally Processed, Tx,	
	Rack	
S7733DVR-RFC1	SM - Video & 2-Way 2-CH	1497.50
	MPD Data, Rx, Rack	
S7733DVR-RST2	SM - Video & 2-Way 2-CH	1247.50
OTTOOD VICTOR	MPD Data, Rx, Rack, 2-Fiber	1247.00
	Wil D Bata, TX, TXaoK, 2 1 ibel	
S7733DVT-RFC1	SM - Video & 2-Way 2-CH	1407.50
57733DV 1-RFC1	•	1497.50
	MPD Data, Tx, Rack	
S7733DVT-RST1	SM - Video & 2-Way 2-CH	1497.50
	MPD Data, Tx, Rack	
S7733DVT-RST2	SM - Video & 2-Way 2-CH	1247.50
	MPD Data, Tx, Rack, 2-Fiber	
S7734DVR-EFC1	SM - 4-CH Video & 2-Way	2434.38
	MPD Data, Digitally Processed,	_ : 550
	Rx, Can	
S7734DVR-EST1	SM - 4-CH Video & 2-Way	2424.20
31134DVK-E311		2434.38
	MPD Data, Digitally Processed,	
	Rx, Can	
S7734DVR-RFC1	SM - 4-CH Video & 2-Way	2434.38
	MPD Data, Digitally Processed,	
	Rx, Rack	

0770 (8) (8 807)	1014 4 0111/11 4 0 0 11/1	0.40.4.00
S7734DVR-RST1	SM - 4-CH Video & 2-Way	2434.38
	MPD Data, Digitally Processed,	
<u> </u>	Rx, Rack	
S7734DVT-EFC1	SM - 4-CH Video & 2-Way	2434.38
	MPD Data, Digitally Processed,	
	Tx, Can	
S7734DVT-EST1	SM - 4-CH Video & 2-Way	2434.38
	MPD Data, Digitally Processed,	
	Tx, Can	
S7734DVT-RFC1	SM - 4-CH Video & 2-Way	2434.38
0770127114101	MPD Data, Digitally Processed,	2101.00
	Tx, Rack	
C7704D\/T DCT4	•	0404.00
S7734DVT-RST1	SM - 4-CH Video & 2-Way	2434.38
	MPD Data, Digitally Processed,	
	Tx, Rack	
S7739DVR-EST1	SM - Video with Up-The-Coax	1531.25
	Data, Rx, Can	
S7739DVR-RST1	SM - Video with Up-The-Coax	1531.25
	Data, Rx, Rack	
S7739DVT-EST1	SM - Video with Up-The-Coax	1531.25
	Data, Tx, Can	
S7739DVT-RST1	SM - Video with Up-The-Coax	1531.25
011002111011	Data, Tx, Rack	1001.20
S7751DAR-RFC1	SM - 2-Way Audio & MPD	1247.50
37731DAK-KFC1	Data, Digitally Processed, Rx,	1247.50
	Rack	
S7751DAR-RFC2	SM - 2-Way Audio & MPD	997.50
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
S7751DAR-RST1	SM - 2-Way Audio & MPD	1247.50
	Data, Digitally Processed, Rx,	
	Rack	
S7751DAR-RST2	SM - 2-Way Audio & MPD	997.50
	Data, Digitally Processed, Rx,	
	Rack, 2-Fiber	
S7751DAT-RFC2	SM - 2-Way Audio & MPD	997.50
0770107(11(102	Data, Digitally Processed, Tx,	337.30
	Rack, 2-Fiber	
CZZCADAT DOTA	SM - 2-Way Audio & MPD	4047.50
S7751DAT-RST1		1247.50
	Data, Digitally Processed, Tx,	
	Rack	
S7754DAR-RFC1	SM - 2-Way 2-CH Audio &	1447.50
	MPD Data, Digitally Processed,	
	Rx, Rack	
S7754DAR-RST1	SM - 2-Way 2-CH Audio &	1447.50
	MPD Data, Digitally Processed,	
	Rx, Rack	
	SM - 2-Way 2-CH Audio &	1447.50
S7754DAT-REC1		
S7754DAT-RFC1		
S7754DAT-RFC1	MPD Data, Digitally Processed,	
	MPD Data, Digitally Processed, Tx, Rack	
S7754DAT-RFC1 S7754DAT-RST1	MPD Data, Digitally Processed, Tx, Rack SM - 2-Way 2-CH Audio &	
	MPD Data, Digitally Processed, Tx, Rack SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed,	
S7754DAT-RST1	MPD Data, Digitally Processed, Tx, Rack SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	
	MPD Data, Digitally Processed, Tx, Rack SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed,	1447.50 787.50
S7754DAT-RST1	MPD Data, Digitally Processed, Tx, Rack SM - 2-Way 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack	1447.50

OZZCODAVIT DOT	ONA Mide - Audie O NADD	707.50
S7760DAVT-RST	SM - Video, Audio & MPD	787.50
	Data, Digitally Processed, Tx,	
	Rack	
S7761DAVR-RFC1	SM - Video, 2-Way Audio &	1521.88
	MPD Data, Digitally Processed,	
	Rx, Rack	
S7761DAVR-RFC2	SM - Video, 2-Way Audio &	1128.13
	MPD Data, Digitally Processed,	
	Rx, Rack, 2-Fiber	
	rxx, rxaox, 2 r ibor	
S7761DAVR-RST1	SM - Video, 2-Way Audio &	1521.88
	MPD Data, Digitally Processed,	
	Rx, Rack	
S7761DAVR-RST2	SM - Video, 2-Way Audio &	1128.13
37701DAVIC-N312	MPD Data, Digitally Processed,	1120.13
	Rx, Rack, 2-Fiber	
S7761DAVT-RFC1	SM - Video, 2-Way Audio &	1521.88
STTOTDAYT-KI CT	MPD Data, Digitally Processed,	1321.00
	Tx, Rack	
S7761DAVT-RST1	SM - Video, 2-Way Audio &	1521.88
	MPD Data, Digitally Processed,	
	Tx, Rack	
S7761DAVT-RST2	SM - Video, 2-Way Audio &	1128.13
	MPD Data, Digitally Processed,	
	Tx, Rack, 2-Fiber	
S7764DAVR-RFC2	SM - Video & 2-Way 2-CH	1253.13
	Audio & MPD Data, Digitally	
	Processed, Rx, Rack, 2-Fiber	
S7764DAVR-RST1	SM - Video & 2-Way 2-CH	1646.88
	Audio & MPD Data, Digitally	
	Processed, Rx, Rack	
S7764DAVR-RST2	SM - Video & 2-Way 2-CH	1253.13
07701B/WWW.	Audio & MPD Data, Digitally	1200.10
	Processed, Rx, Rack, 2-Fiber	
	1 Tocessed, IXX, IXack, 2-1 Ibel	
S7764DAVT-RFC2	SM - Video & 2-Way 2-CH	1253.13
01104DAV1-11102	Audio & MPD Data, Digitally	1200.10
	Processed, Tx, Rack, 2-Fiber	
	Flocessed, 1x, Nack, 2-Fiber	
S7764DAVT-RST1	SM - Video & 2-Way 2-CH	1646.88
	Audio & MPD Data, Digitally	1040.00
077040 AV (7. D070	Processed, Tx, Rack	1050 10
S7764DAVT-RST2	SM - Video & 2-Way 2-CH	1253.13
	Audio & MPD Data, Digitally	
	Processed, Tx, Rack, 2-Fiber	
077000 (1/0 007)	04 0 14 17 1 2 2 1 1	
S7768DAVR-RST1	SM - 2-Way Video, 2-CH Audio	1771.88
	& MPD Data, Digitally	
	Processed, Rx, Rack	
S7768DAVT-RST1	SM - 2-Way Video, 2-CH Audio	1771.88
	& MPD Data, Digitally	
	Processed, Tx, Rack	

S7768DAVT-RST2	SM - 2-Way Video, 2-CH Audio & MPD Data, Digitally Processed, Tx, Rack, 2-Fiber	1378.13
SAP-32RPAK-LIC	Sapphire Pro 32 Reader Pak Capacity License Increase	656.25
SAP-CLIWKS-LIC	Sapphire Pro Client Workstation License - Additional Single Client Workstation	984.38
SAP-GTSOPT-LIC	Guard Tour	787.50
SAP-HOSTUP-LIC	Host Upload for Cardholder Database Import	787.50
SAP-HRSOPT-LIC	Hot Redundant Server Operation (Links 2 Servers, requires 2nd Server Software Licenses and options @ 50% Discount, requires Travel & Expenses for applicable on-site factory assistance)	3281.25
SAP-MSOOPT-LIC	Multiple Server Operation (Links multiple servers, 1 MSO license required per each Sapphire Pro Standard Server, recommend Travel & Expenses for applicable on-site factory assistance)	1640.63
SAP-PDBOPT-LIC	Partitioned Database Server Operation	984.38
SAP-STDSVR-LIC	Sapphire Pro Standard Server License - Server + 2 Client Workstations, 32 readers	1312.50
SAP-STDSVR-UPG	Sapphire Pro Software upgrades to new version releases. Upgrade fee % is calculated on total price of Sapphire Pro software licenses purchased. (Applies to systems not covered under warranty or under Software Maintenance Agreement)	Call for Quote
SB01	Ceiling/Wall Mount Swivel Bracket for AP750, AP475, AP950AM	7.12
SC/FC-OA	SC To FC Optical Adapter	10.00
SC/LC-MM-FPC	SC/LC Multi Mode Fiber Patch Cord	15.00
SC/LC-SM-FPC	SC/LC Single Mode Fiber Patch Cord	15.00
SC/SC-OA	SC to SC Optical Adapter	10.00
SC/ST-OA	SC to ST Optical Adapter	10.00

		1
SE-A-INHOUSEHR	Solutions Engineering In-	200.00
	House; Hourly Rate, Access	
SE-A-ONSITEDAY	Solutions Engineering Onsite	2100.00
	System Commissioning	
	Assistance; Daily Rate Portal-	
	To-Portal, Access	
	10 1 01(4), 710000	
SE-A-ONSITEHR	Solutions Engineering Onsite	263.00
62 / 61 61 12 m	System Commissioning	200.00
	Assistance; Hourly Rate,	
	Access	
	Access	
SFP1000LX-10KM	SFP 1000Base-LX Mini-GBIC -	100.00
OIT TOOOLX-TORIN	2SM (1310nm) - 10km	100.00
	25W (1310HH) - 10KH	
SFP1000SX-220	SFP 1000Base-SX Mini-GBIC -	80.00
011 10000X 220	2MM (850nm) - 220m	00.00
	2101101 (03011111) - 220111	
SFP100FX1310TSC20KM	SFP 100Base-FX Mini-GBIC -	130.00
011 1001 X131010020KW	2SM (1310nm) - 20km	130.00
	23W (1310HH) - 20KH	
SFP100FX1310TSC2KM	SFP 100Base-FX Mini-GBIC -	90.00
SFF 100FX131013C2RW		90.00
	2MM (1310nm) - 2km	
SFTWBLD	Software installation, PC NOT	2625.00
SFTWBLD		2025.00
	purchased from GE-Security.	
SFTWBLD-B	Picture Perfect installation;	2625.00
OI TWOLD B	RISC 6000 NOT purchased	2020.00
	from GE Security	
	Hom GE Security	
SI-ID	Single Input Device,	22.04
SI-ID	Addressable. The Addressable	22.04
	Single Input Device Connects a	
	Single Non-Addressable	
	Device to the NX-2192	
	Interface Card	
SLOT-PUNCH	043 LSP Slot Punch	162.75
SM/DP/LC/FC/1	SM/DP/LC/FC/1, Fiber Optic	40.00
	Jumper, Two LC and Two FC	
	Conn., 1M	
SM/DP/LC/FC/10	SM/DP/LC/FC/10, Fiber Optic	50.00
	Jumper, Two LC and Two FC	
	Conn., 10M	
SM/DP/LC/FC/3	SM/DP/LC/FC/3, Fiber Optic	45.00
0.00,0172071 070	Jumper, Two LC and Two FC	10.00
	Conn., 3M	
SM/DP/LC/LC/1	SM/DP/LC/LC/1, Fiber Optic	40.00
0101/21/20/20/1	Jumper, Four LC Conn., 1M	40.00
SM/DP/LC/LC/3	SM/DP/LC/LC/3, Fiber Optic	45.00
J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Jumper, Four LC Conn., 3M	70.00
SM/DP/LC/SC/1	SM/DP/LC/SC/1, Fiber Optic	40.00
Sivi/Di /LO/30/1	Jumper, Two LC and Two SC	40.00
	Conn., 1M	
CM/DD/LC/CC/40		FO 00
SM/DP/LC/SC/10	SM/DP/LC/SC/10, Fiber Optic	50.00
	Jumper, Two LC and Two SC	
	Conn., 10M	

SM/DP/LC/SC/3	SM/DD/LC/SC/2 Fiber Optio	45.00
SW/DP/LC/SC/S	SM/DP/LC/SC/3, Fiber Optic Jumper, Two LC and Two SC	45.00
	Conn., 3M	
014/50/50/0		55.00
SM/FC/FC/3	SM/FC/FC/3, Fiber Optic	55.00
014/50/00/4	Jumper, Two FC Conn., 3M	54.05
SM/FC/SC/1	SM/FC/SC/1, Fiber Optic	51.25
	Jumper, One FC and one SC	
	Conn., 1M	
SM/FC/SC/10	SM/FC/SC/10, Fiber Optic	58.75
	Jumper, One FC and one SC	
	Conn., 10M	
SM/FC/SC/3	SM/FC/SC/3, Fiber Optic	55.00
	Jumper, One FC and one SC	
	Conn., 3M	
SM/ST/FC/10	SM/ST/FC/1, Fiber Optic	58.75
	Jumper, One ST and one FC	
	Conn., 10M	
SM/ST/FC/3	SM/ST/FC/3, Fiber Optic	55.00
	Jumper, One ST and one FC	00.00
	Conn., 3M	
SMA-BAS-OM-1Y	Basic Omnicast SMA with a 1	Call for Quote
SIVIA-BAS-OIVI-1Y	Year Term	Call for Quote
OMA DAG OM OV		0 " (0 (
SMA-BAS-OM-2Y	Basic Omnicast SMA with a 2	Call for Quote
	Year Term	
SMA-BAS-OM-3Y	Basic Omnicast SMA with a 3	Call for Quote
	Year Term	
SMA-BAS-OM-5Y	Basic Omnicast SMA with a 5	Call for Quote
	Year Term	
SMA-COM-OM-1Y	Comprehensive Omnicast SMA	Call for Quote
	with 1 Year Term	
SMA-COM-OM-2Y	Comprehensive Omnicast SMA	Call for Quote
	with 2 Year Term	
SMA-COM-OM-3Y	Comprehensive Omnicast SMA	Call for Quote
	with 3 Year Term	
SMA-COM-OM-5Y	Comprehensive Omnicast SMA	Call for Quote
	with 5 Year Term	
SPGEINSTALL	SP Global Edition Installation	10500.00
	Service. Travel expenses NOT	10000.00
	included	
SP-POE	PoE 15.4W Splitter (IEEE	30.00
SI -I OL	802.3af)	30.00
SP-REDINSTALL	SP Redundant System	10500.00
SP-REDINSTALL		10500.00
	Installation Service (required if	
	using Clustering). Travel	
	expenses NOT included	
SPRES	Rectangle Acoustic,	27.99
	Residential Applications	
SSA-REPORT	Setup Charge Per Head End	1000.00
	Server Location For Quarterly	
	Report Automatically Emailed	
	To Recipients . Active SSA	
	Required. Only Valid For The	
	Current CRM Tool	
<u> </u>		

SWAEXT512	System Support Agreement, annual, 24hr x 7-days. Std hrs SSA must be in place. For Picture Perfect, Secure Perfect Enterprise, Secure Perfect Global for up to 512 reader count.	1312.50
SWCAP1024	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 1024 reader license. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	9000.00
SWCAP128	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 128 reader license. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	1500.00
SWCAP2048	System Support Agreement, annual Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 2048 reader license. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	11000.00
SWCAP256	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional Server, 1 to 256 reader capacity license. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	3000.00
SWCAP512	System Support Agreement, annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 512 reader capacity license. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	6000.00

SWCAP64	System Support Agreement,	750.00
	annual, Picture Perfect (all), Secure Perfect Enterprise and Enterprise Regional servers, 1 to 64 reader capacity license. Unlimited tel tech support, M/F, std hours. Upgrade not applicable.	
SWD2ENTREP	Protection Plan, Diamond II Enterprise Server Replication Option (Replicates data between 2 Enterprise servers, requires 2nd DII Enterprise Server software @ 50% discount, recommend Labor, Travel & Expenses for applicable on-site factory assistance	630.00
SWD2ENTSVR	Protection Plan, Diamond II Enterprise Server w/ Partitioned Regional Site Support (For hosting multiple DII systems, recommend Labor, Travel & Expenses for applicable on-site factory assistance)	2100.00
SWD2MSOOPT	System Support Agreement, annual. Multiple Server Operation. Unlimited tel tech support, M/F, std hours. Upgrade included in base.	420.00
SWD2OPTIONS	Diamond II: ACS Client, Guard Tour, Point Walk Test, Cardholder Database Import, DES-III, System Video Server, Radionics, Stentofon, Visiplex, Oasis option (covers all in any combination)	262.50
SWD2PDBOPT	System Support Agreement, annual, Partitioned Database Server Option. Unlimited tel tech support, M/F, std hours. Upgrade included in base.	210.00
SWEXT128	System Support Agreement, annual, 24hr x 7-days. Std hrs SSA must be in place. For Picture Perfect, Secure Perfect Enterprise, Secure Perfect Global and for up to 128 reader count.	787.50

014/=1/=====	Io	
SWEXT2048	System Support Agreement, annual, 24hr x 7-days. Std hrs SSA must be in place. For Picture Perfect, Secure Perfect Enterprise, Secure Perfect Global and for up to 2048 reader count.	5625.00
SWF512CAM	System Support Agreement, Camera Capacity (512 cameras per unit)	2625.00
SWPPBASE	System Support Agreement, annual, for base Picture Perfect AIX or Picture Perfect Linux Single Server Edition. Unlimited tel tech support, M/F, std hours.	2000.00
SWPPCS	System Support Agreement, annual, Picture Perfect AIX and Picture Perfect Linux Cold Standby, Single Server Edition. Unlimited tel tech support, M/F, std hours.	1155.00
SWPREMIUM	System Support Agreement, annual, assigned support team, annual visit - (GE pays T&E), priority call resolution, quarterly conf call, systen analysis, call activity reports. Base package SSA, and extended hours SSA must be in place.	21000.00
SWSAPHRSOPT	Protection Plan, Hot Redundant Server Operation (Links 2 Servers, requires 2nd Server Software Licenses and options @ 50% Discount, requires Travel & Expenses for applicable on-site factory assistance)	945.00
SWSAPMSO	Protection Plan, Options: Sapphire Pro: ACS Client, Cardholder database upload, Monitor Point Walk Test, Guard Tour, Stentofon, Visiplex option (Covers all in any combination)	262.50

		
SWSAPMSOOPT	Protection Plan, Sapphire Pro Multiple Server Operation (Links multiple servers, 1 MSO license required per each Sapphire Pro Standard Server, recommend Travel & Expenses for applicable on-site factory assistance)	420.00
SWSAPPDBOPT	Protection Plan, Partitioned Database Server Operation	210.00
SWSPBLANKET	System Support Agreement, annual, blanket coverage for all ACS sytem types, covers total installed base. Call for annual price. Ulimited tel tech supt, M/F, std hours. Free version upgrade - base and all options, all sites.	Call for Quote
SWSPMSDE	System Support Agreement, Annual, Single Base License, Sapphire Pro. Unlimited telephone tech support, Monday - Friday, standard hours	525.00
SWVCC	Protection Plan Visitor Central Client	262.50
SWVCIS	Protection Plan Visitor Central Integrated Server	918.75
SWVCSS	Protection Plan Visitor Central Standalone Server	918.75
SYM-E-SERVER-1.0	Server, 1TB Internal Video Storage, HP Proliant DL380G5	7651.00
SYM-E-STOR-3.2	MSA60, 3.2TB HP SAS Array, Maximum of 8 per Server	12541.00
SYM-MON	HP 19" Flat Panel Monitor, 1280x1024	383.00
SYM-P-MON	HP 20" Flat Panel Monitor, 1600x1200	516.00
T-0002	50VA Transformer for Commercial Fire Panels	17.85
T-1650	16VAC, 50VA Plug-In- Transformer	10.97
T4002A300	MobileView III Rear Panel Assembly	910.00
T4002A305	MobileView Select Rear Panel Assembly	910.00
T4002A310	MobileView III Outer Box (includes T4002A300 Rear Panel Assy)	1209.00
T4300A320	MobileView III Inner DVR	2940.00

Remote diagnosis, dial-in, one- nour billable, minimum ounded to nearest quarter nour, 5AM to 4PM PST. Price is per-hour. No charge during varranty or Protection Plan coverage period Telephone support, one-hour billable minimum rounded to nearest quarter hour, 5AM to IPM PST. Price is per-hour. No charge during warranty or Protection Plan coverage beriod Two-Reader Starter Kit ACURT2 Control Panel & TPZ- SRVR-SW Server Software) Four-Reader Starter Kit ACURT4 Control Panel & TPZ- SRVR-SW Server Software) Direct Print PVC Cards (No Technology), 50-Pack Cleaning Kit for TPZ-Printer-1	200.00 200.00 827.40 1102.50 42.00
s per-hour. No charge during varranty or Protection Plan coverage period Telephone support, one-hour pillable minimum rounded to hearest quarter hour, 5AM to PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Two-Reader Starter Kit ACURT2 Control Panel & TPZ-SRVR-SW Server Software) Four-Reader Starter Kit ACURT4 Control Panel & TPZ-SRVR-SW Server Software) Direct Print PVC Cards (No Technology), 50-Pack Cleaning Kit for TPZ-Printer-1	827.40 1102.50 42.00
varranty or Protection Plan coverage period Telephone support, one-hour billable minimum rounded to nearest quarter hour, 5AM to PM PST. Price is per-hour. No charge during warranty or Protection Plan coverage period Two-Reader Starter Kit ACURT2 Control Panel & TPZ- BRVR-SW Server Software) Tour-Reader Starter Kit ACURT4 Control Panel & TPZ- BRVR-SW Server Software) Direct Print PVC Cards (No Technology), 50-Pack Cleaning Kit for TPZ-Printer-1	827.40 1102.50 42.00
Four-Reader Starter Kit ACURT4 Control Panel & TPZ-SRVR-SW Server Software) Four-Crotect Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	827.40 1102.50 42.00
billable minimum rounded to hearest quarter hour, 5AM to hearest quarter hour. No charge during warranty or Protection Plan coverage heriod Two-Reader Starter Kit ACURT2 Control Panel & TPZ-BRVR-SW Server Software) Four-Reader Starter Kit ACURT4 Control Panel & TPZ-BRVR-SW Server Software) Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	827.40 1102.50 42.00
The area to quarter hour, 5AM to see the properties of the protection of the protect	1102.50 42.00
charge during warranty or Protection Plan coverage beriod Two-Reader Starter Kit ACURT2 Control Panel & TPZ-SRVR-SW Server Software) Four-Reader Starter Kit ACURT4 Control Panel & TPZ-SRVR-SW Server Software) Direct Print PVC Cards (No Technology), 50-Pack Cleaning Kit for TPZ-Printer-1	1102.50 42.00
Protection Plan coverage period Fwo-Reader Starter Kit ACURT2 Control Panel & TPZ-BRVR-SW Server Software) Four-Reader Starter Kit ACURT4 Control Panel & TPZ-BRVR-SW Server Software) Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	1102.50 42.00
Fwo-Reader Starter Kit ACURT2 Control Panel & TPZ- BRVR-SW Server Software) Four-Reader Starter Kit ACURT4 Control Panel & TPZ- BRVR-SW Server Software) Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	1102.50 42.00
ACURT2 Control Panel & TPZ-SRVR-SW Server Software) Four-Reader Starter Kit ACURT4 Control Panel & TPZ-SRVR-SW Server Software) Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	1102.50 42.00
Four-Reader Starter Kit ACURT4 Control Panel & TPZ-SRVR-SW Server Software) Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	42.00
ACURT4 Control Panel & TPZ- SRVR-SW Server Software) Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	42.00
SRVR-SW Server Software) Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	
Direct Print PVC Cards (No Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	
Fechnology), 50-Pack Cleaning Kit for TPZ-Printer-1	
Cleaning Kit for TPZ-Printer-1	15.75
Clooping Kit for TDZ Printer 2	
Cleaning Kit for TPZ-Pfinter-2	50.40
Magnetic Stripe Card, Encoded	103.95
and Numbered, GE Logo, 50- Pack	
Magnetic Stripe Card, Blank	124.95
and Encoded, 50-Pack	
Proxcard II (Clamshell Design)	110.25
Cards, 50-Pack	277.20
soprox (PVX Door Badging)	206.85
Cards, 50-Pack	070.45
` ,	276.15 483.00
Built-In Reader Interface	463.00
6 Button Keypad w/LED'S &	496.65
nterface	
2 Button keypad w/LED's	330.75
Host PC Modem, External, 33.6K Baud	248.85
RS-232 to 485 PC to ACU	248.85
Communications Converter v/Cable	
Refill Ribbon for TPZ-Printer-1	131.25
Refill Ribbon for TPZ-Printer-2	131.25
	Magnetic Stripe Card, Encoded and Numbered, GE Logo, 50-Pack Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack Proxcard II (Clamshell Design) Cards, 50-Pack Magnetic Stripe Card, Blank PVC for Direct Print, Numbered and Encoded, 50-Pack Proxcard II (Clamshell Design) Cards, 50-Pack Magnetic Stripe Card, Blank Magnetic Stripe Card, Blank Magnetic Stripe Card, Blank Magnetic Stripe Card, Elank Magnetic Stripe Card, Blank Magnetic Stripe Card, Bla

TPZ-RIM-1	Remote Input Module w/Enclosure and Lock	455.70
TPZ-RMS-10EXTD	Magnetic Stripe Reader, Door Frame w/Wiegand Interface	227.85
TPZ-RPP2-50	Miniprox Reader 5" Read Range (HIF-MP5363)	171.15
TPZ-RPP2-54	Proxpro Readers, 9" Read Range (HID-PR5355G)	206.85
TPZ-RPP2-55	Proxpro Readers, 9" Read Range w/Keypad (HID- PK5355G)	338.10
TPZ-RPP2-56	Maxiprox Long Range Reader, 24" Read Range (HID- MX5373)	647.85
TPZ-RPP2-58	Reader, Thinline II	152.25
TPZ-RPP2-60	Proxpoint Reader, 3" Read Range (HID-PP6005)	105.00
TPZ-RRM-1	Remote Relay Module w/Enclosure and Lock	496.65
TPZ-SRVR-SW	Topaz Server Software	385.35
TPZ-SWUPGRADE	Topaz Software Version Upgrade	49.00
TPZ-SYS-A	Two-Reader System (ACURT2 Control Panel, TPZ-SRVR-SW Software, Two TPZ-RPP2-60 Readers & 50 cards)	1241.10
TPZ-SYS-A-GE	Two-Reader System: ACURT2 Control Panel, TPZ-SRVR-SW Software, Two T-100 Readers, Mini-Mullion, Black and 50 Cards	1179.00
TPZ-SYS-B	Two-Reader System (ACURT2 Control Panel, TPZ-SRVR-SW Software, Two TPZ-RPP2-50 Readers & 50 cards)	1378.65
TPZ-SYS-B-GE	Two-Reader System: ACURT2 Control Panel, TPZ-SRVR-SW Software, Two T-500 Readers, Mullion, Black and 50 Cards	1309.50
TPZ-SYS-C	Four-Reader System (ACURT4 Control Panel, TPZ-SRVR-SW Software, four TPZ-RPP2-60 Readers & 50 cards)	1516.20
TPZ-SYS-C-GE	Four-Reader System: ACURT4 Control Panel, TPZ-SRVR-SW Software, Four T-100 Readers, Mini-Mullion, Black and 50 Cards	1440.50

=== 0)(0 =		
TPZ-SYS-D	Four-Reader System (ACURT4 Control Panel, TPZ-SRVR-SW Software, four TPZ-RPP2-50 Readers & 50 cards)	1792.35
TPZ-SYS-D-GE	Four-Reader System: ACURT4 Control Panel, TPZ- SRVR-SW Software, Four T- 500 Readers, Mini-Mullion, Black and 50 Cards	1702.50
TPZ-VPO-4-50PKG	PVC Overlays for Proxcard II (TPZ-CPP2-1), 50-Pack	55.65
TPZ-VPR-7	Printer Ribbon (200 Prints, Four Color)	117.60
TPZ-WKSTA-SW	Topaz Workstation Software	275.10
TR3010	Touchtone Telephone, 850Nm, Telephone End, MM, 2 Fibers	1055.00
TR3020WDM	Touchtone Telephone Interface - Pots Transceiver, MM, 1 Fiber	1155.00
TR3030WDM-R3	Touchtone Telephone Interface - Pots Transceiver, SM, 1 Fiber, Rack Mount	1845.00
TT3010	Touchtone Telephone, 850Nm, PBX End, MM, 2 Fibers	1055.00
TT3020WDM	Touchtone Telephone Interface - Pots Transceiver, MM, 1 Fiber	1155.00
TT3020WDM-C	Touchtone Telephone Interface - Pots Transceiver, MM, 1 Fiber, Conformal Coat	1230.00
TT3020WDM-R3	Touchtone Telephone Interface - Pots Transceiver, MM, 1 Fiber, Rack Mount	1155.00
TT3030WDM-R3	Touchtone Telephone Interface - Pots Transceiver, SM, 1 Fiber, Rack Mount	1845.00
TVC-5120-1-N	Truvision 550TVL Color Box Camera, True D/N, 12VDC, Ntsc	75.00
TVC-5125BE-3-N	Truvision 550TVL Color Bullet, Outdoor, True D/N, IR LEDS, 3.6mm Fixed, 12VDC, NTSC	75.00
TVC-6110-1-N	Truvision 600TVL Color Box Camera, ELEC D/N, 12VDC, NTSC	120.00
TVC-6120-1-N	Truvision 600TVL Color Box Camera,True D/N, 24VAC/12VDC, Ntsc	135.00

TVC-BIR6-HR	Truvision IR Bullet Camera 650 TVL Color, True D/N, 6.0mm- 50.0mm AL Varifocal Lens, 55m IR Range, 12VDC/24VAC, IP67,NTSC	259.00
TVC-BIR6-MR	Truvision IR Bullet Camera 600 TVL Color, True D/N, 3.3mm- 12.0mm AL Varifocal Lens, 25m IR Range,12VDC/24VAC, IP67, NTSC	179.00
TVC-BIR6-SR	Truvision IR Bullet Camera 600 TVL Color, 3.6mm Fixed Lens, 15m IR Range, 12VDC only, IP67, NTSC	79.00
TVC-BIR-HR	TruVision IR Bullet Camera 530 TVL Color, 6.0mm - 50.0mm AI Varifocal Lens, 55m IR Range, 12vdc/24vac, IP67	134.50
TVC-BIR-MR	TruVision IR Bullet Camera 480 TVL Color, 3.5mm - 12.0mm Al Varifocal Lens, 25m IR Range, 12vdc/24vac, IP67	94.50
TVC-BIR-SR	TruVision IR Bullet Camera 380 TVL Color, 4.3mm Fixed Lens, 10m IR Range, 12vdc only, IP67	44.50
TVC-BIR-WM	TruVision IR Bullet Camera Wall Mount (2-axis, Cast Aluminum, designed for MR and HR Bullet Models)	12.00
TVC-M1120-1-N	TruVision 1.3MPX Progressive Scan CCD Traditional Box Camera, True Day/Night, NTSC, POE, SDHC Card Slot	210.00
TVC-M1220-1-N	TruVision 1.3MPX Open Std, 1/3" Progressive Scan CCD Traditional Box Camera, True Day/Night, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	625.00
TVC-M1220-1-P	1.3 MPX 1/3" Progressive Scan CCD, Box, True Day/Night, Motorized IR Cut Filter, H.264, PSIA/ONVIF	625.00
TVC-M1245E-2M-N	Truvision 1.3MPX WDR IP Open STD, Progressive Scan CMOS Outdoor Bullet, True D/N, 2.7-9mm Motorized AI Autofocus, IR LED, ONVIF/PSIA, NTSC Frame Rate, POE/12VDC	575.00

	T	
TVC-M2110-1-N	TruVision 2MPX Progressive Scan CMOS Traditional Box Camera, Electronic Day/Night, NTSC, POE, SDHC Card Slot	170.00
TVC-M2220-1-N	TruVision 2.0MPX Open Std, 1/3" Progressive Scan CMOS Traditional Box Camera, True Day/Night, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	500.00
TVC-M2220-1-P	2.0 MPX 1/3" Progressive Scan CMOS, Box True Day/Night, Motorized IR Cut Filter, H.264, PSIA/ONVIF	500.00
TVC-M3220-1-N	TruVision 3.0MPX Open Std, 1/2.5" Progressive Scan CMOS Traditional Box Camera, True Day/Night, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	750.00
TVC-M3220-1-P	3.0 MPX 1/2.5" Progressive Scan CMOS, Box, True Day/Night, Motorized IR Cut Filter, H.264, PSIA/ONVIF	750.00
TVC-M5220-1-N	TruVision 5.0MPX Open Std, 1/2.5" Progressive Scan CMOS Traditional Box Camera, True Day/Night, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	975.00
TVC-M5220-1-P	5.0 MPX 1/2.5" Progressive Scan CMOS, Box, True Day/Night, Motorized IR Cut Filter, H.264, PSIA/ONVIF	975.00
TVC-M-WM	TruVision, Indoor/Outdoor Box Camera Wall Mount for Box Cams or TVC-OH Series Clamshell Housings	18.00
TVC-N220-1-N	TruVision VGA IP Open Std, 1/4" Progressive Scan CMOS Traditional Box Camera, True Day/Night, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	275.00
TVC-N220-1-P	VGA 1/4" Progressive Scan CMOS, Box, True Day/Night, Motorized IR Cut Filter, H.264, PSIA/ONVIF	275.00
TVC-N225E-2M-N	Truvision VGA IP Open STD, NTSC Frame Rate, Progressive Scan CMOS Outdoor Bullet, True D/N, 2.8- 12mm Motorized AI Autofocus, IR LED, ONVIF/PSIA, POE/12VDC	475.00

	<u> </u>	
TVC-N240-1-N	TruVision 4CIF WDR IP Open Std, 1/3" CCD Traditional Box Camera, True Day/Night, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	375.00
TVC-N240-1-P	4CIF 1/3" WDR CCD, Box, True Day/Night, Motorized IR Cut Filter, H.264, PSIA/ONVIF	375.00
TVC-OH	TruVision, Box Outdoor Housing, IP66	48.00
TVC-OH-H	TruVision, Box Outdoor Housing, IP66, Heater/Fan	75.00
TVC-OH-HW	TruVision, Box Outdoor Housing, IP66, Heater/Fan w/Wiper	102.00
TVC-PIR2-HR	TruVision Covert Motion Detector (Non-Functioning) 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC Only	159.00
TVC-PIR3-HR	TruVision Covert Motion Detector (Non-Functioning) 550 TVL Color, 0.4 Lux, 3.8mm Lens, 12VDC Only	159.00
TVC-RCM-HR	TruVision Specialty Rugged Corner Mount, 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC, Vandal Resistant	189.00
TVC-SDC2-HR	TruVision Covert Smoke Detector (Non-Functioning) 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC Only	159.00
TVC-SDC2-MODULE	Add-On Covert TruVision Camera Module for Smoke Detector Housings 550 TVL Color, 0.4 Lux, 2.8mm Lens, 12VDC	129.00
TVC-SDC3-HR	TruVision Covert Smoke Detector (Non-Functioning) 550 TVL Color, 0.4 Lux, 3.8mm Lens, 12VDC Only	159.00
TVC-SDC3-MODULE	Add-On Covert TruVision Camera Module for Smoke Detector Housings 550 TVL Color, 0.4 Lux, 3.8mm Lens, 12VDC	129.00
TVC-SDC-BRACKET	Add-On Covert TruVision Camera Bracket for Smoke Detector Housings (Converts from Down to Side View; Camera Not Included)	12.00
TVD-5110-3-N	Truvision 550TVL Color Dome, Indoor, Elec D/N, 3.6mm Fixed, 12VDC, NTSC	50.00

r		
TVD-5125TE-3-N	Truvision 550TVL Color Turret Dome, Outdoor, True D/N, IR	75.00
	Leds, 3.6mm Fixed, 12VDC,	
	NTSC	
TVD-6120VE-2-N	Truvision 600TVL Color	150.00
	Outdoor/Indoor, True D/N,	
	Vandal, VF 2.8~12mm,	
	24VAC/12VDC, NTSC	
TVD-6125VE-2-N	Truvision 600TVL Color	180.00
	Outdoor/Indoor, True D/N, IR LEDS, Vandal, VF 2.8~12mm,	
	24VAC/12VDC, NTSC	
	244/AG/124DG, N13G	
TVD-DOME-HR	TruVision Dome, High	64.50
	Resolution, 500 TVL Color,	
	Varifocal 2.6-6mm, 12 VDC/	
	24 VAC, NTSC	
TVD-M1120V-3-N	TruVision 1.3MPX Progressive	625.00
	Scan CCD Vandal Dome	
	Camera, True Day/Night,	
	Varifocal 3.3-12mm, NTSC, POE, SDHC Card Slot, IP66	
	FOE, SDITC Card Slot, 1F00	
TVD-M1210V-2-N	TruVision 1.3MPX Open Std,	675.00
	Progressive Scan CCD Indoor	
	Vandal Dome, Digital	
	Day/Night, 2,7-9mm Auto Iris,	
	ONVIF/PSIA, POE/12VDC,	
	SDHC Card Slot, NTSC	
TVD-M1210V-2-P	1.3 MPX 1/3" Progressive Scan	675.00
	CCD, Digital Day/Night, Indoor	
	Vandal-Resistant Dome, Digital	
	Day/Night, H.264,	
	PSIA/ONVIF, 2.7-9mm, F1.4	
	Auto Iris	
TVD-M1225V-2-N	TruVision 1.3MPX Open Std,	800.00
	Progressive Scan CCD Indoor	222.30
	Vandal Dome, True Day/Night,	
	2.7-9mm Auto Iris, IR LED,	
	ONVIF/PSIA, POE/12VDC,	
	SDHC Card Slot, NTSC	
TVD-M1225V-2-P	1.3 MPX 1/3" Progressive Scan	800.00
	CCD, Indoor Vandal-Resistant	000.00
	Dome, True Day/Night,	
	Motorized IR Cut Filter w/IR	
	LEDS, H.264, PSIA/ONVIF, 2.7-	
	9mm, F1.4 Auto Iris	

TVD-M1245E-2M-N TVD-M2110-2-N	Truvision 1.3MPX WDR IP Open STD, Progressive Scan CMOS Outdoor Vandal Dome, True D/N, 2.7-9mm Motorized AI Autofocus, IR LED, ONVIF/PSIA, NTSC OUT, POE/POE+/24VAC, MIRCO SD Card Slot, Heater TruVision™ 2Mpx Progressive	550.00 475.00
TVB WZTTO Z TV	Scan CMOS Dome Camera, electronic D/N, VF 2.8-11MM, NTSC, PoE, SDHC Card Slot	470.00
TVD-M2110V-3-N	TruVision 2MPX Progressive Scan CMOS Vandal Dome Camera, Electronic Day/Night, Varifocal 3-9mm, NTSC, POE, SDHC Card Slot, IP66	525.00
TVD-M2210V-2-N	TruVision 2.0MPX Open Std, Progressive Scan CMOS Indoor Vandal Dome, Digital Day/Night, 2.7-9mm Auto Iris, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	550.00
TVD-M2210V-2-P	2.0 MPX 1/3" Progressive Scan CMOS, Digital Day/Night, Indoor Vandal-Resistant Dome, Digital Day/Night, H.264, PSIA/ONVIF, 2.7-9mm, F1.4 Auto Iris	550.00
TVD-M2210W-4-N	TruVision 2.0MPX Open Std, Progressive Scan CMOS Low Profile Mini Vandal Dome Camera, Elec Day/Night, 4mm Fixed, ONVIF/PSIA, POE/12VDC, IP66, NTSC	350.00
TVD-M2210W-4-P	2.0 MPX 1/4" Progressive Scan CMOS, IP66 Vandal-Resistant, Digital Day/Night, H.264, PSIA/ONVIF, 4mm, Fixed Iris	350.00
TVD-M2225V-2-N	TruVision 2.0MPX Open Std, Progressive Scan CMOS Indoor Vandal Dome, True Day/Night, 2.7-9mm Auto Iris, IR LED, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	675.00

TVD-M2225V-2-P	2.0 MPX 1/3" Progressive Scan CMOS, Indoor Vandal-Resistant Dome, Motorized IR Cut Filter w/IR LEDS, H.264, PSIA/ONVIF, 2.7-9mm, F1.4 Auto Iris	675.00
TVD-M2-FM	TruVision Indoor Flush Mount for TruVision Open Std Series Domes	15.00
TVD-M2-PNDT	TruVision Indoor Pendant Mount for TruVision Open Std Series Domes	35.00
TVD-M2-WEBM	TruVision Electrical Box Adapter for TruVision Open Std Low Profile Mini Domes	4.00
TVD-M2-WM	TruVision Indoor Wall Mount for TruVision Open Std Series Domes	25.00
TVD-M3210V-2-N	TruVision 3.0MPX Open Std, Progressive Scan CMOS Indoor Vandal Dome, Digital Day/Night, 2.7-9mm Auto Iris, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	800.00
TVD-M3210V-2-P	3.0 MPX 1/2.5" Progressive Scan CMOS, Indoor Vandal- Resistant Dome, Digital Day/Night, H.264, PSIA/ONVIF, 2.7-9mm, F1.4 Auto Iris	800.00
TVD-M3225V-2-N	TruVision 3.0MPX Open Std, Progressive Scan CMOS Indoor Vandal Dome, True Day/Night, 2.7-9mm Auto Iris, IR LED, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	925.00
TVD-M3225V-2-P	3.0 MPX 1/2.5" Progressive Scan CMOS, Indoor Vandal- Resistant Dome, True Day/Night, Motorized IR Cut Filter w/IR LEDS, H.264, PSIA/ONVIF, 2.7-9mm, F1.4 Auto Iris	925.00
TVD-M5225V-4-N	TruVision 5.0MPX Open Std, Progressive Scan CMOS Indoor Vandal Dome, True Day/Night, 4.5-10mm Auto Iris, IR LED, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	1200.00

TVD-M5225V-4-P	5.0 MPX 1/2.5" Progressive	1200.00
	Scan CMOS, Indoor Vandal- Resistant Dome, True	00.00
	Day/Night, Motorized IR Cut	
	Filter w/IR LEDS, H.264, PSIA/ONVIF, 4.5-10mm, F1.6	
TVD-M-FM	TruVision, Dome Indoor In- Ceiling Mount (Flush) for TVD-	28.00
	M2110-2-N Series Domes Only	
TUD M CMM	T Vi C (I B W II	40.00
TVD-M-OWM	TruVision, Outdoor Dome Wall Mount for TVD-M1120V-3-N	48.00
	and TVD-M2110V-3-N Series	
TVD-M-PMA	Vandal Domes Only TruVision, Pole Mount Adaptor	23.00
TVD-W-I IVIA	for TVD-M-OWM Only	25.00
TVD-M-PNDT	TruVision, Indoor Pendant	42.00
	Mount (50cm Long) for TVD- M2110-2-N Series Domes Only	
	WETTO 2 IN COMES DOMES CAMP	
TVD-M-WM	TruVision, Indoor Wall Mount for TVD-M2110-2-N Series	40.00
	Domes Only	
TVD-N210V-2-N	TruVision VGA IP Open Std,	325.00
	Progressive Scan CMOS Indoor Vandal Dome, Digital	
	Day/Night, 2.8-11mm Auto Iris,	
	ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	
	OBTIO Gard Glot, IVIOG	
TVD-N210V-2-P	VGA 1/4" Progressive Scan	325.00
	CMOS, Indoor Vandal- Resistant Dome, Digital	
	Day/Night, H.264	
TVD-N210W-4-N	TruVision VGA IP Open Std, Progressive Scan CMOS Low	275.00
	Profile Mini Vandal Dome	
	Camera, Elec Day/Night, 4mm Fixed, ONVIF/PSIA,	
	POE/12VDC, IP66, NTSC	
TVD-N210W-4-P	VGA 1/4" Progressive Scan	275.00
	CMOS, IP66 Vandal-Resistant,	5.56
	Digital Day/Night, H.264, PSIA/ONVIF, 4mm, Fixed Iris	
TVD-N225E-2M-N	Truvision VGA IP Open STD,	450.00
	NTSC OUT, Progressive Scan CMOS Outdoor Vandal Dome,	
	True D/N, 2.8-12mm Motorized	
	Al Autofocus, IR LED, ONVIF/PSIA,	
	POE/POE+/24VAC, MIRCO	
	SD Card Slot, Heater	

TVD NO45V 2 N	Trul/inion ACIE WIDD ID Onen	600.00
TVD-N245V-2-N	TruVision 4CIF WDR IP Open Std, CCD Indoor Vandal Dome, True Day/Night, 2.8-11mm Auto Iris, IR Led, ONVIF/PSIA, POE/12VDC, SDHC Card Slot, NTSC	600.00
TVD-N245V-2-P	4CIF 1/3" WDR CCD, Indoor Vandal-Resistant Dome, True Day/Night, Motorized IR Cut Filter w/IR LEDS, H.264, PSIA/ONVIF, 2.8-11mm, F1.4 Auto Iris	600.00
TVD-TIR2-HR	TruVision IR Dome Camera, 530 TVL Color, 3.5-8mm Auto Iris Varifocal Lens, 20m IR Range, 24VAC/12VDC, IP66, NTSC	229.00
TVD-TIR2-HR-P	TruVision IR Dome Camera, 530 TVL Color, 3.5mm - 8.0mm Al Varifocal Lens, 20m IR Range, 24VAC/12VDC, IP66, PAL	229.00
TVD-TIR2-MR	TruVision IR Dome Camera, 480 TVL Color, 3.5-8mm Auto Iris Varifocal Lens, 20m IR Range, 24VAC/12VDC, IP66, NTSC	94.50
TVD-TIR2-MR-P	TruVision IR Dome Camera, 480 TVL Color, 3.5mm - 8.0mm Al Varifocal Lens, 20m IR Range, 24VAC/12VDC, IP66, PAL	189.00
TVD-TIR6-HR	Truvision IR Dome Camera, 650 TVL Color, 3.3-12mm Auto Iris Varifocal Lens, 25M IR Range, 12VDC/24VAC, IP66, NTSC	199.00
TVD-TIR6-MR	Truvision IR Dome Camera, 600 TVL Color, 3.3-12mm AuTo Iris Varifocal Lens, 25m IR Range, 12VDC/24VAC, IP66, NTSC	179.00
TVD-TIR6-SR	Truvision IR Dome Camera, 600, TVL Color, 15m IR Range, 3.6mm Fixed Lens,12VDC only, IP67, NTSC	79.00
TVD-TIR-SR	TruVision IR Dome Camera, 380, TVL Color, 10m IR Range, 4mm Fixed Lens, 12VDC, NTSC, IP67	44.50
TVL-M2.8-10VA	MPX Lens, 2.8-10mm Varifocal, F1.4, Auto Iris, IR Corrected, 1/3 In., CS Mount, Up to 3MPX Camera	155.00

TVL-M4-12VA	MPX Lens, 4-12mm Varifocal,	155.00
	F1.4, Auto Iris, IR Corrected,	
	½ In., CS Mount, Up to 5MPX	
	Camera	
TVL-M4-8VA	MPX Lens, 4-8mm Varifocal,	115.00
	F1.4, Auto Iris, IR Corrected,	
	Â1/2 In.,CS Mount, Up to 5MPX	
	Camera	
TVL-M4-8VM	MPX Lens,4-8mm Varifocal,	110.00
I VE IVIT OVIVI	F1.4, Manual Iris, IR Corrected,	110.00
	½ In., CS Mount, Up to 5MPX	
	·	
	Camera	
TVL-M5-50VA	MPX Lens, 5-50mm Varifocal,	160.00
	F1.4, Auto Iris, 1/3 In., CS	
	Mount, Up to 3MPX Camera	
TVLREIMB	Airfare, reimburseable, round	Call for Quote
	trip, for Customer Service	
	travel to Customer site. Charge	
	will be actual airfare plus 15%	
	will be actual affiare plus 1370	
TVLREIMBDOM	Lodging and expense, daily per	289.00
	diem, - the 50 U.S.A. states	
	diem, une de ciem a diatec	
TVLREIMBINTL	Lodging and expense, daily per	394.00
	diem, - International	
TVM-1700	Truvision 17Inch LCD, VGA,	329.00
	HDMI, BNC, Audio, 1280X1024	
	TIBIVIII, BINO, Madio, 1200/01021	
TVM-1900	Truvision 19Inch LCD, VGA,	379.00
	HDMI, BNC, Audio, 1280X1024	
TVM-2200	Truvision 22Inch Wide Screen,	439.00
	VGA, HDMI, BNC, Audio, HD,	
	1680X1050	
TVN-2008-2T	TruVision NVR 20, 8 CH IP	1495.00
	Camera Network Video	
	Recorder, 2TB Storage, Power	
	Cord	
TVN-2008-4T	TruVision NVR 20, 8 CH IP	1795.00
	Camera Network Video	
	Recorder, 4TB Storage, Power	
	Cord	
TVN-2008-8T	TruVision NVR 20, 8 CH IP	2295.00
1 111-2000-01	Camera Network Video	2233.00
	Recorder, 8TB Storage, Power	
	Cord	
TVN-2016-16T	TruVision NVR 20, 16 CH IP	3995.00
5 10 101	Camera Network Video	2300.00
	Recorder, 16TB Storage,	
	Power Cord	
T\/NL2046.4T		2005.00
TVN-2016-4T	TruVision NVR 20, 16 CH IP	2295.00
	Camera Network Video	
	Recorder, 4TB Storage, Power	
	Cord	

TVN-2016-8T	TruVision NVR 20, 16 CH IP	2895.00
1 111-2010-01	Camera Network Video	2095.00
	Recorder, 8TB Storage, Power	
	Cord	
TVN-4002-12-2T	TruVision NVR 40, Network	2900.00
1 111 4002 12 21	Video Recorder Supports 12 IP	2000.00
	Cameras, 2TB JBOD Storage,	
	4 Alarm Inputs	
TVN-4004-24-4T	TruVision NVR 40, Network	4100.00
1 111-4004-24-41	Video Recorder Supports 24 IP	4100.00
	Cameras, 4TB JBOD Storage,	
	4 Alarm Inputs	
	4 Alaim inputs	
TVP-12C	TruVision PTZ Mini, 12X Color,	569.00
1 1 120	Indoor, NTSC	303.00
TVP-12C-E	TruVision PTZ Mini, 12X Color,	649.00
1 VI -120-L	Outdoor IP66, NTSC	049.00
TVP-12C-EP	TruVision PTZ Mini, 12X Color,	649.00
1 V1 -120-L1	Outdoor, Pal	049.00
TVP-12CP	TruVision PTZ Mini, 12X Color,	569.00
171 1201	Indoor, Pal	000.00
TVP-12DN	TruVision PTZ Mini, 12X D/N,	669.00
171 12517	Indoor, NTSC	000.00
TVP-12DN-E	TruVision PTZ Mini, 12X D/N,	749.00
171 12517 2	Outdoor IP66, NTSC	7 10.00
TVP-12DN-EP	TruVision PTZ Mini, 12X D/N,	749.00
171 12017 21	Outdoor, Pal	7 10.00
TVP-12DNP	TruVision PTZ Mini, 12X D/N,	669.00
171 125111	Indoor, Pal	000.00
TVP-ECB	Truvision Mini PTZ Outdoor	49.00
202	Clear Bubble	.0.00
TVP-ESB	Truvision Mini PTZ Outdoor	49.00
205	Smoke Bubble	10.00
TVP-FM	Truvision Mini PTZ Indoor	39.00
	Flush Mount	33.33
TVP-ICB	Truvision Mini PTZ Indoor	29.00
	Clear Bubble	
TVP-ISB	Truvision Mini PTZ Indoor	29.00
	Smoked Bubble	
TVP-IWA	Truvision Mini PTZ Indoor Wall	29.00
	Adapter (Requires TVP-WM Or	
	TVP-LWM)	
TVP-LWM	Truvision PTZ Mini Long Wall	79.00
	Mount	
TVP-PM-NPT	TruVision Mini PTZ	24.00
	Indoor/Outdoor NPT Pendant	
	Adapter	
TVPS-01-24AC	TruVision 1-Channel 4 Amp	100.00
	Fused Outdoor Power Supply,	
	24VAC, NTSC	
TVPS-16-12DC	TruVision 16-Channel 18.5	165.00
	Amp Fused Power Supply,	
	12VDC, NTSC	
TVPS-4-12DC	TruVision 4-Channel 5.3 Amp	85.00
-	Fused Power Supply, 12VDC,	
	NTSC	

TVDC 0.40DC	Tankinia Damas O Ohamad O	440.00
TVPS-8-12DC	TruVision Power 8-Channel 8	110.00
	Amp Fused Power Supply,	
	12VDC, NTSC	
TVP-WM	Truvision PTZ Mini Short Wall	59.00
	Mount	
TVR-1004-1T	TruVision DVR 10, 4 CH, 1 TB	465.00
	Storage	
TVR-1004-500	TruVision DVR 10, 4 CH, 500	325.00
	GB Storage	
TVR-3108-1T	TruVision DVR 31, 8 CH,	995.00
1111 3103 11	DVD/CD, 1 TB Storage	333.00
TVR-3108-2T	TruVision DVR 31, 8 CH,	1145.00
1VR-3106-21	· · · · · · · · · · · · · · · · · · ·	1145.00
= 15 - 11 - 15	DVD/CD, 2 TB Storage	
TVR-3116-2T	TruVision DVR 31, 16 CH,	1395.00
	DVD/CD, 2 TB Storage	
TVR-3116-4T	TruVision DVR 31, 16 CH,	1695.00
	DVD/CD, 4 TB Storage	
TVR-3116-6T	TruVision DVR 31, 16 CH,	1995.00
	DVD/CD, 6 TB Storage	
TVR-31-BOX	TruVision DVR 31, Spare Part,	20.00
	Box	20.00
TVR-31-HDD2T	TruVision DVR 31, Spare Part,	275.00
1 V K-3 1-HDD2 1		273.00
T/D 04 MOURE	HDD, 2 TB	10.00
TVR-31-MOUSE	TruVision DVR 31, Spare Part,	49.00
	USB Mouse	
TVR-31-RACK	TruVision DVR 31, Spare Part,	20.00
	Rack Mount Brackets, Pair	
TVR-31-REMOTE	TruVision DVR 31, Spare Part,	49.00
	IR Remote Control	
TVR-6016-12T	TruVision DVR 60, H.264, 16	4755.00
	CH Hybrid, DVD/CD, 12 TB	
	Storage	
TVR-6016-2T	TruVision DVR 60, H.264, 16	3555.00
1 11 00 10 21	CH Hybrid, DVD/CD, 2 TB	0000.00
	Storage	
TVD 0040 4T	-	0705.00
TVR-6016-4T	TruVision DVR 60, H.264, 16	3795.00
	CH Hybrid, DVD/CD, 4 TB	
	Storage	
TVR-6016-8T	TruVision DVR 60, H.264, 16	4275.00
	CH Hybrid, DVD/CD, 8 TB	
	Storage	
TVR-60-BOX	TruVision DVR 60, Spare Part,	29.00
	Box	
TVR-60-VL	TruVision DVR 60, Spare Part,	29.00
1 V I X - 00 - V E	Video Looping Cable (x16	23.00
T/D MOUGE 4	BNC)	40.00
TVR-MOUSE-1	TruVision DVR 60, Spare Part,	49.00
	USB Mouse	
TVR-REMOTE-1	TruVision DVR 60, Spare Part,	49.00
	IR Remote Control w/Batteries	
TVR-RK-1	TruVision DVR 60, Rack Mount	49.00
	w/Screws	
TX-1010-01-1	DesignLine Door/Window	40.00
1010 01 1	Sensor, White	1 0.00
TX-1010-01-3	DesignLine Door/Window	40.00
174-1010-01 - 0	•	40.00
	Sensor, Brown	

TV 4540 04 4	15 · · · 5	40.00
TX-1510-01-1	DesignLine Recessed	40.00
	Door/Window Sensor, White	
TX-4012-01-2	DesignLine 2-Button Keyfob,	32.00
17. 4012 01 2	Black	02.00
TX-4014-01-2	DesignLine 4-Button Keyfob,	35.00
	Black	
TX-6010-01-1	Supervised Wireless Smoke,	72.01
	Residential UL217 Transmitter	
TX-6010-01-1-10PKG	Supervised Wireless Smoke,	683.99
	Residential UL217 Transmitter,	
	10-Pack	
TX-6310-01-1	Wireless Carbon Monoxide	94.50
TV 0040 04 4	Alarm	40.00
TX-8010-01-1	DesignLine Garage Door	40.00
TX-8300-01-1	Sensor, White DesignLine Tri-Zone Sensor,	FO 00
1 \(\dagger{A} \) - \(A	White	50.00
UL-UPS-24V	UL 24V, 2.5A Battery Backup,	283.50
OL-0F3-24V	Power Supply	203.30
UVC-6120-1-N	Ultraview 650TVL Color Box	150.00
0 0 0 120 1 10	Camera, True D/N,	100.00
	24VAC/12VDC, NTSC	
UVC-6130-1-N	Ultraview 650TVL Color Box	190.00
	Camera, WDR, True D/N,	
	24VAC/12VDC, NTSC	
UVC-EVRDN-HR	UltraView EVR Series True	267.00
	Day/Night Traditional Box	
	Camera, 540 TVL, UTP, BNC,	
	12VDC/24VAC	
UVC-IP-EVRDN-HR	UltraView IP H.264 True	595.00
	Day/Night Box Camera, H.264,	
	4CIF, BNC,	
LIVO ID EVDDN LID D	POE/12VDC/24VAC, NTSC	505.00
UVC-IP-EVRDN-HR-P	UltraView IP H.264 True Day/Night Box Camera, H.264,	595.00
	4CIF, BNC,	
	POE/12VDC/24VAC, Pal	
UVC-IP-XP3DN-HR	UltraView IP WDR H.264 True	156.25
OVO II 7 OBIVIIN	Day/Night Box Camera, H.264,	100.20
	4CIF, BNC,	
	POE/12VDC/24VAC, NTSC	
UVC-IP-XP3DN-HR-P	UltraView IP WDR H.264 True	625.00
	Day/Night Box Camera, H.264,	
	4CIF, BNC,	
	POE/12VDC/24VAC, Pal	
UVC-UTP-1	Ultraview Cam Passive Utp	15.00
	Balun Accessory (Single	
	Camera)	
UVC-XP3-HR	UltraView XP3 Series	143.50
	Traditional Box Camera, 540	
	TVL, UTP, BNC, WDR,	
ĺ	12vdc/24vac	

UVC-XP4DN-HR	UltraView XP4 True Day/Night	259.00
	Traditional Box Camera, 540 HTVL, 690HTVL-e, UTP, BNC, WDR, 12VDC/24VAC, NTSC	
	WBK, 12 VBO/24 VAO, N100	
UVD-6120VE-2-N	Ultraview 650TVL Color Outdoor Dome, True D/N,	190.00
	Vandal, VF 2.8~10mm,	
	24VAC/12VDC, Heater, Ntsc	
UVD-6130VE-2-N	Ultraview 650TVL Color	235.00
	Outdoor Dome, WDR, True D/N, Vandal, VF2.8~10mm,	
	24VAC/12VDC, Heater, Ntsc	
UVD-EVRDNR-VA2	UltraView EVR Series True	335.00
	Day/Night Rugged Dome, 540 TVL, UTP, BNC, 2.8mm-	
	10.0mm Al IR Corrected,	
UVD-EVRDNR-VA9	12vdc/24vac UltraView EVR Series True	365.00
	Day/Night Rugged Dome, 540	333.33
	TVL, UTP, BNC, 9.0mm- 22.0mm AI, 12vdc/24vac	
UVD-IP-EVRDNR-VA2	UltraView IP H.264 True Day/Night Rugged Dome,	670.00
	H.264, 4CIF/540 TVL, UTP,	
	BNC, 2.8-10.5mm AI IR Corrected,	
	POE/12VDC/24VAC, NTSC	
UVD-IP-EVRDNR-VA2-P	UltraView IP H.264 True Day/Night Rugged Dome,	670.00
	H.264, 4CIF/540 TVL, UTP,	
	BNC, 2.8-10.5mm Al IR Corrected,	
	POE/12VDC/24VAC, Pal	
UVD-IP-EVRDNR-VA9	UltraView IP H.264 True Day/Night Rugged Dome,	700.00
	H.264, 4CIF/540 TVL, UTP,	
	BNC, 9-22mm AI IR Corrected, POE/12VDC/24VAC, NTSC	
UVD-IP-EVRDNR-VA9-P	UltraView IP H.264 True	700.00
5.5 ii 27.5 iii 7.6 i	Day/Night Rugged Dome,	7 00.00
	H.264, 4CIF/540 TVL, UTP, BNC, 9-22mm AI IR Corrected,	
	POE/12VDC/24VAC, Pal	
UVD-IP-XP3DNR-VA2	UltraView IP WDR H.264 True	700.00
	Day/Night Rugged Dome, H.264, 4CIF/540 TVL, UTP,	
	BNC, 2.8-10.5mm AI IR	
	Corrected, POE/12VDC/24VAC, NTSC	
	1. 32/12/20/24/70, 14100	

UVD-IP-XP3DNR-VA2-P	UltraView IP WDR H.264 True Day/Night Rugged Dome, H.264, 4CIF/540 TVL, UTP, BNC, 2.8-10.5mm AI IR Corrected, POE/12VDC/24VAC, Pal	700.00
UVD-IP-XP3DNR-VA9	UltraView IP WDR H.264 True Day/Night Rugged Dome, H.264, 4CIF/540 TVL, UTP, BNC, 9-22mm AI IR Corrected, POE/12VDC/24VAC, NTSC	183.75
UVD-IP-XP3DNR-VA9	UltraView IP WDR H.264 True Day/Night Rugged Dome, H.264, 4CIF/540 TVL, UTP, BNC, 9-22mm AI IR Corrected, POE/12VDC/24VAC, NTSC	735.00
UVD-IP-XP3DNR-VA9-P	UltraView IP WDR H.264 True Day/Night Rugged Dome, H.264, 4CIF/540 TVL, UTP, BNC, 9-22mm AI IR Corrected, POE/12VDC/24VAC, Pal	735.00
UVD-WD	TruVision Wall Mount for UltraView Domes Needing a 3/4 NPT Nipple to Attach to Wall Mount w/4S Box Plate Size Mount	52.00
UVD-XP3DNR-VA2	UltraView XP3 Series True Day/Night Rugged Dome, 540 TVL, UTP, BNC, WDR, 2.8mm- 10.0mm Al IR Corrected, 12vdc/24vac	365.00
UVD-XP3DNR-VA9	UltraView XP3 Series True Day/Night Rugged Dome, 540 TVL, UTP, BNC, WDR, 9.0mm- 22.0mm AI, 12vdc/24vac	199.50
UVD-XP4DNR-VA2	UltraView XP4 True Day/Night Rugged Dome, 540 HTVL, 690HTVL-e, UTP, BNC, WDR, 2.8mm-10.5mm Al IR Corrected, 12VDC/24VAC, NTSC	299.00
UVD-XP4DNR-VA9	UltraView XP4 True Day/Night Rugged Dome, 540 HTVL, 690HTVL-e, UTP, BNC, WDR, 9mm-22mm Al IR Corrected, 12VDC/24VAC, NTSC	339.00
UVE/X-101-PS	ultraView Encoder/Decoder (Discovery 105) USA Power Supply for UVE-101 (Single Channel Encoder) & UVX-101 (Single Channel Decoder)	36.00

ultraView Encoder 10	467.00
	407.00
Channel MPEG4-SVC Multi-	
Streaming Intelligent Encoder	
Includes 1 PTZ Port, 1 Alarm	
• • • • • • • • • • • • • • • • • • • •	
	829.00
	1000.00
	1099.00
	1440.00
·	1449.00
	11639.00
, · · · · · · · · · · · · · · · · · · ·	11000.00
and Europe Primary Power	
Cords)	
ultraView Storage Server: 12-	13391.00
Bay SAS RAID, 12 TB Storage,	
Primary Power Cords)	
ultraView Storage Server: 12-	16069.00
	10003.00
Streams (US and Europe	
Primary Power Cords)	
Spare Part: ultra\/iew N\/P	287.00
	207.00
w/1TB SATA Drive	
Spare Part: ultraView NVR	502.00
UVN-8012, 2TB Drive Tray	
w/2TB SATA Drive	
Spare Part: ultraView NVR	91.00
	712.00
	712.00
OVN-0012, Fower Supply Offic	
ultraView NVR/NVS Rail Kit	74.00
2U: UVN-8012 and UVS-8012	
Series Devices	
,	1560.00
· ,	
27X Day/Night Camera, NTSC	
Ultraview PTZ, Wall Mount	1560,00
Ultraview PTZ, Wall Mount Housing, Clear Acrylic Dome,	1560.00
Ultraview PTZ, Wall Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, Pal	1560.00
	Streaming Intelligent Encoder Includes 1 PTZ Port, 1 Alarm Input (Power Supply Ordered Separately) Ultraview 26Inch LCD, VGA, DVI, HDMI, BNC, Audio, HD (720P), 1366X768 Ultraview 32Inch LCD, VGA, DVI, HDMI, BNC, Audio, Full HD (1080P), 1920X1080 Ultraview 42Inch LCD, VGA, DVI, HDMI, BNC, Audio, Full HD (1080P), 1920X1080 Spare Part: ultraView Storage Server, 12-Bay SAS RAID, No Video Data Drives, 2U (US and Europe Primary Power Cords) ultraView Storage Server: 12-Bay SAS RAID, 12 TB Storage, 2U, Up to 120 IP Video Streams (US and Europe Primary Power Cords) ultraView Storage Server: 12-Bay SAS RAID, 24 TB Storage, 2U, Up to 120 IP Video Streams (US and Europe Primary Power Cords) ultraView Storage Server: 12-Bay SAS RAID, 24 TB Storage, 2U, Up to 120 IP Video Streams (US and Europe Primary Power Cords) Spare Part: ultraView NVR UVN-8012, 1TB Drive Tray w/1TB SATA Drive Spare Part: ultraView NVR UVN-8012, 2TB Drive Tray w/2TB SATA Drive Spare Part: ultraView NVR UVN-8012, Power Supply Unit ultraView NVR/NVS Rail Kit 2U: UVN-8012 and UVS-8012 Series Devices Ultraview PTZ, Wall Mount Housing, Clear Acrylic Dome,

LIVE CO BOTH	1.11. · DT7.14.11.44	
UVP-C3-D37N	Ultraview PTZ, Wall Mount Housing, Clear Acrylic Dome, 37X Day/Night Camera, NTSC	2260.00
	orx Bayringin Gamera, 11100	
UVP-C3-D37P	Ultraview PTZ, Wall Mount Housing, Clear Acrylic Dome, 37X Day/Night Camera, Pal	2260.00
UVP-C4-D27N	Ultraview PTZ, Wall Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1560.00
UVP-C4-D27P	Ultraview PTZ, Wall Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, Pal	1560.00
UVP-C4-D37N	Ultraview PTZ, Wall Mount Housing, Smoke Acrylic Dome, 37X Day/Night Camera, NTSC	2260.00
UVP-C4-D37P	Ultraview PTZ, Wall Mount Housing, Smoke Acrylic Dome, 37X Day/Night Camera, Pal	2260.00
UVP-CE3-D27N	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1720.00
UVP-CE3-D27P	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Clear Acrylic Dome, 27X Day/Night Camera, Pal	1720.00
UVP-CE3-D37N	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Clear Acrylic Dome, 37X Day/Night Camera, NTSC	2420.00
UVP-CE3-D37P	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Clear Acrylic Dome, 37X Day/Night Camera, Pal	2420.00
UVP-CE4-D27N	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1720.00
UVP-CE4-D27P	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, Pal	1720.00
UVP-CE4-D37N	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Smoke Acrylic Dome, 37X Day/Night Camera, NTSC	2420.00
UVP-CE4-D37P	Ultraview PTZ, Wall Mount Housing, Heater/Fan, Smoke Acrylic Dome, 37X Day/Night Camera, Pal	2420.00

LIV (D. DOZNI	1.11. 1.11. D. /Til. 11. O	1075.00
UVP-D27N	UltraView, Pan/Tilt with Shroud	1075.00
	27X Day/Night Camera, NTSC	
UVP-D27P	UltraView, Pan/Tilt with Shroud	1075.00
011 0211	27X Day/Night Camera, PAL	1070.00
UVP-D37N	UltraView, Pan/Tilt with Shroud	1775.00
	37X Day/Night Camera, NTSC	
UVP-D37P	UltraView, Pan/Tilt with Shroud	1775.00
	37X Day/Night Camera, PAL	
UVP-D8-D27N	Ultraview PTZ, Heavy Duty	1835.00
0 VI -D0-D2/IN	Housing, Clear Polycarbonate	1033.00
	Dome, 27X Day/Night Camera,	
	NTSC	
UVP-D8-D27P	Ultraview PTZ, Heavy Duty	1835.00
	Housing, Clear Polycarbonate	
	Dome, 27X Day/Night Camera,	
	Pal	
UVP-D8-D37N	Ultraview PTZ, Heavy Duty	2535.00
	Housing, Clear Polycarbonate	
	Dome, 37X Day/Night Camera,	
	NTSC	
UVP-D8-D37P	Ultraview PTZ, Heavy Duty	2535.00
	Housing, Clear Polycarbonate	
	Dome, 37X Day/Night Camera,	
	Pal	
UVP-D9-D27N	Ultraview PTZ, Heavy Duty	1835.00
	Housing, Smoke	
	Polycarbonate Dome, 27X Day/Night Camera, NTSC	
UVP-D9-D27P	Ultraview PTZ, Heavy Duty	1835.00
011-09-0271	Housing, Smoke	1000.00
	Polycarbonate Dome, 27X	
	Day/Night Camera, Pal	
UVP-D9-D37N	Ultraview PTZ, Heavy Duty	2535.00
	Housing, Smoke	
	Polycarbonate Dome, 37X	
	Day/Night Camera, NTSC	
UVP-D9-D37P	Ultraview PTZ, Heavy Duty	2535.00
	Housing, Smoke	
	Polycarbonate Dome, 37X	
	Day/Night Camera, Pal	
UVP-DE8-D27N	Ultraview PTZ, Heavy Duty	1995.00
	Housing, Heater/Fan, Clear	
	Polycarbonate Dome, 27X	
LIVE DEC DOZE	Day/Night Camera, NTSC	1005.00
UVP-DE8-D27P	Ultraview PTZ, Heavy Duty Housing, Heater/Fan, Clear	1995.00
	Polycarbonate Dome, 27X	
	Day/Night Camera, Pal	
UVP-DE8-D37N	Ultraview PTZ, Heavy Duty	2695.00
O A L-DEO-DOLIN	Housing, Heater/Fan, Clear	2000.00
	Polycarbonate Dome, 37X	
	Day/Night Camera, NTSC	

UVP-DE8-D37P	Ultraview PTZ, Heavy Duty Housing, Heater/Fan, Clear Polycarbonate Dome, 37X Day/Night Camera, Pal	2695.00
UVP-DE9-D27N	Ultraview PTZ, Heavy Duty Housing, Heater/Fan, Smoke Polycarbonate Dome, 27X Day/Night Camera, NTSC	1995.00
UVP-DE9-D27P	Ultraview PTZ, Heavy Duty Housing, Heater/Fan, Smoke Polycarbonate Dome, 27X Day/Night Camera, Pal	1995.00
UVP-DE9-D37N	Ultraview PTZ, Heavy Duty Housing, Heater/Fan, Smoke Polycarbonate Dome, 37X Day/Night Camera, NTSC	2695.00
UVP-DE9-D37P	Ultraview PTZ, Heavy Duty Housing, Heater/Fan, Smoke Polycarbonate Dome, 37X Day/Night Camera, Pal	2695.00
UVP-F3-D27N	Ultraview PTZ, Flush Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1470.00
UVP-F3-D27P	Ultraview PTZ, Flush Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, Pal	1470.00
UVP-F3-D37N	Ultraview PTZ, Flush Mount Housing, Clear Acrylic Dome, 37X Day/Night Camera, NTSC	2170.00
UVP-F3-D37P	Ultraview PTZ, Flush Mount Housing, Clear Acrylic Dome, 37X Day/Night Camera, Pal	2170.00
UVP-F4-D27N	Ultraview PTZ, Flush Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1470.00
UVP-F4-D27P	Ultraview PTZ, Flush Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, Pal	1470.00
UVP-F4-D37N	Ultraview PTZ, Flush Mount Housing, Smoke Acrylic Dome, 37X Day/Night Camera, NTSC	2170.00
UVP-F4-D37P	Ultraview PTZ, Flush Mount Housing, Smoke Acrylic Dome, 37X Day/Night Camera, Pal	2170.00

UVP-F9-D27N	Ultraview PTZ, Flush Mount	1495.00
UVF-F9-D2/N	Housing, Smoke	1493.00
	Polycarbonate Dome, 27X	
	Day/Night Camera, NTSC	
UVP-F9-D27P	Ultraview PTZ, Flush Mount	1495.00
	Housing, Smoke	
	Polycarbonate Dome, 27X	
	Day/Night Camera, Pal	
UVP-F9-D37N	Ultraview PTZ, Flush Mount	2195.00
	Housing, Smoke	
	Polycarbonate Dome, 37X	
LIVE E0 D07D	Day/Night Camera, NTSC	0405.00
UVP-F9-D37P	Ultraview PTZ, Flush Mount Housing, Smoke	2195.00
	Polycarbonate Dome, 37X	
	Day/Night Camera, Pal	
UVP-H3-D27N	Ultraview PTZ, Pendant Mount	1470.00
OVI 110 DZ/IV	Housing, Clear Acrylic Dome,	1470.00
	27X Day/Night Camera, NTSC	
UVP-H3-D27P	Ultraview PTZ, Pendant Mount	1470.00
	Housing, Clear Acrylic Dome,	
	27X Day/Night Camera, Pal	
UVP-H3-D37N	Ultraview PTZ, Pendant Mount	2170.00
	Housing, Clear Acrylic Dome,	
	37X Day/Night Camera, NTSC	
UVP-H3-D37P	Ultraview PTZ, Pendant Mount	2170.00
	Housing, Clear Acrylic Dome,	
	37X Day/Night Camera, Pal	
UVP-H4-D27N	Ultraview PTZ, Pendant Mount	1470.00
UVF-H4-D27N	Housing, Smoke Acrylic Dome,	1470.00
	27X Day/Night Camera, NTSC	
	277 Bayringin Gamora, 11100	
UVP-H4-D27P	Ultraview PTZ, Pendant Mount	1470.00
	Housing, Smoke Acrylic Dome,	
	27X Day/Night Camera, Pal	
UVP-H4-D37N	Ultraview PTZ, Pendant Mount	2170.00
	Housing, Smoke Acrylic Dome,	
	37X Day/Night Camera, NTSC	
UVP-H4-D37P	Ultraview PTZ, Pendant Mount	2170.00
	Housing, Smoke Acrylic Dome,	
	37X Day/Night Camera, Pal	
	Hitrovious DT7, Dondont Masset	4600.00
UVP-HE3-D27N	Ultraview PTZ, Pendant Mount Housing, Heater/Fan, Clear	1630.00
	Acrylic Dome, 27X Day/Night	
	Camera, NTSC	
	345.4, 11100	
UVP-HE3-D27P	Ultraview PTZ, Pendant Mount	1630.00
UVITTIESTUZIF	Housing, Heater/Fan, Clear	. 555.56
	Acrylic Dome, 27X Day/Night Camera, Pal	

UVP-HE3-D37N	Ultraview PTZ, Pendant Mount Housing, Heater/Fan, Clear Acrylic Dome, 37X Day/Night Camera, NTSC	2330.00
UVP-HE3-D37P	Ultraview PTZ, Pendant Mount Housing, Heater/Fan, Clear Acrylic Dome, 37X Day/Night Camera, Pal	2330.00
UVP-HE4-D27N	Ultraview PTZ, Pendant Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1630.00
UVP-HE4-D27P	Ultraview PTZ, Pendant Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, Pal	1630.00
UVP-HE4-D37N	Ultraview PTZ, Pendant Mount Housing, Heater/Fan, Smoke Acrylic Dome, 37X Day/Night Camera, NTSC	2330.00
UVP-HE4-D37P	Ultraview PTZ, Pendant Mount Housing, Heater/Fan, Smoke Acrylic Dome, 37X Day/Night Camera, Pal	2330.00
UVP-N120F-36X-N	Ultraview IP PTZ, 36X, WDR, 4CIF, Pan/Tilt/Zoom Camera Indoor, With Flush Mount, NTSC Out	2399.00
UVP-N120P-36X-N	Ultraview IP PTZ, 36X, WDR, 4CIF, Pan/Tilt/Zoom Camera Indoor/Outdoor, Pendant, NTSC Out	2399.00
UVP-N120S-36X-N	Ultraview IP PTZ, 36X, WDR, 4CIF, Pan/Tilt/Zoom Camera Indoor Surface Mount, NTSC Out	2399.00
UVP-PE2-D27N	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Bronze Dome, Coax/Utp/Alarm, 27X Day/Night Camera, NTSC	2346.00
UVP-PE2-D27P	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Bronze Dome, Coax/Utp/Alarm, 27X Day/Night Camera, Pal	2346.00
UVP-PE2-D37N	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Bronze Dome, Coax/Utp/Alarm, 37X Day/Night Camera, NTSC	3046.00

····	T	
UVP-PE2-D37P	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Bronze Dome, Coax/Utp/Alarm, 37X Day/Night Camera, Pal	3046.00
UVP-PE3-D27N	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Clear Dome, Coax/Utp/Alarm, 27X Day/Night Camera, NTSC	2346.00
UVP-PE3-D27P	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Clear Dome, Coax/Utp/Alarm, 27X Day/Night Camera, Pal	2346.00
UVP-PE3-D37N	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Clear Dome, Coax/Utp/Alarm, 37X Day/Night Camera, NTSC	3046.00
UVP-PE3-D37P	Ultraview PTZ, Pressurdome Housing, Htr/Fan, Clear Dome, Coax/Utp/Alarm, 37X Day/Night Camera, Pal	3046.00
UVP-R3-D27N	Ultraview PTZ, Rugged Housing, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1710.00
UVP-R3-D27P	Ultraview PTZ, Rugged Housing, Clear Acrylic Dome, 27X Day/Night Camera, Pal	1710.00
UVP-R3-D37N	Ultraview PTZ, Rugged Housing, Clear Acrylic Dome, 37X Day/Night Camera, NTSC	2410.00
UVP-R3-D37P	Ultraview PTZ, Rugged Housing, Clear Acrylic Dome, 37X Day/Night Camera, Pal	2410.00
UVP-R4-D27N	Ultraview PTZ, Rugged Housing, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1710.00
UVP-R4-D27P	Ultraview PTZ, Rugged Housing, Smoke Acrylic Dome, 27X Day/Night Camera, Pal	1710.00
UVP-R4-D37N	Ultraview PTZ, Rugged Housing, Smoke Acrylic Dome, 37X Day/Night Camera, NTSC	2410.00
UVP-R4-D37P	Ultraview PTZ, Rugged Housing, Smoke Acrylic Dome, 37X Day/Night Camera, Pal	2410.00

LIVD DO DOZNI	Ultraview PTZ, Rugged	1735.00
UVP-R8-D27N	Housing, Clear Polycarbonate	1735.00
	Dome, 27X Day/Night Camera,	
	NTSC	
UVP-R8-D27P	Ultraview PTZ, Rugged	1735.00
OVI NO BZII	Housing, Clear Polycarbonate	1700.00
	Dome, 27X Day/Night Camera,	
	Pal	
UVP-R8-D37N	Ultraview PTZ, Rugged	2435.00
	Housing, Clear Polycarbonate	
	Dome, 37X Day/Night Camera,	
	NTSC	
UVP-R8-D37P	Ultraview PTZ, Rugged	2435.00
	Housing, Clear Polycarbonate	
	Dome, 37X Day/Night Camera,	
	Pal	
UVP-R9-D27N	Ultraview PTZ, Rugged	1735.00
	Housing, Smoke	
	Polycarbonate Dome, 27X	
	Day/Night Camera, NTSC	
UVP-R9-D27P	Ultraview PTZ, Rugged	1735.00
	Housing, Smoke	
	Polycarbonate Dome, 27X	
	Day/Night Camera, Pal	
UVP-R9-D37N	Ultraview PTZ, Rugged	2435.00
	Housing, Smoke	
	Polycarbonate Dome, 37X	
	Day/Night Camera, NTSC	
UVP-R9-D37P	Ultraview PTZ, Rugged	2435.00
	Housing, Smoke	
	Polycarbonate Dome, 37X	
	Day/Night Camera, Pal	
UVP-RE3-D27N	Ultraview PTZ, Rugged	1870.00
	Housing, Heater/Fan, Clear	
	Acrylic Dome, 27X Day/Night	
LIV (D. D.E.O. D.O.E.D.	Camera, NTSC	1070.00
UVP-RE3-D27P	Ultraview PTZ, Rugged	1870.00
	Housing, Heater/Fan, Clear	
	Acrylic Dome, 27X Day/Night Camera, Pal	
LIVE DEC DOZNI	Ultraview PTZ, Rugged	2570.00
UVP-RE3-D37N	Housing, Heater/Fan, Clear	2570.00
	Acrylic Dome, 37X Day/Night	
	Camera, NTSC	
UVP-RE3-D37P	Ultraview PTZ, Rugged	2570.00
0 1 L L L L L L L L L L L L L L L L L L	Housing, Heater/Fan, Clear	2570.00
	Acrylic Dome, 37X Day/Night	
	Camera, Pal	
UVP-RE4-D27N	Ultraview PTZ, Rugged	1870.00
	Housing, Heater/Fan, Smoke	1070.00
	Acrylic Dome, 27X Day/Night	
	Camera, NTSC	
UVP-RE4-D27P	Ultraview PTZ, Rugged	1870.00
OT INCT DET	Housing, Heater/Fan, Smoke	1070.00
	Acrylic Dome, 27X Day/Night	
	Camera, Pal	
	Juniora, i ai	

LIV (D. DE 4. DOZNI	Luc : DT7 D	0570.00
UVP-RE4-D37N	Ultraview PTZ, Rugged Housing, Heater/Fan, Smoke Acrylic Dome, 37X Day/Night	2570.00
UVP-RE4-D37P	Camera, NTSC Ultraview PTZ, Rugged Housing, Heater/Fan, Smoke Acrylic Dome, 37X Day/Night Camera, Pal	2570.00
UVP-RE8-D27N	Ultraview PTZ, Rugged Housing, Heater/Fan, Clear Polycarbonate Dome, 27X Day/Night Camera, NTSC	1895.00
UVP-RE8-D27P	Ultraview PTZ, Rugged Housing, Heater/Fan, Clear Polycarbonate Dome, 27X Day/Night Camera, Pal	1895.00
UVP-RE8-D37N	Ultraview PTZ, Rugged Housing, Heater/Fan, Clear Polycarbonate Dome, 37X Day/Night Camera, NTSC	2595.00
UVP-RE8-D37P	Ultraview PTZ, Rugged Housing, Heater/Fan, Clear Polycarbonate Dome, 37X Day/Night Camera, Pal	2595.00
UVP-RE9-D27N	Ultraview PTZ, Rugged Housing, Heater/Fan, Smoke Polycarbonate Dome, 27X Day/Night Camera, NTSC	1895.00
UVP-RE9-D27P	Ultraview PTZ, Rugged Housing, Heater/Fan, Smoke Polycarbonate Dome, 27X Day/Night Camera, Pal	1895.00
UVP-RE9-D37N	Ultraview PTZ, Rugged Housing, Heater/Fan, Smoke Polycarbonate Dome, 37X Day/Night Camera, NTSC	2595.00
UVP-RE9-D37P	Ultraview PTZ, Rugged Housing, Heater/Fan, Smoke Polycarbonate Dome, 37X Day/Night Camera, Pal	2595.00
UVPS-C3-D27N	UltraView PTZ Select, Wall Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1490.00
UVPS-C3-D27P	UltraView PTZ Select, Wall Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, PAL	1490.00
UVPS-C4-D27N	UltraView PTZ Select, Wall Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1490.00

[<u>-</u>	1 <u></u>	
UVPS-C4-D27P	UltraView PTZ Select, Wall Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, PAL	1490.00
UVPS-CE3-D27N	UltraView PTZ Select, Wall Mount Housing, Heater/Fan, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1650.00
UVPS-CE3-D27P	UltraView PTZ Select, Wall Mount Housing, Heater/Fan, Clear Acrylic Dome, 27X Day/Night Camera, PAL	1650.00
UVPS-CE4-D27N	UltraView PTZ Select, Wall Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1650.00
UVPS-CE4-D27P	UltraView PTZ Select, Wall Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, PAL	1650.00
UVPS-F3-D27N	UltraView PTZ Select, Flush Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1400.00
UVPS-F3-D27P	UltraView PTZ Select, Flush Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, PAL	1400.00
UVPS-F4-D27N	UltraView PTZ Select, Flush Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1400.00
UVPS-F4-D27P	UltraView PTZ Select, Flush Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, PAL	1400.00
UVPS-F9-D27N	UltraView PTZ Select, Flush Mount Housing, Smoke Polycarbonate Dome, 27X Day/Night Camera, NTSC	1425.00
UVPS-F9-D27P	UltraView PTZ Select, Flush Mount Housing, Smoke Polycarbonate Dome, 27X Day/Night Camera, PAL	1425.00
UVPS-H3-D27N	UltraView PTZ Select, Pendant Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1400.00
UVPS-H3-D27P	UltraView PTZ Select, Pendant Mount Housing, Clear Acrylic Dome, 27X Day/Night Camera, PAL	1400.00

UVPS-H4-D27N	UltraView PTZ Select, Pendant Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1400.00
UVPS-H4-D27P	UltraView PTZ Select, Pendant Mount Housing, Smoke Acrylic Dome, 27X Day/Night Camera, PAL	1400.00
UVPS-HE3-D27N	UltraView PTZ Select, Pendant Mount Housing, Heater/Fan, Clear Acrylic Dome, 27X Day/Night Camera, NTSC	1560.00
UVPS-HE3-D27P	UltraView PTZ Select, Pendant Mount Housing, Heater/Fan, Clear Acrylic Dome, 27X Day/Night Camera, PAL	1560.00
UVPS-HE4-D27N	UltraView PTZ Select, Pendant Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, NTSC	1560.00
UVPS-HE4-D27P	UltraView PTZ Select, Pendant Mount Housing, Heater/Fan, Smoke Acrylic Dome, 27X Day/Night Camera, PAL	1560.00
UVR-4008-12-0T	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	4338.00
UVR-4008-12-0T-A	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch	4628.00
UVR-4008-12-1T	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	4788.00
UVR-4008-12-1T-A	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch	5074.00

UVR-4008-12-2T	ultraView Recorder 40	5231.00
0 12 21	(Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	0201.00
UVR-4008-12-2T-A	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch	5517.00
UVR-4008D-12-0T	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	4662.00
UVR-4008D-12-0T-A	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels	4950.00
UVR-4008D-12-1T	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	5078.00
UVR-4008D-12-1T-A	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels	5364.00
UVR-4008D-12-2T	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	5503.00
UVR-4008D-12-2T-A	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels	5798.00
UVR-4008DM2-12-1T	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	5846.00

UVR-4008DM2-12-1T-A	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Channels	6174.00
UVR-4008DM2-12-2T	(Discovery 1205D): 8 Video Encode/Decode Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	6318.00
UVR-4008DM2-12-2T-A	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Channels	6635.00
UVR-4008DM3-12-1T	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	6656.00
UVR-4008DM3-12-2T	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	6524.00
UVR-4008DM4-12-1T-A	ultraView Recorder 40 (Discovery 1205): 8 Video Encode/Decode w/2 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels	6288.00
UVR-4008DM4-12-2T-A	ultraView Recorder 40D (Discovery 1205D): 8 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels	6760.00
UVR-4008M2-12-1T	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	4973.00

UVR-4008M2-12-1T-A	ultraView Recorder 40	5852.00
	(Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Ch	
UVR-4008M2-12-2T	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	5414.00
UVR-4008M2-12-2T-A	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Ch	6344.00
UVR-4008M3-12-1T	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	5730.00
UVR-4008M3-12-2T	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	6212.00
UVR-4008M4-12-1T-A	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/2 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Ch	5966.00
UVR-4008M4-12-2T-A	ultraView Recorder 40 (Discovery 1205): 8 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Ch	5812.00
UVR-4012-12-0T	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	5377.00

UVR-4012-12-0T-A	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch	5665.00
UVR-4012-12-2T	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	6268.00
UVR-4012-12-2T-A	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Ch	6518.00
UVR-4012D-12-0T	ultraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode Channels w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	5839.00
UVR-4012D-12-0T-A	ultraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/No Internal Storage, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels	6138.00
UVR-4012D-12-2T	ultraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output	6730.00
UVR-4012D-12-2T-A	ultraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 2 Input x 1 Output Audio Channels	6988.00
UVR-4012DM2-12-2T	ultraView Recorder 40 (Discovery 1205): 12 Video Encode/Decode Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	7682.00

[1	
UVR-4012DM2-12-2T-A	ultraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Channels	7570.00
UVR-4012DM3-12-2T	ultraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	7888.00
UVR-4012DM4-12-2T-A	ultraView Recorder 40D (Discovery 1205D): 12 Video Encode/Decode w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Channels	8082.00
UVR-4012M2-12-2T	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output	6453.00
UVR-4012M2-12-2T-A	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (12) Alarm Input, (6) Alarm Output, 2 Input x 1 Output Audio Ch	6710.00
UVR-4012M3-12-2T	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (20) Alarm Input, (10) Alarm Output	6637.00
UVR-4012M4-12-2T-A	ultraView Recorder 40 (Discovery 1205): 12 Video Input Channels w/4 x 500GB HDD JBOD, (1) Serial Port, (4) Alarm Input, (2) Alarm Output, 4 Input x 2 Output Audio Ch	6813.00
UVR-6000-48-4T	ultraView 60 Hybrid DVR, 0 Analog Video Channels, 48 IP Camera Support, 4 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules and Aattached SAS Series UVS-80xx Storage Bays	9123.00

LIVE COOC 40 OT	t / i CO t D / D O	44047.00
UVR-6000-48-8T	ultraView 60 Hybrid DVR, 0 Analog Video Channels, 48 IP Camera Support, 8 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules	11617.00
UVR-6008-40-4T	ultraView 60 Hybrid DVR, 8 Analog Video Channels, 40 IP Camera Support, 4 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules and Attached SAS Series UVS-80xx Storage Bays	12323.00
UVR-6008-40-8T	ultraView 60 Hybrid DVR, 8 Analog Video Channels, 40 IP Camera Support, 8 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules	14817.00
UVR-6012-36-4T	ultraView 60 Hybrid DVR, 12 Analog Video Channels, 36 IP Camera Support, 4 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules and Attached SAS Series UVS-80xx Storage Bays	13923.00
UVR-6012-36-8T	ultraView 60 Hybrid DVR, 12 Analog Video Channels, 36 IP Camera Support, 8 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules	16417.00
UVR-6016-32-4T	ultraView 60 Hybrid DVR, 16 Analog Video Channels, 32 IP Camera Support, 4 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules and Attached SAS Series UVS-80xx Storage Bays	15523.00

UVR-6016-32-8T	ultraView 60 Hybrid DVR, 16	18017.00
UVN-0010-32-01	Analog Video Channels, 32 IP Camera Support, 8 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules	18017.00
UVR-6020-28-4T	ultraView 60 Hybrid DVR, 20 Analog Video Channels, 28 IP Camera Support, 4 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules and Attached SAS Series UVS-80xx Storage Bays	17123.00
UVR-6020-28-8T	ultraView 60xx Hybrid DVR, 20 Analog Video Channels, 28 IP Camera Support, 8 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules	19617.00
UVR-6024-24-4T	ultraView 60xx Hybrid DVR, 24 Analog Video Channels, 24 IP Camera Support, 4 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules and Attached SAS Series 80xx Storage Bays	18723.00
UVR-6024-24-8T	ultraView 60 Hybrid DVR, 24 Analog Video Channels, 24 IP Camera Support, 8 x 1TB Internal Recording (SAS+RAID5), 4 x 2 Digital Input/Output, 1 x Serial Port. Supports (3) USB Option Modules	21217.00
UVS-8012-0T	Spare Part: ultraView Storage Bay, 12-Bay SAS, No Video Data Drives, 2U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Europe Primary Power Cords)	3609.00
UVS-8012-12T	ultraView Storage Bay: 12-Bay SAS, 12 TB Storage, 2U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Europe Primary Power Cords)	6195.00

UVS-8012-6T	Jultra View Storage Pay: 12 Pay	6032.00
	ultraView Storage Bay: 12-Bay SAS, 6 TB Storage, 2U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Europe Primary Power Cords)	6032.00
UVS-8024-0T	ultraView Storage Bay: 24-Bay SAS, No Video Data Drives, 4U, Extends Storage of UVN- 80XX and UVR-60XX Series Devices (US and Primary Europe Power Cords)	6897.00
UVS-8024-16T	ultraView Storage Bay: 24-Bay SAS, 16 TB Storage, 4U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Primary Europe Power Cords)	13232.00
UVS-8024-24T	ultraView Storage Bay: 24-Bay SAS, 24 TB Storage, 4U, Extends Storage of UVN-80XX and UVR-60XX Series Devices (US and Primary Europe Power Cords)	12891.00
UVS-8112-24T	ultraView Storage Bay, 12-Bay SAS, 24 TB (12x2TB) Storage,2U, Extends Storage of UVN-80XX and Discovery 2415-SAS SAS Devices (US and Europe Primary Power Cords)	8673.00
UVS-8124-48T	ultraView Storage Bay, 24-Bay SAS,48 TB (24x2TB) Storage, 4U, Extends Storage of UVN- 80XX and Discovery 2415-SAS SAS Devices (US and Europe Primary Power Cords)	17800.00
UVS-SP8012-CM	Spare Part: ultraView Storage Bay UVN-8012, Cooling Module	651.00
UVS-SP8012-PSU	Spare Part: ultraView Storage Bay UVS-8012, Power Supply Unit	444.00
UVS-SP8024-PSU/CM	Spare Part: ultraView Storage Bay UVS-8024, Combination Power Supply and Cooling Module	787.00
UVS-SP80XX-1TB-DT	Spare Part: ultraView Storage 80 (UVS-80XX), 1TB Drive Tray w/1TB SATA Drive	287.00
UVS-SP80XX-RAIL-2U	ultraView Storage 80 Rail Kit 2U: UVS-8012 Series Devices	74.00

UVS-SP80XX-RAIL-4U	ultraView NVR/NVS Rail Kit	151.00
	4U: UVS-8024 Series Devices	
UVS-SP80XX-SAS-2M	Spare Part: ultraView	110.00
OVO OI OOXX OXO ZIVI	NVR/Storage Bay UVN-8012	110.00
	and UVS-80XX: 2 Meter Mini-	
	SAS to Mini-SAS Cable, SFF-	
	8088	
UVS-SP81XX-2TB-DT	Spare Part: ultraView NVR	762.00
	(UVS-81XX), 2TB Drive Tray	
	w/2TB SATA Drive	
UVX-101	ultraView Decoder 10	667.00
	(Discovery 105D): Single	
	Channel MPEG4-SVC Multi-	
	Streaming Intelligent Decoder	
	Includes 1 PTZ Port, 1 Alarm	
	Input (Power Supply Ordered	
	Separately)	
V7010WDMA	Bi-directional Video, "A" End	860.00
\/7040\\/DNA DE	Di dinastianal Midaa II All Frad	000.00
V7010WDMA-R5	Bi-directional Video, "A" End, Rack Mount	860.00
V7010WDMB	Bi-directional Video, "B" End	860.00
V / O TO V V DIVID	Bi-directional video, B End	860.00
V7010WDMB-R3	Bi-directional Video, "B" End,	860.00
	Rack Mount	
V7010WDMB-R5	Bi-directional Video, "B" End,	860.00
	Rack Mount	
VAADR14130WDM-R3	Digital Video & Stereo Audio	2635.00
	Receiver / Data Transceiver,	
	SM, 1 Fiber, Rack Mount	
\/A D7040A	EMANCIA T / A II	222.22
VAD7010A	FM Video Transceiver / Audio	990.00
	Transceiver / Data Transceiver, MM, 2 Fibers, "A" End	
	IVIIVI, 2 FIDEIS, A EIIU	
VAD7010WDMA	FM Video Transceiver / Audio	1320.00
	Transceiver / Data Transceiver,	
	MM, 1 Fiber, "A" End	
VAD7010WDMA-50	FM Video Transceiver / Audio	1320.00
	Transceiver / Data Transceiver,	
	MM, 1 Fiber, "A" End,	
	International	
VAD7010WDMB	FM Video Transceiver / Audio	1320.00
	Transceiver / Data Transceiver,	
	MM, 1 Fiber, "B" End	
VAD7010WDMB-R3	FM Video Transceiver / Audio	1320.00
TO TOTO TO TO	Transceiver / Data Transceiver,	1020.00
	MM, 1 Fiber, "B" End, Rack	
	Mount	
VADEMOD-R3	Video & Audio Demodulator	170.00
VADR14120WDM-R3	Video Receiver / 2 Channel	1975.00
	Data Transceiver / 2 Channel	
	Audio Transceiver + Sync, MM,	
	1 Fiber, Rack Mount	
-		

\	D.C. I. D. C. I. I. I.	2225 22
VADR14130WDM	Video Receiver / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, SM, 1 Fiber	2635.00
VADR14130WDM-R3	Video Receiver / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, SM, 1 Fiber, Rack Mount	2635.00
VADT14120WDM	Video Transmitter / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, MM, 1 Fiber	1975.00
VADT14120WDM-R3	Video Transmitter / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, MM, 1 Fiber, Rack Mount	1975.00
VADT14130WDM	Video Transmitter / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, SM, 1 Fiber	2635.00
VADT14130WDM-R3	Video Transmitter / 2 Channel Data Transceiver / 2 Channel Audio Transceiver + Sync, SM, 1 Fiber, Rack Mount	2635.00
VAMOD-R3	Video Plus Audio Modulator, Rack Mount	135.00
VAR1200	Video / Audio Receiver, MM, 1 Fiber	380.00
VAR1200-R3	Video / Audio Receiver, MM, 1 Fiber, Rack Mount	380.00
VAR14130	Digital Video & Stereo Audio Receiver, SM, 1 Fiber	2305.00
VAR14130-R3	Digital Video & Stereo Audio Receiver, SM, 1 Fiber, Rack Mount	2305.00
VAR7420	4 Channel Digital Video w/4 Channel Digital Audio Receiver, MM, 1 Fiber	1780.00
VAR7420-R3	4 Channel Digital Video w/4 Channel Digital Audio Receiver, MM, 1 Fiber, Rack Mount	1780.00
VAR7430	4 Channel Digital Video w/4 Channel Digital Audio Receiver, MM	2305.00
VAT1200	Video / Audio Transmitter, MM, 1 Fiber	300.00
VAT1200-R3	Video / Audio Transmitter, MM, 1 Fiber, Rack Mount	300.00
VAT7420-R3	4 Channel Digital Video w/4 Channel Digital Audio Transmitter, MM, 1 Fiber, Rack Mount	1780.00

VA TT 400	14.01 18: 11.11.11.14	2225.22
VAT7430	4 Channel Digital Video w/4	2305.00
	Channel Digital Audio	
	Transmitter, SM, 1 Fiber	
VDR14120WDM	Digital Video Receiver / Data	1385.00
	Transceiver, MM Laser, 1 Fiber	
VDR14120WDM-R3	Digital Video Receiver / Data	1385.00
	Transceiver, MM Laser, 1	
	Fiber, Rack Mount	
VDR14130WDM	Digital Video Receiver / Data	1975.00
	Transceiver, SM Laser, 1 Fiber	
VDR14130WDM-R3	Digital Video Receiver / Data	1975.00
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount	
VDR14130WDM-R3-C	Digital Video Receiver / Data	2050.00
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount, Conformal	
	Coat	
VDR14130WDM-SC	Digital Video Receiver / Data	1975.00
	Transceiver, SM Laser, 1	
	Fiber, SC Connector	
VDR14330WDM	Digital Video Receiver / 3	2305.00
V DI (1 4 3 3 0 V D W	Channel Data Transceiver, SM	2303.00
	Laser, 1 Fiber	
VDR14330WDM-R3	Digital Video Receiver / 3	2305.00
VDR 14330W DIVI-R3	Channel Data Transceiver, SM	2303.00
	Laser, 1 Fiber, Rack Mount	
	Laser, 1 Fiber, Nack Mount	
VDR14330WDM-SC	Digital Video Receiver / 3	2305.00
VDI(14330VVDIVI-3C	Channel Data Transceiver, SM	2303.00
	Laser, 1 Fiber, SC Connector	
	Laser, 1 Fiber, 3C Connector	
VDR14330WDM-SC-R3	Digital Video Receiver / 3	2305.00
VDI(14330VVDIVI-3C-1(3	Channel Data Transceiver, SM	2303.00
	Laser, 1 Fiber, SC Connector,	
	Rack Mount	
VDR1505WDM	Digital Video Receiver / Data	790.00
VDR 1505WDIVI	Transmitter, Up-the-Coax, 1	790.00
	Fiber	
VDD4E0EWDM D2		700.00
VDR1505WDM-R3	Digital Video Receiver / Data	790.00
	Transmitter, Up-the-Coax, 1	
\(\(\mathbb{D}\) \(\pi\) \(\pi	Fiber, Rack Mount	222.22
VDR1535WDM	Digital Video Receiver / Data	990.00
	Transmitter, Up-the-Coax, 1	
	—··	
	Fiber	
VDR1535WDM-R3	Digital Video Receiver / Data	990.00
VDR1535WDM-R3	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1	990.00
	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount	
	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Receiver / Data	990.00
	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Receiver / Data Transmitter, Up-the-Coax, 1	
	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Receiver / Data	
	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Receiver / Data Transmitter, Up-the-Coax, 1	
VDR1535WDM-R3-B	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount, Battery	
VDR1535WDM-R3 VDR1535WDM-R3-B VDT14120WDM	Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Receiver / Data Transmitter, Up-the-Coax, 1 Fiber, Rack Mount, Battery Backup	1065.00

Video Transmitter/Data Transceiver, MM, 1 Fiber, American Dynamics Digital Video Transmitter / Data	790.00
American Dynamics	
-	
Digital Video Transmitter / Data	
	1385.00
Transceiver, MM Laser, 1	
Fiber, Rack Mount	
Digital Video Transmitter / Data	1975.00
Transceiver, SM Laser, 1 Fiber	
Digital Video Transmitter / Data	2050.00
Transceiver, SM Laser, 1	
Fiber, Conformal Coat	
Digital Video Transmitter / Data	1975.00
Transceiver, SM Laser, 1	
Fiber, SC Connector	
Digital Video Transmitter / Data	1975.00
Mount	
Digital Video Transmitter / 3	2305.00
	2305.00
· ·	
· · · · · · · · · · · · · · · · · · ·	
Digital Video Transmitter / Data	790.00
Digital Video Transmitter / Data	790.00
	990.00
	000.00
receiver, op the coax, 11 iser	
Digital Video Transmitter / Data	990.00
	000.00
	1065.00
· ·	1000.00
-	790.00
	7 90.00
	790.00
	790.00
	700.00
	790.00
*	
	790.00
Fiber, Remote, International	
	Digital Video Transmitter / Data Transceiver, SM Laser, 1 Fiber, Conformal Coat Digital Video Transmitter / Data Transceiver, SM Laser, 1 Fiber, SC Connector Digital Video Transmitter / Data Transceiver, SM Laser, 1 Fiber, SC Connector, Rack Mount Digital Video Transmitter / 3 Channel Data Transceiver, SM Laser, 1 Fiber Digital Video Transmitter / 3 Channel Data Transceiver, SM Laser, 1 Fiber, SC Connector Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount Digital Video Transmitter / Coax, 1 Fiber, Rack Mount Digital Video Transmitter / Data Receiver, Up-the-Coax, 1 Fiber, Rack Mount Audio Intercom Transceiver / Video Receiver / CC, MM, 1 Fiber, Master, Rack Mount Audio Intercom Transceiver / Video Transmitter / CC, MM, 1 Fiber, Remote Audio Intercom Transceiver / Video Transmitter / CC, MM, 1 Fiber, Remote

VISKIT-DEMO	Visitor Central	3710.70
VISKIT-DEIMO	Partner/Integrator Kit (Dell SFF 755 w/19 Inch Monitor, Epson Ink Jet Printer, Driver's License Scanner, Watchport Camera, Camera Stand, Visitor Paper Badges (Avery 2943), Pre-Loaded Client License, Software). Not for Resale to End Users	3710.70
VISKIT-PCMON	Visitor Central PC, Dell Small Form Factor OptiPlex 755 w/Flat Panel Touch Screen Monitor, 3-Year Warranty, Onsite Service	2437.00
VPROX	V-Prox fingerprint biometric with HID prox reader, 7- 24VDC, Wiegand/RS232/RS485 interfaces, 4000 users	892.50
VR1000	Video Receiver - Manual Gain, MM	165.00
VR1001	Dual Video Receiver - Manual Gain, MM	300.00
VR1001-R3	Dual Video Receiver - Manual Gain, MM, Rack Mount	300.00
VR1100	Video Receiver - Automatic Gain Control, MM	280.00
VR1100CC	Video Receiver - Automatic Gain Control, MM, Contact Closure	380.00
VR1100CC-R3	Video Receiver - Automatic Gain Control, MM, Contact Closure, Rack Mount	380.00
VR1100-R3	Video Receiver - Automatic Gain Control, MM, Rack Mount	280.00
VR14120-R3	Digital Video Receiver, MM, 1 Fiber, Rack Mount	530.00
VR14130	Digital Video Receiver, SM, 1 Fiber	595.00
VR14130-FC	Digital Video Receiver, SM, 1 Fiber	595.00
VR14130-FC-R3	Digital Video Receiver, SM, 1 Fiber, Rack Mount	595.00
VR14130-R3	Digital Video Receiver, SM, 1 Fiber, Rack Mount	595.00
VR14130-SC	Digital Video Receiver, SM, 1 Fiber, SC Connector	595.00
VR14130-SC-R3	Digital Video Receiver, SM, 1 Fiber, SC Connector, Rack Mount	595.00
VR1500	Video Receiver / Data Transmitter, MM, 2 Fibers	430.00

VD4500 D2	Video Dessiver / Deta	420.00
VR1500-R3	Video Receiver / Data Transmitter, MM, 2 Fibers,	430.00
	Rack Mount	
VD4500\MDM	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	500.00
VR1500WDM	Video Receiver / Data	530.00
VD4500WDM 00	Transmitter, MM, 1 Fiber	005.00
VR1500WDM-CC	Video Receiver / Data	625.00
	Transmitter, MM, 1 Fiber,	
	Contact Closure	
VR1500WDM-CC-R3	Video Receiver / Data	625.00
	Transmitter, MM, 1 Fiber,	
	Contact Closure, Rack Mount	
VR1500WDM-R3	Video Receiver / Data	530.00
	Transmitter, MM, 1 Fiber, Rack	
	Mount	
VR1505	Video Receiver / Data	350.00
	Transmitter, Up-the-Coax, MM,	
	2 Fibers	
VR1505-R3	Video Receiver / Data	350.00
	Transmitter, Up-the-Coax, MM,	
	2 Fibers, Rack Mount	
VR1505WDM	Video Receiver / Data	530.00
VICTOGOVIDIN	Transmitter, Up-the-Coax, MM,	000.00
	1 Fiber	
VR1520WDM	Video Receiver / Data	595.00
VICIOZOVIDIVI	Transmitter, MM, 1 Fiber	333.00
VR1520WDM-R3	Video Receiver / Data	595.00
VK 1520V/DIVI-K3	Transmitter, MM, 1 Fiber, Rack	393.00
	Mount	
\/D4E20\\/DM	***************************************	705.00
VR1530WDM	Video Receiver / Data	725.00
\(\frac{1}{2}\)	Transmitter, SM, 1 Fiber	
VR1530WDM-R3	Video Receiver / Data	725.00
	Transmitter, SM, 1 Fiber, Rack	
	Mount	
VR1910	FM Video Receiver / Data	465.00
	Transceiver, MM, 2 Fibers	
VR1910-R3	FM Video Receiver / Data	465.00
	Transceiver, MM, 2 Fibers,	
	Rack Mount	
VR1910WDM	FM Video Receiver / Data	725.00
	Transceiver, MM, 1 Fiber	
VR1910WDM-R3	FM Video Receiver / Data	725.00
	Transceiver, MM, 1 Fiber, Rack	
	Mount	
VR1920WDM	FM Video Receiver / Data	790.00
	Transceiver, MM Laser, 1 Fiber	
VR1920WDM-R3	FM Video Receiver / Data	790.00
VICIOZOVIDIVI ICO	Transceiver, MM Laser, 1	7 50.00
	Fiber, Rack Mount	
VR1930WDM	FM Video Receiver / Data	925.00
VICISSOVVDIVI	Transceiver, SM Laser, 1 Fiber	323.00
VR1930WDM-R3	FM Video Receiver / Data	925.00
V V 1930 V V DIVI-K3		925.00
	Transceiver, SM Laser, 1	
V/D0040	Fiber, Rack Mount	705.00
VR2010	2 Channel FM Video Receiver,	725.00
	MM, 1 Fiber	

VR2010-R3	2 Channel FM Video Receiver,	725.00
VIX2010-IX3	MM, 1 Fiber, Rack Mount	725.00
	Wilvi, 1 1 iber, Rack Would	
VR2100	Dual Video Receiver -	530.00
	Automatic Gain Control, MM	000.00
VR2100-R3	Dual Video Receiver -	530.00
	Automatic Gain Control, MM,	
	Rack Mount	
VR2100-R3-C	Dual Video Receiver -	605.00
	Automatic Gain Control, MM,	000.00
	Rack Mount, Conformal Coat	
	, ,	
VR4010	FM Video Receiver, MM, 1	430.00
	Fiber	
VR4010-R3	FM Video Receiver, MM, 1	430.00
	Fiber, Rack Mount	
VR4030	FM Video Receiver, SM or MM,	595.00
	1 Fiber	
VR4030-6065-C-R3	FM Video Receiver, 1300Nm,	735.00
	6065 Specs, Conformal Coat	
VR4030-C	FM Video Receiver, SM or MM,	670.00
	1 Fiber, Conformal Coat	
VR4030-R3	FM Video Receiver, SM Or	595.00
	MM, 1 Fiber, Rack Mount	
VR4030-R3-C	FM Video Receiver, SM Or	670.00
	MM, 1 Fiber, Rack Mount,	
	Conformal Coat	
VR4030-SC	FM Video Receiver, SM or MM,	595.00
	1 Fiber, SC Connector	
VR4330-R3	3 Channel FM Video Receiver,	1645.00
	1300Nm, 3 Fibers, Rack Mount	
VR4930WDM	FM Video Receiver / Data	1975.00
VK4930VVDIVI	Transceiver (FSK) SM Laser, 1	1975.00
	Fiber	
VR4930WDM-R3	FM Video Receiver / Data	1975.00
VIX4930VV DIVI-IX3	Transceiver (FSK) SM Laser, 1	1975.00
	Fiber, Rack Mount	
VR4930WDM-SC-R3	FM Video Receiver / Data	1975.00
VIC+300W DIM GO ICO	Transceiver (FSK) SM Laser, 1	1070.00
	Fiber, SC Connector, Rack	
	Mount	
VR6010	4 Channel FM Video Receiver,	1055.00
	MM, 1 Fiber	. 555.50
VR6010-C	4 Channel FM Video Receiver,	1130.00
	MM, 1 Fiber, Conformal Coat	
	.,,	
VR6010-DRDT	4 Channel Video Receiver	2140.00
	Data Transceiver	
VR6010-DRDT-R3	4 Channel Video Receiver	2140.00
	Data Transceiver, Rack Mount	
VR6010-R3	4 Channel FM Video Receiver,	1055.00
	MM, 1 Fiber, Rack Mount	
İ	i	

VD74000 D0	140.01 15: 11.12	1005.00
VR71220-R3	12 Channel Digital Video Receiver, MM, 1 Fiber, Rack	4935.00
	Mount	
VD74000 0DDDT D0		0045.00
VR71230-2DRDT-R3	12 Channel Digital Video Receiver / 2 Channel Data	9215.00
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount	
VD74000 D0	•	5005.00
VR71230-R3	12 Channel Digital Video	5925.00
	Receiver, SM, 1 Fiber, Rack Mount	
VD74000 D0		0500.00
VR71620-R3	16 Channel Digital Video	6580.00
	Receiver, MM, 1 Fiber, Rack Mount	
VD74000 0DDDT D0 0		44000.00
VR71630-2DRDT-R3-C	16 Channel Digital Video	11260.00
	Receiver / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount, Conformal Coat	
	7 7 7 7 7	
VR71630-2DRDT-SC-R3	16 Channel Digital Video	11185.00
	Receiver / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, SC Connector, Rack	
	Mount	
VR71630-R3	16 Channel Digital Video	7895.00
	Receiver, SM, 1 Fiber, Rack	
	Mount	
VR71630-SC-R3	16 Channel Digital Video	7895.00
	Receiver, SM, 1 Fiber, SC	
	Connector, Rack Mount	
VR7220-2DRDT	2 Channel Digital Video	1580.00
	Receiver / 2 Channel Data	
	Transceiver, MM Laser, 1 Fiber	
VR7220-2DRDT-R3	2 Channel Digital Video	1580.00
	Receiver / 2 Channel Data	
	Transceiver, MM Laser, 1	
	Fiber, Rack Mount	
VR7220-R3	2 Channel Digital Video	990.00
	Receiver, MM, 1 Fiber, Rack	
	Mount	
VR7230	2 Channel Digital Video	1320.00
	Receiver, SM, 1 Fiber	
VR7230-2DRDT	2 Channel Digital Video	1780.00
	Receiver / 2 Channel Data	
	Transceiver, SM Laser, 1 Fiber	
\/D7220 2DDDT FO	2 Channal Digital Vides	4700.00
VR7230-2DRDT-FC	2 Channel Digital Video Receiver / 2 Channel Data	1780.00
	Transceiver, SM Laser, 1 Fiber	
VR7230-2DRDT-FC-R3	2 Channel Digital Video	1780.00
VR7230-2DRD1-FC-R3	Receiver / 2 Channel Data	1700.00
	Transceiver, SM Laser, 1	
	Fiber, International	
VR7230-2DRDT-R3	2 Channel Digital Video	1780.00
VN123U-2UKU1-K3	Receiver / 2 Channel Data	1780.00
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount	
	i iodi, itauk iviouitt	

VR7230-R3	2 Channel Digital Video	1320.00
	Receiver, SM, 1 Fiber, Rack	
\(\(\text{D=0.00}\)	Mount	4000.00
VR7230-SC-R3	2 Channel Digital Video	1320.00
	Receiver, SM, 1 Fiber, SC	
	Connector, Rack Mount	
VR72430-2DRDT-R3	24 Channel Digital Video	16450.00
	Receiver / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount	
VR73230-R3	32 Channel Digital Video	17765.00
	Receiver, SM Laser, 1 Fiber,	
	Rack Mount	
VR7400CX-R3	4 Channel Digital Video	470.00
	Receiver (Channels 17-20),	
	SM Laser, 1 Fiber, 1300Nm,	
	Rack Mount	
VR7420	4 Channel Digital Video	1450.00
VIX7420		1430.00
VR7420-2DRDT	Receiver, MM Laser, 1 Fiber	2005.00
VR7420-2DRD1	4 Channel Digital Video	3095.00
	Receiver / 2 Channel Data	
	Transceiver, MM Laser, 1 Fiber	
VR7420-2DRDT-R3	4 Channel Digital Video	3095.00
	Receiver / 2 Channel Data	
	Transceiver, MM Laser, 1	
	Fiber, Rack Mount	
VR7420-2DRDT-SC	4 Channel Digital Video	3095.00
	Receiver / 2 Channel Data	
	Transceiver, MM Laser, 1	
	Fiber, SC Connector	
VR7420-R3	4 Channel Digital Video	1450.00
	Receiver, MM Laser, 1 Fiber,	1 100.00
	Rack Mount	
VR7430	4 Channel Digital Video	1780.00
VI(7-100	Receiver, SM Laser, 1 Fiber	1700.00
VR7430-2DRDT	4 Channel Digital Video	3620.00
VK7430-2DKD1	Receiver / 2 Channel Data	3020.00
	Transceiver, SM Laser, 1 Fiber	
VD7420 2DDDT D2	4 Channal Digital Videa	2020.00
VR7430-2DRDT-R3	4 Channel Digital Video	3620.00
	Receiver / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount	
VR7430-2DRDT-SC	4 Channel Digital Video	3620.00
	Receiver / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, SC Connector	
VR7430-2DRDT-SC-R3	4 Channel Digital Video	3620.00
	Receiver / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, SC Connector, Rack	
	Mount	
VR7430-FC	4 Channel Digital Video	1780.00
VINT HOUTEU	_	1700.00
VD7420 CC	Receiver, SM Laser, 1 Fiber	4700.00
VR7430-SC	4 Channel Digital Video	1780.00
	Receiver, SM Laser, 1 Fiber,	
	SC Connector	

VR7430-SC-R3	4 Channel Digital Video	1780.00
VR7430-SC-R3	Receiver, SM Laser, 1 Fiber,	1760.00
	SC Connector, Rack Mount	
	SC Connector, Nack Mount	
VR7530-SC-R3	FM Video Receceiver Plus 4	530.00
	Contacts, SC Connector	
VR7800D-R3	8 Channel Digital Video	4610.00
	Receiver, Rack Mount	
VR7820	8 Channel Digital Video	2635.00
	Receiver, MM Laser, 1 Fiber	
VR7820-2DRDT	8 Channel Digital Receiver / 2	3490.00
	Channel Data Transceiver, MM	
	Laser, 1 Fiber	
VR7820-2DRDT-R3	8 Channel Digital Receiver / 2	3490.00
VK1020-2DKD1-K3	Channel Data Transceiver, MM	3490.00
	Laser, 1 Fiber, Rack Mount	
	Edder, 11 lber, Radik Would	
VR7820-R3	8 Channel Digital Video	2635.00
	Receiver, MM Laser, 1 Fiber,	
	Rack Mount	
VR7830	8 Channel Digital Video	3950.00
	Receiver, SM Laser, 1 Fiber	
VR7830-2DRDT	8 Channel Digital Receiver / 2	4610.00
	Channel Data Transceiver, SM	
	Laser, 1 Fiber	
VR7830-2DRDT-R3	8 Channel Digital Receiver / 2	4610.00
	Channel Data Transceiver, SM	.0.0.00
	Laser, 1 Fiber, Rack Mount	
VR7830-2DRDT-SC	8 Channel Digital Receiver / 2	4610.00
	Channel Data Transceiver, SM	
	Laser, 1 Fiber, SC Connector	
VR7830-R3	8 Channel Digital Video	3950.00
	Receiver, SM Laser, 1 Fiber,	
	Rack Mount	
VR7830-SC-R3	8 Channel Digital Video	3950.00
	Receiver, SM Laser, 1 Fiber,	
	SC Connector, Rack Mount	
VR9930WDM	FM Video Receiver / Data	1975.00
V K 9930 V DIVI	Transceiver (FSK) SM Laser,	1975.00
	Db25, 1 Fiber	
VR9930WDM-C	FM Video Receiver / Data	2050.00
	Transceiver (FSK) SM Laser,	
	Db25, 1 Fiber, Conformal Coat	
\/D0000\\/D\$4.50	EM Video Deceives / Dete	4075.00
VR9930WDM-FC	FM Video Receiver / Data	1975.00
	Transceiver (FSK) SM Laser, Db25, 1 Fiber	
\/D0030\\/\DM D3	FM Video Receiver / Data	1075.00
VR9930WDM-R3	Transceiver (FSK) SM Laser,	1975.00
	LIAUSCEIVELLE ON LOIVITASEL	
	Db25, 1 Fiber, Rack Mount	

VD0020WDM CC	EMA/idea Dessiver / Deta	4075.00
VR9930WDM-SC	FM Video Receiver / Data	1975.00
	Transceiver (FSK) SM Laser,	
	Db25, 1 Fiber, SC Connector	
VR9930WDM-SC-R3	FM Video Receiver / Data	1975.00
	Transceiver (FSK) SM Laser,	
	Db25, 1 Fiber, SC Connector,	
	Rack Mount	
VSMART	V-Smart fingerprint biometric	1050.00
	with Mifare smart card reader,	
	8-12VDC, Wiegand/RS485	
	interfaces, unlimited users	
VSTN-A-G	V-Station Mifare (ISO 14443A)	2029.13
	Model, Fingerprint Terminal	
	with LCD, Keypad, Ethernet,	
	232, 485, TTL & Wiegand	
	Communication, Stores 3000	
	Fingerprints	
	i liigerpriitis	
VT1000AC	Video Transmitter, MM, 24VAC	235.00
	Isolated	
VT1000AC-C	Video Transmitter, MM, 24VAC	310.00
	Isolated, Conformal Coat	
VT1001	Dual Video Transmitter, MM	300.00
VT1001-C	Dual Video Transmitter, MM,	375.00
	Conformal Coat	
VT1001-R3	Dual Video Transmitter, MM,	300.00
	Rack Mount	
VT1101M	Mini Video Transmitter, MM	165.00
VT1101M-AC	Mini Video Transmitter, MM, 24VAC	200.00
VT14120	Digital Video Transmitter, MM	595.00
V111120	Laser, 1 Fiber	000.00
VT14120-R3	Digital Video Transmitter, MM	595.00
	Laser, 1 Fiber, Rack Mount	
VT14130	Digital Video Transmitter, SM	790.00
V114130	Laser, 1 Fiber	7 30.00
VT14130-FC	Digital Video Transmitter, SM	790.00
	Laser, 1 Fiber	
VT14130-SC	Digital Video Transmitter, SM	790.00
	Laser, 1 Fiber, SC Connector	
VT14130-SC-R3	Digital Video Transmitter, SM	790.00
	Laser, 1 Fiber, SC Connector,	
	Rack Mount	
VT1500	Video Transmitter / Data	350.00
	Receiver, MM, 2 Fibers	
VT1500-R3	Video Transmitter / Data	350.00
	Receiver, MM, 2 Fibers, Rack	
	Mount	
VT1500WDM	Video Transmitter / Data	530.00
	Receiver, MM, 1 Fiber	
VT1500WDM-C	Video Transmitter / Data	605.00
	Receiver, MM, 1 Fiber	

VT1500WDM-KALATEL	Video Transmitter / Data	530.00
	Receiver, MM, 1 Fiber, Kalatel	
VT4500\A/DM DEL 00	V:1 T '' /D /	500.00
VT1500WDM-PELCO	Video Transmitter / Data	530.00
	Receiver, MM, 1 Fiber, Pelco	
	Spectra III	
VT1500WDM-R3	Video Transmitter / Data	530.00
	Receiver, MM, 1 Fiber, Rack	
	Mount	
VT1500WDM-R3-C	Video Transmitter / Data	605.00
	Receiver, MM, 1 Fiber, Rack	
	Mount, Conformal Coat	
VT1500WDM-ULTRAK	Video Transmitter / Data	530.00
VIIOUVDIN-OLIKAK	Receiver, MM, 1 Fiber, Ultrak	330.00
	Receiver, Milvi, 1 Fiber, Oldak	
VT1505	Video Transmitter / Data	350.00
	Receiver, Up-the-Coax, MM, 2	333.33
	Fibers	
VT1505-R3	Video Transmitter / Data	350.00
V 1 1303-113	Receiver, Up-the-Coax, MM, 2	330.00
	Fibers, Rack Mount	
\/T4505\\/DN/	•	500.00
VT1505WDM	Video Transmitter / Data	530.00
	Receiver, Up-the-Coax, MM, 1	
	Fiber	
VT1505WDM-PELCO	Video Transmitter / Data	530.00
	Receiver, Coaxitron, MM, 1	
	Fiber, Pelco Spectra III	
VT1505WDM-R3	Video Transmitter / Data	530.00
	Receiver, Up-the-Coax, MM, 1	
	Fiber, Rack Mount	
VT1520WDM	Video Transmitter / Data	595.00
	Receiver, MM, 1 Fiber	
VT1530WDM	Video Transmitter / Data	725.00
V 1 1000 1 1 2 1 1 1	Receiver, SM, 1 Fiber	. 20.00
VT1530WDM-R3	Video Transmitter / Data	725.00
V 1 1550 VV DIVI-RS	Receiver, SM, 1 Fiber, Rack	725.00
	Mount	
VT4.04.0		105.00
VT1910	FM Video Transmitter / Data	465.00
	Transceiver, MM, 2 Fibers	
VT1910-R3	FM Video Transmitter / Data	465.00
	Transceiver, MM, 2 Fibers,	
	Rack Mount	
VT1910WDM	FM Video Transmitter / Data	725.00
	Transceiver, MM, 1 Fiber	
VT1920WDM	FM Video Transmitter / Data	790.00
	Transceiver, MM Laser, 1 Fiber	
VT1920WDM-C	FM Video Transmitter / Data	865.00
	Transceiver, MM Laser, 1	
	Fiber, Conformal Coat	
VT1920WDM-PELCO	Video Transmitter / Data	790.00
1020 VV DIVI-1 LLOO	Transceiver, MM, 1 Fiber,	1 30.00
	Pelco	
\/T4000\\/\D\\/\D0		700.00
VT1920WDM-R3	FM Video Transmitter / Data	790.00
	Transceiver, MM Laser, 1	
	Fiber, Rack Mount	

VT1930WDM	FM Video Transmitter / Data	025.00
V I 1930VV DIVI	Transceiver, SM Laser, 1 Fiber	925.00
	Transceiver, Sivi Laser, 11 iber	
VT1930WDM-R3	FM Video Transmitter / Data	925.00
V I 1930 W DIVI-K3	Transceiver, SM Laser, 1	923.00
	Fiber, Rack Mount	
VT2040	·	705.00
VT2010	2 Channel FM Video	725.00
VTCC10 DO	Transmitter, MM, 1 Fiber	705.00
VT2010-R3	2 Channel FM Video	725.00
	Transmitter, MM, 1 Fiber, Rack	
	Mount	
VT4010	FM Video Transmitter, MM, 1	430.00
	Fiber	
VT4010-50	FM Video Transmitter, MM, 1	430.00
	Fiber, International	
VT4010M	FM Mini Video Transmitter,	430.00
	MM, 1 Fiber	
VT4010-R3	FM Video Transmitter, MM, 1	430.00
	Fiber, Rack Mount	
VT4020	FM Video Transmitter, MM, 1	530.00
V 1-1020	Fiber, LD	000.00
VT4020-C	FM Video Transmitter, MM, 1	605.00
V 14020-C		605.00
	Fiber, LD, Conformal Coat	
VT 4000M	ENANA: : \/: I T	505.00
VT4020M	FM Mini Video Transmitter,	595.00
	MM, 1 Fiber, LD	
VT4020-R3	FM Video Transmitter, MM, 1	530.00
	Fiber, LD, Rack Mount	
VT4025	FM Video Transmitter, SM, 1	660.00
	Fiber	
VT4025M	FM Mini Video Transmitter,	990.00
	SM, 1 Fiber	
VT4025-R3	FM Video Transmitter, SM, 1	660.00
	Fiber, Rack Mount	
VT4030	FM Video Transmitter, SM	790.00
	Laser, 1 Fiber	
VT4030-6065-C	FM Video Transmitter, SM	1460.00
	Laser, 1 Fiber, Texas Dot	1 100.00
	Specs, Conformal Coat	
VT4030-6065-R3	FM Video Transmitter, SM	1385.00
V 14030-6065-K3	Laser, 1 Fiber, Texas Dot	1303.00
VT4000 0005 00 D0	Specs, Rack Mount	4005.00
VT4030-6065-SC-R3	FM Video Transmitter, SM	1385.00
	Laser, 1 Fiber, Texas Dot	
	Specs, SC Connector, Rack	
	Mount	
VT4030AC	FM Video Transmitter, SM	890.00
	Laser, 1 Fiber, 24VAC	
VT4030AC-C	FM Video Transmitter, SM	965.00
	Laser, 1 Fiber, 24VAC,	
	Conformal Coat	
VT4030-C	FM Video Transmitter, SM	865.00
V 17000 O	Laser, 1 Fiber, Conformal Coat	303.00
	Laser, 1 i iber, Comoniai Coat	
\/T4020M	ENA Mini Mining Transmitter Cha	700.00
VT4030M	FM Mini Video Transmitter, SM	790.00
	Laser, 1 Fiber	

	1	
VT4930WDM	FM Video Transmitter / Data Transceiver (FSK) SM Laser, 1 Fiber	1975.00
VT4930WDM-R3	FM Video Transmitter / Data Transceiver (FSK) SM Laser, 1 Fiber, Rack Mount	1975.00
VT4930WDM-SC	FM Video Transmitter / Data Transceiver (FSK) SM Laser, 1 Fiber, SC Connector	1975.00
VT6010	4 Channel FM Video Transmitter, MM, 1 Fiber	1055.00
VT6010-C	4 Channel FM Video Transmitter, MM, 1 Fiber, Conformal Coat	1130.00
VT610P	Handheld Tester for Use When Testing Devices Mounted on Steel	88.10
VT71620-R3	16 Channel Digital Video Transmitter, MM Laser, 1 Fiber, Rack Mount	6580.00
VT71630-2DRDT-R3	16 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber, Rack Mount	11185.00
VT71630-2DRDT-R3-C	16 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber, Rack Mount, Conformal Coat	11260.00
VT71630-2DRDT-SC-R3	16 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber, SC Connector, Rack Mount	11185.00
VT71630-R3	16 Channel Digital Video Transmitter, SM Laser, 1 Fiber, Rack Mount	7895.00
VT71630-SC-R3	16 Channel Digital Video Transmitter, SM Laser, 1 Fiber, SC Connector, Rack Mount	7895.00
VT72030-2DRDT-R3	20 Channel Digital Video Transmitter / 2 Channel Data Transceiver, SM Laser, 1 Fiber, Rack Mount	13820.00
VT7220	2 Channel Digital Video Transmitter, MM Laser, 1 Fiber	990.00
VT7220-2DRDT	2 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber	1580.00
VT7220-2DRDT-R3	2 Channel Digital Video Transmitter / 2 Channel Data Transceiver, MM Laser, 1 Fiber, Rack Mount	1580.00

VT7220-R3		
VT7220-R3	2 Channel Digital Video Transmitter, MM Laser, 1 Fiber,	990.00
	Rack Mount	
VT7230	2 Channel Digital Video	1320.00
	Transmitter, SM Laser, 1 Fiber	
VT7230-2DRDT	2 Channel Digital Video	1780.00
	Transmitter / 2 Channel Data	
	Transceiver, SM Laser, 1 Fiber	
VT7230-2DRDT-FC	2 Channel Digital Video	1780.00
	Transmitter / 2 Channel Data	
	Transceiver, SM Laser, 1 Fiber	
\/T7000 FO	0.01 10: 11/51	1000.00
VT7230-FC	2 Channel Digital Video	1320.00
	Transmitter, SM Laser, 1 Fiber	
VT72430-2DRDT-R3	24 Channel Digital Video	16450.00
V172430-2DKD1-K3	Transmitter / 2 Channel Data	10430.00
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount	
VT73230-2DRDT-R3	32 Channel Digital Video	21055.00
	Transmitter / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, Rack Mount	
VT73230-R3	32 Channel Digital Video	17765.00
	Transmitter, SM Laser, 1 Fiber,	
	Rack Mount	
VT7420	4 Channel Digital Video	1450.00
	Transmitter, MM Laser, 1 Fiber	
VT7420-2DRDT	4 Channel Digital Video	3095.00
V17420-2DIXD1	Transmitter / 2 Channel Data	3093.00
	Transceiver, MM Laser, 1 Fiber	
VT7420-2DRDT-R3	4 Channel Digital Video	3095.00
	Transmitter / 2 Channel Data	
	Transceiver, MM Laser, 1	
	Fiber, Rack Mount	
VT7420-2DRDT-SC	4 Channel Digital Video	3095.00
	Transmitter / 2 Channel Data	
	Transceiver, MM Laser, 1	
	Fiber, SC Connector	
\ (T= 400 = 0		
VT7420-50	4 Channel Digital Video	1450.00
	Transmitter, MM Laser, 1 Fiber,	
V/T7400	International	4700.00
VT7430	4 Channel Digital Video	1780.00
	Transmitter, SM Laser, 1 Fiber	
VT7430-2DRDT	4 Channel Digital Video	3620.00
	Transmitter / 2 Channel Data	3020.00
	Transceiver, SM Laser, 1 Fiber	
	, , , , , , , , , , , , , , , , , , , ,	
VT7430-2DRDT-FC	4 Channel Digital Video	3620.00
VT7430-2DRDT-FC		
VT7430-2DRDT-FC	Transmitter / 2 Channel Data	
VT7430-2DRDT-FC		

VT7430-2DRDT-SC	4 Channel Digital Video	3620.00
V17 100 2BRB1 00	Transmitter / 2 Channel Data	0020.00
	Transceiver, SM Laser, 1	
	Fiber, SC Connector	
VT7430-FC	4 Channel Digital Video	1780.00
	Transmitter, SM Laser, 1 Fiber	
VT7430-R3	4 Channel Digital Video	1780.00
	Transmitter, SM Laser, 1 Fiber, Rack Mount	
VT7430-SC	4 Channel Digital Video	1780.00
	Transmitter, SM Laser, 1 Fiber,	
	SC Connector	
VT7430-SC-R3	4 Channel Digital Video	1780.00
	Transmitter, SM Laser, 1 Fiber,	
	SC Connector, Rack Mount	
VT7450	4 Channel Digital Video	2305.00
	Transmitter, SM Laser, 1 Fiber,	
VT7800D-R3	8 Channel Digital Video	4610.00
	Transmitter, Rack Mount	
VT7820	8 Channel Digital Video	2635.00
	Transmitter, MM Laser, 1 Fiber	
VT7820-2DRDT	8 Channel Digital Video	3490.00
	Transmitter / 2 Channel Data	
	Transceiver, MM Laser, 1 Fiber	
VT7820-2DRDT-C	8 Channel Digital Video	3565.00
	Transmitter / 2 Channel Data	
	Transceiver, MM Laser, 1	
	Fiber, Conformal Coat	
VT7820-2DRDT-R3	8 Channel Digital Video	3490.00
	Transmitter / 2 Channel Data Transceiver, MM Laser, 1	
	Fiber, Rack Mount	
VT7820-R3	8 Channel Digital Video	2635.00
	Transmitter, MM Laser, 1 Fiber,	
	Rack Mount	
VT7830	8 Channel Digital Video	3950.00
	Transmitter, SM Laser, 1 Fiber	
VT7830-2DRDT	8 Channel Digital Video	4610.00
	Transmitter / 2 Channel Data	
	Transceiver, SM Laser, 1 Fiber	
VT7830-2DRDT-R3	8 Channel Digital Video	4610.00
	Transmitter / 2 Channel Data	
	Transceiver, SM Laser, 1 Fiber, Rack Mount	
VT7830-2DRDT-SC	8 Channel Digital Video	4610.00
	Transmitter / 2 Channel Data	
	Transceiver, SM Laser, 1	
	Fiber, SC Connector	

	1- a	
VT7830-R3	8 Channel Digital Video Transmitter, SM Laser, 1 Fiber,	3950.00
	Rack Mount	
VT7830-SC-R3	8 Channel Digital Video	3950.00
V 17030-3C-13	Transmitter, SM Laser, 1 Fiber,	3930.00
	SC Connector, Rack Mount	
	Joseph Mark Mark Mark	
VT9930WDM	FM Video Transmitter / Data	1975.00
	Transceiver (FSK) SM Laser,	
	Db25, 1 Fiber	
VT9930WDM-FC	FM Video Transmitter / Data	1975.00
	Transceiver (FSK) SM Laser,	
	Db25, 1 Fiber	
VT9930WDM-SC	FM Video Transmitter / Data	1975.00
	Transceiver (FSK) SM Laser,	
	Db25, 1 Fiber, SC Connector	
VT9930WDM-SC-R3	FM Video Transmitter / Data	1975.00
V 19930 V DIVI-00-103	Transceiver (FSK) SM Laser,	1973.00
	Db25, 1 Fiber, SC Connector,	
	Rack Mount	
VWCS-SDK-STD	Standard Software	6636.00
	Development Kit (SDK)	
	Windows 2000 & WindowsXP	
VWLP-CCS-1DVE	Central Configurations Service	144.00
	per Device License Fee. Use	
	w/SDK	
VWLP-VRPS-1IN	Recording Policy License Per	144.00
	Recorded Video Port (Not	
	required on Discovery 300)	
VWSP-D2415-HDD-1TB	Spare Part Discovery 2415: 1	510.00
	TB Video Data Drive	010.00
VWSP-D24-2SER-USB	Spare Part Discovery 2400:	340.00
	Dual Serial Port USB Module	
	(RS232/422/485)	
VWSP-D24-8X4IO-USB	Spare Part Discovery 2400: I/O	340.00
	USB Module (8 Input x 4	
	Output)	
VWSP-D24-AUDIO1-USB	ultraView Recorder 60 Spare	410.00
	Part (Discovery 2405/2415): 2	
	Input x 1 Output Channels USB Audio Module - Full Duplex	
	(max 2 Audio USB Modules	
	Per Recorder)	
VWSP-D24-COMBO-USB	Spare Part Discovery 2400:	340.00
	Combo USB Module (1 Serial	2.0.00
	Port, 4 Input x 2 Output)	
VWSP-D24-FAN-1	Spare Part Recorder 60:	98.00
10105 50: -2:	Chassis Replacement Fan	
VWSP-D24-PS-1	Spare Part Discovery	1100.00
	2400/2405: System Power	
	Supply	

VWSP-DISC-4VID-AP	ultraView Recorder 60 Spare	1600.00
VW3F-DI3C-4VID-AF	Part (Discovery 2405/2415): 4- Channels Video Board (H.264- SVC)	1600.00
VWSP-DISC-4VID-W	Spare Part Discovery 2400: 4- Channels Video Card Wavelet	3000.00
VWSP-ECVRS/VCAS-FAN1	Spare Part ECVRS/VCAS: Small Chassis Fan (Chassis Uses Both Large and Small Fans)	24.00
VWSP-ECVRS/VCAS-FAN2	Spare Part ECVRS/VCAS: Large Chassis Fan (Chassis Uses Both Large and Small Fans)	24.00
VWSP-ECVRS/VCAS-PS1	Spare Part ECVRS/VCAS: System Power Supply	1556.00
VWSP-EV-4AUDIO	Option Card: 4-Channels CPCI Audo Board	3400.00
VWSP-EV-4VIDII	Option Card: 4-Channels CPCI Video Card for Evolution	6700.00
VWSP-EV-6VID-AP	ultraView 80 Spare Part (Evolution 3005): 6-Channels CPCI Video Card (Encode Only)	3488.00
VWSP-EV-COMBOARD	Spare Part: Evolution 2800/2809 HD Serial Communications Motherboard	1744.00
VWSP-EV-FAN	Spare Part: EVHD Replacement Fan Only	200.00
VWSP-EV-FANDWR2-UNIT	Spare Part EVO 2800/2809/3005: Ver2 Replacent Fan Drawer Complete Assembly (Drawer, Filter, Battery, Fan)	1300.00
VWSP-EV-FANFILTER	Spare Part: EVHD Replacement Fan Filter Only	100.00
VWSP-EV-HDD-500AT	Spare Part Evolution HD: 500GB ATA Internal Video Data Drive	840.00
VWSP-EV-I/O-16I/8O	Spare Part: Evolution HD - Input/Output Module; 16 Inputs x 8 Outputs	1642.00
VWSP-EV-PS-1	Spare Part Evolution HD: Single Power Supply	980.00
VWSP-EV-RS232DB	Option Card: Evolution 2800/2809 HD RS232 Daughter Board (Requires I COMBOARD Per 4 RS422/232/485 Boards)	216.00
VWSP-EV-RS422DB	Option Card: Evolution 2800/2809 HD RS422 Daughter Board (Requires I COMBOARD Per 4 RS422/232/485 Boards)	216.00

Option Card: Evolution 2800/2809 HD RS485 Daughter Board (Requires I COMBOARD Per 4 RS422/232/485 Boards) Spare Part VRU: Individual Chassis Fan for 1610 Model Spare Part VRU: Single System Power Supply for 1610 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	374.00 1376.00
Daughter Board (Requires I COMBOARD Per 4 RS422/232/485 Boards) Spare Part VRU: Individual Chassis Fan for 1610 Model Spare Part VRU: Single System Power Supply for 1610 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	
COMBOARD Per 4 RS422/232/485 Boards) Spare Part VRU: Individual Chassis Fan for 1610 Model Spare Part VRU: Single System Power Supply for 1610 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	
Spare Part VRU: Individual Chassis Fan for 1610 Model Spare Part VRU: Single System Power Supply for 1610 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	
Chassis Fan for 1610 Model Spare Part VRU: Single System Power Supply for 1610 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	
Spare Part VRU: Single System Power Supply for 1610 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	1376.00
System Power Supply for 1610 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	1376.00
Models (Each VRU Has Dual Power Supplies) Spare Part VRU: Individual	
Power Supplies) Spare Part VRU: Individual	
Spare Part VRU: Individual	
•	312.00
Chassis Fan for 810/1210	
Models	
Spare Part VRU: Single	1100.00
`	
rias Baar rower Supplies)	
Spare Part VRU: SCSI Cable	144.00
from Discovery24xxA/Evolution	
to First VRU	
Spare Part VRU: Individual	60.00
Drive Tray for	
-	070.00
•	370.00
VSC Software Extension	1986.00
License: Additional 12 Video	
Channels Expansion to VSC	
	2032.00
VSC Software: 1440 Channels	178800.00
Includes Master PC Client	
	20854.00
Expansion to v3C Software	
VSC Software: 144 Channels	20900.00
Includes Master PC Client	
Software	
	238384.00
	525.00
License	020.00
VSC Wavelet Version 3.1.1	810.00
Software Client Extension	
License	
	34757.00
Expansion to VSC Software	
	Spare Part VRU: Single System Power Supply for 810/1210 Models (Each VRU Has Dual Power Supplies) Spare Part VRU: SCSI Cable from Discovery24xxA/Evolution to First VRU Spare Part VRU: Individual Drive Tray for VR810/1210/1610 (G2421 Series) - Bare -No HDD Spare Part VRU: 500GB SATA- 2 Drive (VRU) VSC Software Extension License: Additional 12 Video Channels Expansion to VSC Software VSC Software Main License: 12 Video Channels w/Master PC Client Software Included VSC Software: 1440 Channels Includes Master PC Client Software Additional 144 Video Channels Expansion to VSC Software VSC Software: 144 Channels Includes Master PC Client Software VSC Software: 1920 Channels Includes Master PC Client Software VSC Software: 1920 Channels Includes Master PC Client Software VSC Software: 1920 Channels Includes Master PC Client Software VSC Software: 1920 Channels Includes Master PC Client Software Additional Client Software License VSC Wavelet Version 3.1.1 Software Client Extension

VWSS-VSC-240P-1C	VSC Software: 240 Channels	34803.00
VW33-V3C-240F-TC	Includes Master PC Client Software	34003.00
VWSS-VSC-24EP	Additional 24 Video Channels Expansion to VSC Software	3973.00
VWSS-VSC-24EP-3.X	VSC Wavelet Version 3.1.1 Software Extension License: Additional 24 Video Channel Expansion to VSC Software	4514.00
VWSS-VSC-24P-1C	VSC Software: 24 Channels Includes Master PC Client Software	4019.00
VWSS-VSC-24P-1C-3.X	VSC Wavelet Version 3.1.1 Software Main License: 24 Video Channels w/Master PC Client Software Included	4514.00
VWSS-VSC-42X-12EP	VSC Software Extension License for VSC 4.2.1 and Previous: Additional 12 Video Channel Expansion to Software	1986.00
VWSS-VSC-42X-1CE	VSC 4.2.1 and Previous Releases Software Extension License: Additional Client License to VSC Software	525.00
VWSS-VSC-42X-24EP	VSC Software Extension License for VSC 4.2.1 and Previous: Additional 24 Video Channel Expansion to Software	3973.00
VWSS-VSC-42X-48EP	VSC Software Extension License for VSC 4.2.1 and Previous: Additional 48 Video Channel Expansion to Software	7946.00
VWSS-VSC-42X-96EP	VSC Software Extension License: Additional 96 Video Channel Expansion to VSC Software	23432.00
VWSS-VSC-480P-1C	VSC Software: 480 Channels Includes Master PC Client Software	59630.00
VWSS-VSC-48EP	Additional 48 Video Channels Expansion to VSC Software	7946.00
VWSS-VSC-48P-1C	VSC Software: 48 Channels Includes Master PC Client Software	7992.00
VWSS-VSC-5000P-1C	VSC Software 5000 Channels. Includes Master PC Client	683996.00
VWSS-VSC-720P-1C	VSC Software: 720 Channels Includes Master PC Client Software	89425.00

VWSS-VSC-960P-1C	VSC Software: 960 Channels Includes Master PC Client Software	119217.00
VWSS-VSC-96EP	Additional 96 Video Channels Expansion to VSC Software	13903.00
VWSS-VSC-96P-1C	VSC Software: 96 Channels Includes Master PC Client Software	13949.00
VWSS-VSC-DEMO-1C	VSC Software: Demo License for 8 Channels and Includes Master PC Client Software	25.00
VWSS-VSC-MV-1CE	MultiVision Software Extension: Adds Support for One (1) MultiVision Application (Only for VSC 4.1 and Above)	1995.00
VWSS-VSC-MV-42X-1CE	Multivision 4.2.1 and Previous Release Software Extension: Adds Support for 1 Multivision Application (Only for VSC 4.1 and Above)	1995.00
VWSS-VSC-UPG3X-4X	VSC Upgrade License: \$2500 per 100 Cameras. Free for Customer Under Service Contract	2500.00
WS300	High Security Cable, 100' Roll	47.00
WX1SSASWOPT-ENHIMAG	FC Wnx level 1 SSA for Enhanced Imaging option. Provides support for Photo ID credentialing and fingerprint capture, document capture, and Mifare smart card encoding	331.00
WX70ENG-SWMEDIA	FCWnx v7 Software Media Kit English - Replacement media kit only	39.38
WX70ENT-16CAPACU	FCWnx v7 Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	2362.50
WX70ENT-16CAPMIC	FCWnx v7 Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	2362.50

WX70GLB-02REGION	FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (2) regional server systems	5250.00
WX70GLB-16REGION	FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (16) regional server systems	10500.00
WX70GLB-32REGION	FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (32) regional server systems	21000.00
WX70GLB-64REGION	FCWnx v7 Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (64) regional server systems	42000.00
WX70PRO-16CAPACU	FCWnx v7 Pro single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	341.25
WX70PRO-16CAPMIC	FCWnx v7 Pro single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	341.25
WX70PRO-ID32ACU	Fcwnx V7 Pro Id32 Single Server Software License Package (1) Server Client, (2) Remote Clients, (1) Photo Id Option, (32) Readers W/ Ge Acu Driver, (32) Cameras W/ Ge Video Drivers	1282.21
WX70PRO-ID32MIC	FCWnx v7 Pro ID32 single server software license package (1) server client, (2) remote clients, (1) Photo ID Option, (32) readers w/ GE Micro driver, (32) cameras w/ GE video drivers	1282.21

MYZODEC 16CADACLI	ECWny v7 Pogional single	2262 FO
WX70REG-16CAPACU	FCWnx v7 Regional single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	2362.50
WX70REG-16CAPMIC	FCWnx v7 Regional single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	2362.50
WXCAMLIC-0032CAP	FCWnx new system Camera capacity license, 16 to 32 cameras per server	525.00
WXCAMLIC-0032INC	FCWnx existing system Camera capacity increase license, 16 to 32 cameras per server	525.00
WXCAMLIC-0064CAP	FCWnx new system Camera capacity license, 16 to 64 cameras per server	1050.00
WXCAMLIC-0064INC	FCWnx existing system Camera capacity increase license, 32 to 64 cameras per server	525.00
WXCAMLIC-0128CAP	FCWnx new system Camera capacity license, 16 to 128 cameras per server	1968.75
WXCAMLIC-0128INC	FCWnx existing system Camera capacity increase license, 64 to 128 cameras per server	918.75
WXCAMLIC-0256CAP	FCWnx new system Camera capacity license, 16 to 256 cameras per server	3675.00
WXCAMLIC-0256INC	FCWnx existing system Camera capacity increase license, 128 to 256 cameras per server	1706.25
WXCAMLIC-0512CAP	FCWnx new system Camera capacity license, 16 to 512 cameras per server (Enterprise & Global Only)	6890.63
WXCAMLIC-0512INC	FCWnx existing system Camera capacity increase license, 256 to 512 cameras per server (Enterprise & Global Only)	3215.63

14/1/OAA4110 4004045	IFO\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4040= 00
WXCAMLIC-1024CAP	FCWnx new system Camera capacity license, 16 to 1024 cameras per server (Enterprise & Global Only)	13125.00
WXCAMLIC-1024INC	FCWnx existing system Camera capacity increase license, 512 to 1024 cameras per server (Enterprise & Global Only)	6234.38
WXCAMLIC-2048CAP	FCWnx new system Camera capacity license, 16 to 2048 cameras per server (Enterprise & Global Only)	24937.50
WXCAMLIC-2048INC	FCWnx existing system Camera capacity increase license, 1024 to 2048 cameras per server (Enterprise & Global Only)	11812.50
WXCAMLIC-4096CAP	FCWnx new system Camera capacity license, 16 to 4096 cameras per server (Enterprise & Global Only)	48562.50
WXCAMLIC-4096INC	FCWnx existing system Camera capacity increase license, 2048 to 4096 cameras per server (Enterprise & Global Only)	23625.00
WXDRIVR-ADINTELX	FCWnx 3rd party Digital Video Recorder driver add-on option per server, American Dynamics Intellex (version specific support dependency may apply)	1575.00
WXDRIVR-DWDPRO9K	FCWnx 3rd party Digital Video Recorder driver add-on option per server, Digital Watchdog Pro9000 (version specific support dependency may apply)	1575.00
WXDRIVR-INTEGRAL	FCWnx 3rd party Digital Video Recorder driver add-on option per server, Integral Technologies DVXI, DVXe, DSXpress (version specific dependency may apply)	1575.00
WXDRIVR-NICEVPHY	FCWnx 3rd party Digital Video Recorder driver add-on option per server, NiceVision Pro and Harmony (version specific support dependency may apply)	1575.00

WXDRIVR-PANAHD5K	FCWnx 3rd party Digital Video	1575.00
	Recorder driver add-on option per server, Panasonic WJ- HD500 (version specific	
	dependency may apply)	
WXDRIVR-PELCDX8K	FCWnx 3rd party Digital Video Recorder driver add-on option	1575.00
	per server, Pelco DX8000 (version specific dependency may apply)	
WXL1SSA-32PROSERV	FCWnx Level 1 SSA -	256.44
	Professional single server system, base software licensed	
	up to (2) remote clients, (1) Photo ID Option,(32) reader,	
	(32)camera capacity. Additional software options and	
	capacity licenses apply separately.	
WXL1SSACAMLIC0032CAP	capacity license, 32 cameras	105.00
WXL1SSACAMLIC0064CAP	per server FCWnx Level 1 SSA Camera	210.00
	capacity license, 64 cameras per server	
WXL1SSACAMLIC0128CAP		393.75
	capacity license, 128 cameras per server	
WXL1SSACAMLIC0256CAP	FCWnx Level 1 SSA Camera capacity license, 256 cameras per server	735.00
WXL1SSACAMLIC0512CAP		1378.13
	capacity license, 512 cameras per server (Enterprise & Global Only)	
WXL1SSACAMLIC1024CAP	FCWnx Level 1 SSA Camera	2625.00
	capacity license, 1024 cameras per server (Enterprise & Global Only)	
WXL1SSACAMLIC2048CAP	FCWnx Level 1 SSA Camera capacity license, 2048	4987.50
	cameras per server (Enterprise & Global Only)	
WXL1SSACAMLIC4096CAP	FCWnx Level 1 SSA Camera capacity license, 4096	9712.50
	cameras per server (Enterprise & Global Only)	
WXL1SSA-ENTSERV	FCWnx Level 1 SSA -	472.50
	Enterprise single server system, base software licensed	
	up to (1) remote clients, (16)	
	reader (16) camera capacity. Additional software options and	
	capacity licenses apply	
	separately.	

WXL1SSA-GLB02SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (1) server client, (1) remote clients, (2) regional server support	1050.00
WXL1SSA-GLB16SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (1) server client, (1) remote clients, (16) regional server support	2100.00
WXL1SSA-GLB32SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (1) server client, (1) remote clients, (32) regional server support	4200.00
WXL1SSA-GLB64SERV	FCWnx Level 1 SSA - Global multi-server system, base software licensed up to (1) server client, (1) remote clients, (64) regional server support	8400.00
WXL1SSAOPT-001APIC	FCWnx Level 1 SSA API Connectivity, add-on option per instance	157.50
WXL1SSAOPT-ADINTELX	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, American Dynamics Intellex (version specific support dependency may apply)	315.00
WXL1SSAOPT-CLNTRED	FCWnx Level 1 SSA Client redundancy for device hosting with communications failover, add-on option per server	630.00
WXL1SSAOPT-DWDPRO9K	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Digital Watchdog Pro9000 (version specific support dependency may apply)	315.00
WXL1SSAOPT-GUARDTR	FCWnx Level 1 SSA Guard Tour, add-on option per server	315.00
WXL1SSAOPT-INTEGRAL	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Integral Technologies DVXI, DVXe, DSXpress (version specific dependency may apply)	315.00

·	1	
WXL1SSAOPT-NICEVPHY	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, NiceVision Pro and Harmony (version specific support dependency may apply)	315.00
WXL1SSAOPT-OHRECEM	FCWnx Level 1 SSA OH Receiver emulator for GE NX590E Intrusion alarm monitoring direct over IP, add- on option per instance	315.00
WXL1SSAOPT-PANAHD5K	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Panasonic WJ-HD500 (version specific dependency may apply)	315.00
WXL1SSAOPT-PELCOX8K	FCWnx Level 1 SSA 3rd party Digital Video Recorder driver add-on option per server, Pelco DX8000 (version specific dependency may apply)	315.00
WXL1SSAOPT-VISITDB	FCWnx Level 1 SSA 3rd party Visitor Management DB interface add-on option per server, PassagePoint & CI-3 (version specific dependency may apply)	157.50
WXL1SSAOPT-VSC	FC Wnx Level 1 SSA for FC Wnx Integration with VSC 4.4	315.00
WXL1SSA-PROSERV	FCWnx Level 1 SSA - Professional single server system, base software licensed up to (1) remote clients, (16) reader, (16) camera capacity. Additional software options and capacity licenses apply separately.	68.25
WXL1SSARDRLIC0032CAP	FCWnx Level 1 SSA Reader capacity license, 32 readers per server	105.00
WXL1SSARDRLIC0064CAP	•	210.00
WXL1SSARDRLIC0128CAP	FCWnx Level 1 SSA Reader capacity license, 128 readers per server	393.75
WXL1SSARDRLIC0256CAP	FCWnx Level 1 SSA Reader capacity license, 256 readers per server	735.00

	I==	
WXL1SSARDRLIC0512CAP	FCWnx Level 1 SSA Reader capacity license, 512 readers	1378.13
	per server (Enterprise & Global	
	Only)	
WXL1SSARDRLIC1024CAP	FCWnx Level 1 SSA Reader	2625.00
W/\C100/\(\text{U}\)	capacity license, 1024 readers	2020.00
	per server (Enterprise & Global	
	Only)	
WXL1SSARDRLIC2048CAP	FCWnx Level 1 SSA Reader	4987.50
	capacity license, 2048 readers	
	per server (Enterprise & Global	
	Only)	
WXL1SSARDRLIC4096CAP	FCWnx Level 1 SSA Reader	9712.50
	capacity license, 4096 readers	
	per server (Enterprise & Global	
	Only)	
WXL1SSA-REGSERV	FCWnx Level 1 SSA - Regional	472.50
	single server system, base	
	software licensed up to (1)	
	remote clients, (16) reader,	
	(16) camera capacity. Additional software options and	
	capacity licenses apply	
	separately.	
	Separately.	
WXL1SSASWOPT-001CLNT	FCWny Lovel 1 SSA per	131.25
WALISSASWOFT-00TCLNT	Additional single client license	131.23
	Additional single client license	
WXL1SSASWOPT-PHOTOI	FCWnx Level 1 SSA Integrated	199.50
	Photo ID Credentialing, add-on	
	option per client	
WXL2SSA-0256	FCWnx L2 Extended After	1875.00
	Hours Support - up to 256	
	Reader/Camera capacity,	
	requires active Level 1 SSA	
WXL2SSA-1024	FCWnx L2 Extended After	3750.00
	Hours Support - up to 1024	
	Reader/Camera capacity,	
W// 000 A 00 40	requires active Level 1 SSA	5005.00
WXL2SSA-2048	FCWnx L2 Extended After	5625.00
	Hours Support - up to 2048 Reader/Camera capacity,	
	requires active Level 1 SSA	
WXL2SSA-4096	FCWnx L2 Extended After	9375.00
VV ALZOGA-4090	Hours Support - up to 4096	9313.00
	Reader/Camera capacity,	
	requires active Level 1 SSA	
WXL2SSA-GLBSYST	FCWnx Global multi server L2	5250.00
	Extended After Hours Support -	0200.00
	per Global multi server system	
	site, requires active Level 1	
	SSA	

WXL2SSA-SIN0128	FCWnx Pro or Enterprise	1312.50
WALZSSA-SINUTZO	single server L2 Extended After Hours Support - per Single Server System up to 128 Reader/Camera capacity, requires active Level 1 SSA	1312.30
WXL2SSA-SIN4096	FC Wnx Pro or Enterprise single server L2 Extended After Hours Support - per Single Server System greater than 128 Reader/Camera capacity, requires active Level 1 SSA	2625.00
WXL3SSA-CUSTOMQ	FCWnx multi-system site wide coverage, assigned support team, annual visits, and priority call - Custom Quote	Call for Quote
WXPRO16KIT-DD2T100B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) DirecDoor 2 Reader T100B Kit and (25) Entree Prox Card. Power Supply Options Sold Separately	1184.62
WXPRO16KIT-DD2T500B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) DirecDoor 2 Reader T500B Kit and (25) Entree Prox Cards. Power Supply Options Sold Separately	1248.72
WXPRO16KIT-DD2T520B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) DirecDoor 2 Reader T520B Kit and (25) Entree Prox Cards. Power Supply Options Sold Separately	1280.77
WXPRO16KIT-M2KT500B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) M2000 4 Door T500B Reader Kit and (25) Entree Prox Cards	2306.41
WXPRO16KIT-M2KT520B	FC Wnx Pro Starter Kit: (1) FC Wnx Pro 16 Reader/Camera Capacity Software, (1) M2000 4 Door T520B Reader Kit and (25) Entree Prox Cards	2434.62
WXRDRLIC-0032CAP	FCWnx new system Reader capacity license, 16 to 32 readers per server	525.00

WANDED TO COCCINIO	FOW and a significant and a significant	F0F 00
WXRDRLIC-0032INC	FCWnx existing system Reader capacity increase	525.00
	license, 16 to 32 readers per	
	server	
WXRDRLIC-0064CAP	FCWnx new system Reader	1050.00
	capacity license, 16 to 64	
	readers per server	
WXRDRLIC-0064INC	FCWnx existing system	525.00
	Reader capacity increase	
	license, 32 to 64 readers per	
	server	
WXRDRLIC-0128CAP	FCWnx new system Reader	1968.75
	capacity license, 16 to 128	
W// DDD1 10 0 (00) 10	readers per server	0.10 ==
WXRDRLIC-0128INC	FCWnx existing system	918.75
	Reader capacity increase license, 64 to 128 readers per	
	server	
WXRDRLIC-0256CAP	FCWnx new system Reader	3675.00
WANDINLIO-0200AP	capacity license, 16 to 256	3073.00
	readers per server	
WXRDRLIC-0256INC	FCWnx existing system	1706.25
	Reader capacity increase	
	license, 128 to 256 readers per	
	server	
WXRDRLIC-0512CAP	FCWnx new system Reader	6890.63
	capacity license, 16 to 512	
	readers per server (Enterprise	
	& Global Only)	
WXRDRLIC-0512INC	FCWnx existing system	3215.63
	Reader capacity increase	
	license, 256 to 512 readers per	
	server (Enterprise & Global Only)	
WXRDRLIC-1024CAP		13125.00
WARDREIC-1024CAP	FCWnx new system Reader capacity license, 16 to 1024	13123.00
	readers per server (Enterprise	
	& Global Only)	
WXRDRLIC-1024INC	FCWnx existing system	6234.38
	Reader capacity increase	0_000
	license, 512 to 1024 readers	
	per server (Enterprise & Global	
	Only)	
WXRDRLIC-2048CAP	FCWnx new system Reader	24937.50
	capacity license, 16 to 2048	
	readers per server (Enterprise	
	& Global Only)	
WXRDRLIC-2048INC	FCWnx existing system	11812.50
	Reader capacity increase	
	license, 1024 to 2048 readers	
	per server (Enterprise & Global Only)	
WXRDRLIC-4096CAP	FCWnx new system Reader	40EG2 E0
WARDRLIG-4090CAP	capacity license, 16 to 4096	48562.50
	readers per server (Enterprise	
	& Global Only)	
<u> </u>		

WXRDRLIC-4096INC	FCWnx existing system	23625.00
WARDREIG-4030ING	Reader capacity increase	23023.00
	license, 2048 to 4096 readers	
	per server (Enterprise & Global	
	Only)	
WXRPTCMDR-SWMEDIA	Report Commander V7.0	39.38
	Software Media Kit-	
	Repalcement Media Kit Only	
WXSSA- DIFFENT	FCWnx SSA - Used to bill the	1000.00
	difference between SSA costs	
	and minimum SSA price of	
	\$800 for Enterprise service.	
	Variable price always less than	
	\$800.00	
WXSSA- DIFFGLO	FCWnx SSA - Used to bill the	2000.00
	difference between SSA costs	
	and minimum SSA price of	
	\$1600 for Global service.	
	Variable price always less than	
	\$1600	
WXSSA- DIFFPRO	FCWnx SSA - Used to bill the	500.00
	difference between SSA costs	
	and minimum price of \$400 for	
	Professional SSA coverage.	
	Variable price always less than \$400.00	
	φ400.00	
WXSSA-CUC	FCWnx SSA - Certified User	9375.00
	Call In - Requires L I or L II	00.0.00
	SSA in place additionally	
WXSSA-DSL	FCWnx SSA - Duplicate Server	3125.00
	License coverage Requires	
	L I or L II SSA in place	
	additionally	
WXSWOPT-001APIC	FCWnx API Connectivity, add-	787.50
WXSWOPT-001CLNT	on option per instance FCWnx Additional single client	SES OF
WXSWOPT-00TCLNT	license.	656.25
WXSWOPT-CLNTRED	FCWnx Client redundancy for	3150.00
	device hosting with	
	communications failover, add-	
	on option per server	
WXSWOPT-ENHIMAG	FC Wnx Enhanced Imaging	1665.00
	option. Provides support for	
	Photo ID credentialing and	
	fingerprint capture, document	
	capture, and Mifare smart card encoding	
MAZMUDI CIIVBUID	FCWnx Guard Tour, add-on	1575.00
WXSWOPT-GUARDTR	option per server	15/5.00
WXSWOPT-OHRECEM	FCWnx OH Receiver emulator	1575.00
	for GE NX-590E Intrusion	
	alarm monitoring direct over IP,	
	add-on option per instance	
Ī		

WXSWOPT-PHOTOID	FCWnx Integrated Photo ID Credentialing, add-on option per client	997.50
WXSWOPT-RPTCMDR	Report Commander v7.0 for Facility Commander Wnx v7.0 Enterprise and Global Editions (V7.0 SP3 Only)	1640.63
WXSWOPT-VISITDB	FCWnx 3rd party Visitor Management DB interface add- on option per server, PassagePoint & CI-3 (version specific dependency may apply)	787.50
WXSWOPT-VSC	FCWnx Integration with VSC 4.4, add-on option per server	1575.00
WXUPGCAMLIC-0032CAP	FCWnx UPGRADE for Camera capacity license, 32 cameras per server	210.00
WXUPGCAMLIC-0064CAP	FCWnx UPGRADE for Camera capacity license, 64 cameras per server	420.00
WXUPGCAMLIC-0128CAP	FCWnx UPGRADE for Camera capacity license, 128 cameras per server	787.50
WXUPGCAMLIC-0256CAP	FCWnx UPGRADE for Camera capacity license, 256 cameras per server	1470.00
WXUPGCAMLIC-0512CAP	FCWnx UPGRADE for Camera capacity license, 512 cameras per server (Enterprise & Global Only)	2756.25
WXUPGCAMLIC-1024CAP	FCWnx UPGRADE for Camera capacity license, 1024 cameras per server (Enterprise & Global Only)	5250.00
WXUPGCAMLIC-2048CAP	FCWnx UPGRADE for Camera capacity license, 2048 cameras per server (Enterprise & Global Only)	9975.00
WXUPGCAMLIC-4096CAP	FCWnx UPGRADE for Camera capacity license, 4096 cameras per server (Enterprise & Global Only)	19425.00
WXUPGDRIVR-ADINTELX	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, American Dynamics Intellex (version specific support dependency may apply)	630.00

	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Digital Watchdog Pro9000 (version specific support dependency may apply)	630.00
WXUPGDRIVR-INTEGRAL	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Integral Technologies DVXI, DVXe, DSXpress (version specific dependency may apply)	630.00
WXUPGDRIVR-NICEVPHY	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, NiceVision Pro and Harmony (version specific support dependency may apply)	630.00
WXUPGDRIVR-PANAHD5K	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Panasonic WJ-HD500 (version specific dependency may apply)	630.00
WXUPGDRIVR-PELCDX8K	FCWnx UPGRADE 3rd party Digital Video Recorder driver add-on option per server, Pelco DX8000 (version specific dependency may apply)	630.00
WXUPGENT-16CAPACU	FCWnx UPGRADE Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	945.00
WXUPGENT-16CAPMIC	FCWnx UPGRADE Enterprise single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	945.00
WXUPGGLB-02REGION	FCWnx UPGRADE Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (2) regional server systems	2100.00

WXUPGGLB-16REGION	FCWnx UPGRADE Global	4200.00
WXUPGGLB-TokeGION	multi-server software license package (1) server client, (1) remote client, capacity license for supporting (16) regional server systems	4200.00
WXUPGGLB-32REGION	FCWnx UPGRADE Global multi-server software license package (1) server client, (1) remote client, capacity license for supporting (32) regional server systems	8400.00
WXUPGGLB-64REGION	FCWnx UPGRADE Global multi-server software license package (1) server client, (2) remote clients, capacity license for supporting (64) regional server systems	16800.00
WXUPGPRO-16CAPACU	FCWnx UPGRADE Pro single server software license package (1) server client, (1) remote client, (16) readers w/ GE ACU driver, (16) cameras w/ GE video drivers	136.50
WXUPGPRO-16CAPMIC	FCWnx UPGRADE Pro single server software license package (1) server client, (1) remote client, (16) readers w/ GE Micro driver, (16) cameras w/ GE video drivers	136.50
WXUPGPRO-ID32CAPACU	FCWnx UPGRADE Pro ID32 single server software license package (1) server client, (2) remote clients, (1) Photo ID Option, (32) readers w/ GE ACU driver, (32) cameras w/ GE video drivers. No Warranty. Does not include SSA. SSA coverage going forward is r	512.88
WXUPGPRO-ID32CAPMIC	FCWnx UPGRADE Pro ID32 single server software license package (1) server client, (2) remote clients, (1) Photo ID Option, (32) readers w/ GE Micro driver, (32) cameras w/ GE video drivers. No Warranty. Does not include SSA. SSA coverage going forward is	512.88
WXUPGRDRLIC-0032CAP	FCWnx UPGRADE for Reader capacity license, 32 readers per server	210.00

WYLIDODDDLIO 0064CAD	FCWnx UPGRADE for Reader	420.00
WXUPGRDRLIC-0064CAP		420.00
	capacity license, 64 readers	
	per server	
WXUPGRDRLIC-0128CAP	FCWnx UPGRADE for Reader	787.50
	capacity license, 128 readers	
	per server	
WXUPGRDRLIC-0256CAP	FCWnx UPGRADE for Reader	1470.00
	capacity license, 256 readers	
	per server	
WXUPGRDRLIC-0512CAP	FCWnx UPGRADE for Reader	2756.25
W/(6) 61(2)(2)	capacity license, 512 readers	27 00:20
	per server (Enterprise & Global	
	Only)	
W/// IDODDDI 10 400404D	• • • • • • • • • • • • • • • • • • • •	5050.00
WXUPGRDRLIC-1024CAP	FCWnx UPGRADE for Reader	5250.00
	capacity license, 1024 readers	
	per server (Enterprise & Global	
	Only)	
WXUPGRDRLIC-2048CAP	FCWnx UPGRADE for Reader	9975.00
	capacity license, 2048 readers	
	per server (Enterprise & Global	
	Only)	
WXUPGRDRLIC-4096CAP	FCWnx UPGRADE for Reader	19425.00
WAUPGRDRLIC-4096CAP		19423.00
	capacity license, 4096 readers	
	per server (Enterprise & Global	
	Only)	
WXUPGREG-16CAPACU	FCWnx UPGRADE Regional	945.00
	single server software license	
	package (1) server client, (1)	
	remote client, (16) readers w/	
	GE Micro driver, (16) cameras	
	w/ GE video drivers	
WXUPGREG-16CAPMIC	FCWnx UPGRADE Regional	945.00
WASI GREG-100AI WIIC	single server software license	343.00
	package (1) server client, (1)	
	remote client, (16) readers w/	
	GE Micro driver, (16) cameras	
	w/ GE video drivers	
WXUPGSSA-ENTACU	FCWnx Enterprise server No	NC
	Charge UPGRADE for systems	
	with ACU series controller	
	support covered under an	
	active System Support	
	Agreement (SSA)	
WXUPGSSA-ENTMIC	FCWnx Enterprise server No	NC
With Cook Elvino	Charge UPGRADE for systems	110
	with Micro series controller	
	support covered under an	
	active System Support	
	Agreement (SSA)	
WXUPGSSA-GLOBAL	FCWnx Global server No	NC
WXUPGSSA-GLOBAL	Charge UPGRADE for systems	NC
WXUPGSSA-GLOBAL	Charge UPGRADE for systems covered under an active	NC NC
WXUPGSSA-GLOBAL	Charge UPGRADE for systems	NC

WXUPGSSA-PROACU	FCWnx Pro server No Charge	NC
	UPGRADE for systems with ACU series controller support	
	covered under an active	
	System Support Agreement	
	(SSA)	
WXUPGSSA-PROMIC	FCWnx Pro server No Charge	NC
	UPGRADE for systems with Micro series controller support	
	covered under an active	
	System Support Agreement	
	(SSA)	
WXUPGSSA-REGACU	FCWnx Regional server No	NC
	Charge UPGRADE for systems	
	with ACU series controller support covered under an	
	active System Support	
	Agreement (SSA)	
WXUPGSSA-REGMIC	FCWnx Regional server No	NC
	Charge UPGRADE for systems	
	with Micro series controller support covered under an	
	active System Support	
	Agreement (SSA)	
WXUPGSWOPT-001APIC	FCWnx UPGRADE API	315.00
	Connectivity, add-on option per	
MINURO OMORT COACLAIT	instance	202.52
WXUPGSWOPT-001CLNT	FCWnx UPGRADE per Additional single client license	262.50
	Additional single client license	
WXUPGSWOPT-CLNTRED	FCWnx UPGRADE Client	1260.00
	redundancy for device hosting	
	with communications failover,	
	add-on option per server	
WXUPGSWOPT-ENHIMAG	FC Wnx upgrade. Provides	662.00
	support for integrated Photo ID	
	credentialing and fingerprint	
	capture, document capture, and Mifare smart card	
	encoding	
WXUPGSWOPT-GUARDTR	· ·	630.00
	Tour, add-on option per server	
MVIIDOOMODT OUDESES	FOWLIDODADE OLL	202.22
WXUPGSWOPT-OHRECEM	Receiver emulator for GE	630.00
	NX590E Intrusion alarm	
	monitoring direct over IP, add-	
	on option per instance	
WXUPGSWOPT-PHOTOID	FCWnx UPGRADE Integrated	399.00
	Photo ID Credentialing, add-on	
	option per client	
L		

WXUPGSWOPT-VISITDB	FCWnx UPGRADE 3rd party Visitor Management DB interface add-on option per server, PassagePoint & CI-3 (version specific dependency may apply)	315.00
WXUPGSWOPT-VSC	FCWnX Upgrade for Integration with VSVC 4.4, add- on Option per Server	639.00
XFXS	BioScrypt / 4G V-Flex / Secugen Optical / 4G V-Flex WR (S)	1074.00
XFXSG	BioScrypt / 4G V-Flex / Secugen Optical / Gemalto Mifare & Desire / 4G V-Flex WR (S, G)	1448.00
XSTSG	BioScrypt / 4G V-Station / Secugen Optical / Gemalto Mifare & DesFire / 4G V- Station WR (S,G)	2548.00
YV10X5HR4A-2	Megapixel 1/3" 5-50mm F1.5, Day/Night Manual Iris, IR Corrected	118.00
YV10X5HR4A-SA2	Megapixel 1/3" 5-50mm F1.6 Day/Night Auto Iris DC, IR Corrected	120.00
YV2.1X2.8SR4A-2	Megapixel 1/3" 2.8-6mm F1.3, Day/Night Manual Iris, IR Corrected	160.00
YV2.1X2.8SR4A-SA2	Megapixel 1/3" 2.8-6mm F1.3, Day/Night Auto Iris DC, IR Corrected	160.00
YV2.8X2.8SA-2	Megapixel 1/3" 2.8-8mm F1.2, Manual Iris	78.00
YV2.8X2.8SA-SA2	Megapixel 1/3" 2.8-8mm F1.2, Auto Iris DC	88.00